




Catalogue 2018 - Q3

V-TAC[®]
INNOVATIVE LED LIGHTING




OUR JOURNEY SO FAR.....



V-TAC WAS DEVELOPED AND DESIGNED BY ENERGY AND LIGHTING SPECIALIST TO NOT ONLY BRING SUSTAINABLE LED LIGHTING SOLUTIONS TO YOUR HOMES BUT TO KEEP ADDING VALUE AND LIVE UP TO THE EXPECTATIONS OF OUR CUSTOMERS AND DISTRIBUTORS.

THANKS TO OUR CEASELESS INNOVATION, OUR BROAD PORTFOLIO INCLUDES A DIVERSE RANGE OF NEXT-GENERATION LED LIGHTING TECHNOLOGIES DESIGNED TO PROVIDE A PROFESSIONAL SOLUTION FOR PROFESSIONALS. INTRODUCING AN ENHANCED PRODUCT RANGE WITH A 5-YEAR WARRANTY.

THE V-TAC PRO SERIES IS SET TO TAKE THE LED MARKET BY STORM WITH SAMSUNG'S RELIABLE AND EFFICIENT LED CHIPS. CREATING A BETTER WORLD FOR MODERN LIGHTING THROUGH INNOVATIVE TECHNOLOGY AND MODERN COMPONENTS.



SAMSUNG ELECTRONICS LED DIVISION'S NEW LINEUP OF LED PRODUCTS WILL UTILIZE AN UNPARALLELED CHIP SCALE PACKAGING TECHNOLOGY.

THIS GROUND-BREAKING APPROACH TO LED TECHNOLOGY ENABLES ANY BUSINESS IN ANY ENVIRONMENT TO CREATE DYNAMIC AND RELIABLE DESIGNS THAT TRULY ENGAGE THEIR MARKETS. THEY HAVE DEDICATED THEIR EFFORTS TO CREATIVITY AND INNOVATION WHICH IS IN LINE WITH V-TAC'S VISION.

LEDING THE WORLD TO A NEW DIMENSION

LIGHT IS CRUCIAL TO YOUR WELL-BEING AND TO YOUR ECONOMY'S DEVELOPMENT; AND YET GLOBALLY 1.2 BILLION PEOPLE ARE WITHOUT ACCESS TO MODERN LIGHTING. WE ARE ON A MISSION TO BRING V-TAC LED CLOSER TO YOUR HOME. WE ARE STRATEGICALLY BUILDING A NETWORK OF DISTRIBUTORS AND PARTNERS WHO SHARE OUR VISION OF GIVING YOU IMMERSIVE AND INNOVATIVE LED LIGHTING.

AND STILL MORE TO COME.....

Table of contents



PRO series



02		LED FLOOD LIGHTS		WHITE 04		BLACK 08		GREY 12		PIR- WHITE 16		PIR- BLACK 18		SPORTS LIGHT 20	
22		LED PANELS		BIG PANEL 24										MINI PANEL 24	
30		LED TUBES AND BATTEN FITTINGS		LED TUBES 32		BATTEN FITTINGS WITH TUBE 34		PRISMATIC FITTINGS 36		LED BATTEN FITTINGS 38				WATERPROOF FITTINGS 42	
44		LED HIGHBAYS		REFLECTOR-HIGHBAYS 46		UFO SERIES HIGH LUMENS 48		UFO SERIES SAMSUNG DRIVER 50		UFO SERIES 52				LED CANOPY 54	
56		LED STRIP LIGHT													58
60		LED DOWN LIGHTS		LED BULKHEAD 62					CABINET LIGHT 66					CABINET LIGHT 67	
68		LED LINEAR AND TRACK LIGHTS		HANGING LINEAR LIGHTING 70		UP-DOWN LINEAR LIGHTING 72		RECESSED LINEAR LIGHTING 76		LINEAR TRUNKING LIGHTING 84				LED TRACK LIGHTS 88	
94		LED SPOTLIGHTS		CAPSULES LIGHTS 96										SPOTLIGHTS 97	
100		LED BULBS		AMBER FILAMENT 102		CLEAR FILAMENT 104		HIGH LUMEN BULBS 108						PLASTIC BULBS 110	

Table of contents



V-TAC'S WIDE RANGE OF ESSENTIAL LED PRODUCTS, FOR DIVERSE APPLICATIONS. OUR PRODUCTS HAVE BEEN TESTED AND APPROVED BY TOP EU LABS ENSURING HIGH QUALITY LEDS.

LED BULBS

BLISTER PACKING



Page No.
124

PLASTIC BULBS



Page No.
131

AMBER COVER



Page No.
154

WHITE COVER



Page No.
171

FROST COVER



Page No.
171

CLEAR COVER



Page No.
180

LED SPOTLIGHTS

G4-G9



Page No.
193

GU10-MR16



Page No.
195

ACCESSORIES



Page No.
202

PAR LAMPS



Page No.
238

LED FLOOD LIGHTS

FLOOD LIGHTS



Page No.
244

PIR FLOODLIGHTS



Page No.
258

LED PANELS

BIG PANELS



Page No.
278

MINI PANELS



Page No.
297

Table of contents



V-TAC'S WIDE RANGE OF ESSENTIAL LED PRODUCTS, FOR DIVERSE APPLICATIONS.
OUR PRODUCTS HAVE BEEN TESTED AND APPROVED BY TOP EU LABS ENSURING HIGH QUALITY
LED'S.

LED TUBES LIGHTS

LED TUBES



Page No.
328

WATERPROOF FITTINGS



Page No.
340

LED HIGHBAYS



Page No.
350



Page No.
358

LINEAR LOWBAYS

LED STREET LIGHTS

LED STREET LIGHTS



Page No.
361

LED STREET LIGHTS



Page No.
364

LED STRIP LIGHTS

BIG PANELS



Page No.
366

ALUMINUM PROFILES



Page No.
385

ACCESSORIES



Page No.
394

POWER SUPPLY



Page No.
402

Table of contents



V-TAC'S WIDE RANGE OF ESSENTIAL LED PRODUCTS, FOR DIVERSE APPLICATIONS.
OUR PRODUCTS HAVE BEEN TESTED AND APPROVED BY TOP EU LABS ENSURING HIGH QUALITY LED'S.

LED TRACK LIGHTS

LED LINEAR LIGHTS



LED TRACK LIGHTS



LED DOWNLIGHTS

LED DOWN LIGHTS



LED DOME LIGHTS



LED FIRE RATED LIGHTS AND FITTINGS



MOTION SENSORS

MOTION SENSORS



LED EMERGENCY LIGHTS

LED EMERGENCY LIGHTS



LED TABLE LAMPS



LED INNOVATIVE LIGHTS



SWITCHES



Table of contents



Page No. **527**

V-TAC PUSHES LED LIGHTING INNOVATION EVEN FURTHER WITH THE NEW SMART HOME SERIES – A COLLECTION OF WIFI-SUPPORTED SOCKETS, TOUCH SWITCHES, AND POWER STRIPS THAT CAN BE FULLY CONTROLLED VIA AMAZON ALEXA OR GOOGLE HOME.



SWITCHES



Page No. **533**

PLUGS & SOCKETS



Page No. **540**

V-TAC MEETS THE GROWING IOT DEMAND FOR HOME LIGHTING WITH THE NEW SMART LIGHT SERIES – A COLLECTION OF WIFI-SUPPORTED LED LIGHTING SOLUTIONS THAT CAN BE FULLY CONTROLLED VIA AMAZON ALEXA OR GOOGLE HOME.



V-TAC'S WIDE RANGE OF ESSENTIAL LED PRODUCTS, FOR DIVERSE APPLICATIONS. OUR PRODUCTS HAVE BEEN TESTED AND APPROVED BY TOP EU LABS ENSURING HIGH QUALITY LEDS.

LED OUTDOOR LIGHTS

LED OUTDOOR LIGHTS



Page No. **543**

GARDEN SPIKE LIGHT



Page No. **451**

POOL LIGHTS



Page No. **552**

LED WALL LIGHTS

LED WALL LIGHTS



Page No. **555**

GARDEN LAMPS

GARDEN LAMPS



Page No. **590**

LED DISPLAY SCREEN

LED DISPLAY SCREEN



Page No. **606**

DECORATIVE & LED PENDANTS

PENDANTS



Page No. **608**

HOLDERS



Page No. **680**

DESIGNER SLEEK



Page No. **688**

CHANDELIERS



Page No. **716**

Teamwork Makes the Dream Work.



Samsung inspires the world and shapes the future with transformative ideas and technologies. The company is redefining the worlds of TVs, smartphones, wearable devices, tablets, digital appliances, network systems, memory, system LSI, and LED solutions.

Founded in 2009, we are currently one of the swiftly growing LED brands in Europe. V-TAC is a brand now known in over **70 countries**. As a result of sheer persistence, we have a range of over **2000 products**, from across **20 different categories**. Through our constant motivation to provide our customers with an enhanced product range, we introduced the PRO-Series; five-year warranty products with the base of the products provided by the thoroughly reliable and efficient LED chips from Samsung.

V Stands For Vision.

Our vision is to take the LED market by storm. Growth-driven approach and philosophy has enabled us to develop cutting-edge LED products at light speed. The PRO-Series is a substantial range of products, constructed with all new Samsung chips. This series is the ideal product range for professional use.



LED FLOODLIGHTS

V-TAC's all new slimline series are manufactured with cutting-edge components to deliver an exceptional performance. Together with its new sleek design, its diecast aluminum and IP65-rated body makes each unit extremely sturdy and perfect for outdoor applications.

This extensive range of 10w to 300w floodlights is ready to impress in terms of efficiency, as it has powerful illumination of up to 16000 lumens, brought by its IP-protected Samsung LED chip. The auto-cutoff function comes with the PIR series which disables the sensor with a switch.

APPLICATION

Recommended for any outdoor lighting application in residential, commercial, and industrial areas





KEY FEATURES

- IP-protected Samsung LED Chips to deliver uncompromised performance
- IP65 Rated: high-quality components used to ensure waterproof/airtight performance
- Modern and ultra-strong enclosure with a minimalistic design, for high-end support and design
- Includes black, white, grey, and PIR series
- Select units inclusive of a 1-metre wire for easy installation

IP PROTECTED BY
SAMSUNG





IP65
RATING

ONE METER WIRE

5 YEAR
WARRANTY


LED FLOODLIGHTS

Slimline-White Body

V-TAC's unbreakable LED floodlights, now with Samsung LED chips for a diffused, high-performance outdoor lighting encased in a diecast IP65 body for durability. Available in 10w to 300w watts, in an elegant and ivory white finish.

- Uses IP-protected SMD LED from Samsung
- Diecast body
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-10-W

SKU: 427 | 3000K WARM WHITE
SKU: 428 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
10w	800	20 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-20-W

SKU: 442 | 3000K WARM WHITE
SKU: 443 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-30-W

SKU: 403 | 3000K WARM WHITE
SKU: 404 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
30w	2400	10 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-50-W

SKU: 409 | 3000K WARM WHITE
SKU: 410 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
50w	4000	8 pcs



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-100-W

SKU: 415 | 3000K WARM WHITE


SKU: 416 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
100w	8000	4 pcs



① METER WIRE

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-150-W

SKU: 478 | 3000K WARM WHITE


SKU: 479 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
150w	12000	2 pcs



① METER WIRE

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-200-W

SKU: 420 | 4000K DAY WHITE


SKU: 421 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
200w	16000	2 pcs



① METER WIRE

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-300-W

SKU: 486 | 4000K DAY WHITE

SKU: 487 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
300w	24000	2 pcs



① METER WIRE



LED FLOODLIGHTS

7



IP65
RATING

ONE METER WIRE


5 YEAR
WARRANTY

LED FLOODLIGHTS


Slimline-Black Body

V-TAC's unbreakable LED floodlights, now with Samsung LED chips for a diffused, high-performance outdoor lighting encased in a diecast IP65 body for durability. Available in 10w to 300w watts, in an elegant and ivory white finish.

- Uses IP-protected SMD LED from Samsung
- Diecast body
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz




SKU: 424 | 3000K WARM WHITE
SKU: 425 | 4000K DAY WHITE




SKU: 439 | 3000K WARM WHITE
SKU: 440 | 4000K DAY WHITE

Technical drawing of the LED light fixture showing front and side views with dimensions: 153mm width, 132mm height, and 27mm depth.



SKU: 400 | 3000K WARM WHITE
SKU: 401 | 4000K DAY WHITE


Technical drawing of the LED light fixture showing dimensions: 178mm width, 152mm height, and 28mm depth.



SKU: 406 | 3000K WARM WHITE
SKU: 407 | 4000K DAY WHITE

Technical drawing of the LED light fixture showing dimensions: 223mm width, 188mm height, and 28mm depth.

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-100-B

SKU: 412 | 3000K WARM WHITE


SKU: 413 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
100w	8000	4 pcs



① METER WIRE

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-150-B

SKU: 475 | 3000K WARM WHITE


SKU: 476 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
150w	12000	2 pcs



① METER WIRE

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-200-B

SKU: 418 | 4000K DAY WHITE


SKU: 419 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
200w	16000	2 pcs



① METER WIRE

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-300-B

SKU: 422 | 4000K DAY WHITE

SKU: 423 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
300w	24000	2 pcs




① METER WIRE



LED FLOODLIGHTS

11



IP65
RATING

ONE METER WIRE

5 YEAR
WARRANTY


LED FLOODLIGHTS

Slimline-Grey Body

V-TAC's unbreakable LED floodlights, now with Samsung LED chips for a diffused, high-performance outdoor lighting encased in a diecast IP65 body for durability. Available in 10w to 300w watts, in an elegant and ivory white finish.

- Uses IP-protected SMD LED from Samsung
- Diecast body
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-10-G


SKU: 430 | 3000K WARM WHITE

SKU: 431 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
10w	800	20 pcs



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-20-G


SKU: 445 | 3000K WARM WHITE

SKU: 446 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-30-G


SKU: 454 | 3000K WARM WHITE

SKU: 455 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
30w	2400	10 pcs



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-50-G


SKU: 463 | 3000K WARM WHITE

SKU: 464 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
50w	4000	8 pcs



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-100-G

SKU: 472 | 3000K WARM WHITE


SKU: 473 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
100w	8000	4 pcs



① METER WIRE

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-150-G

SKU: 481 | 3000K WARM WHITE


SKU: 482 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
150w	12000	2 pcs



① METER WIRE

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-200-G

SKU: 484 | 4000K DAY WHITE


SKU: 485 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
200w	16000	2 pcs



① METER WIRE

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-300-G

SKU: 488 | 4000K DAY WHITE

SKU: 489 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
300w	24000	2 pcs



① METER WIRE



LED FLOODLIGHTS

15



IP65
RATING



5 YEAR
WARRANTY


LED FLOODLIGHTS

PIR Sensor White Body

Incorporating security in its function, we have a full range of LED floodlights equipped with PIR sensors, available in 10w to 50w. Now upgraded with Samsung LED for an even better, high-end performance, these LED PIR floodlights are truly a modern take on traditional floodlights. Easily disable the sensor with a switch through its auto-cutoff function. Widely used to for any outdoor application. Available in 10w to 50w, in a sleek white finish.

- **SMD Samsung LED**
- **30,000-hr lifespan**
- **100° Beam Angle**
- **Die casting Aluminium Body**
- **Auto-cutoff function: disable sensor with a switch**

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-10-S-W


SKU: 433 - 3000K WARM WHITE

SKU: 434 - 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
10w	800	20 pcs



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-20-S-W


SKU: 448 - 3000K WARM WHITE

SKU: 449 - 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-30-S-W


SKU: 457 - 3000K WARM WHITE

SKU: 458 - 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
30w	2550	20 pcs



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM





VT-50-S-W

SKU: 466 - 3000K WARM WHITE

SKU: 467 - 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
50w	4250	10 pcs





IP65
RATING




5 YEAR
WARRANTY

PIR Sensor Black Body

Incorporating security in its function, we have a full range of LED floodlights equipped with PIR sensors, available in 10w to 50w. Now upgraded with Samsung LED for an even better, high-end performance, these LED PIR floodlights are truly a modern take on traditional floodlights. Easily disable the sensor with a switch through its auto-cutoff function. Widely used to for any

- **SMD Samsung LED**
- **30,000-hr lifespan**
- **100° Beam Angle**
- **Die casting Aluminium Body**
- **Auto-cutoff function: disable sensor with a switch**

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-10-S-B


SKU: 436 - 3000K WARM WHITE

SKU: 437 - 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
10w	800	20 pcs



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-20-S-B


SKU: 451 - 3000K WARM WHITE

SKU: 452 - 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-30-S-B


SKU: 460 - 3000K WARM WHITE

SKU: 461 - 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
30w	2550	20 pcs



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM





VT-50-S-B

SKU: 469 - 3000K WARM WHITE

SKU: 470 - 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
50w	4250	10 pcs





LED FLOODLIGHTS

Sports Light

120
LM/WATT

5 YEAR
WARRANTY*


A symbol of limitless strength. V-TAC's all new high efficiency sports light is designed with cutting-edge components to deliver an exceptional performance. It is extremely sturdy and absolutely perfect for outdoor applications.

- **Using MEAN WELL driver**
- **No Lead or Mercury content**
- **Life Hours of 30,000 Hours**
- **LED provided by Samsung**
- **Saves 80% energy**
- **IP65 Rating**

VT-500D

SKU: 490 | 5000K WHITE


WATTS	LUMENS	BEAM ANGLE	BOX QTY.
500w	67500	45°	1 pcs



VT-501D

SKU: 493 | 5000K WHITE

WATTS	LUMENS	BEAM ANGLE	BOX QTY.
500w	67500	110°	1 pcs





LED PANELS

The PRO Series LED panels range are all made with top-quality PMMA diffuser which provides a uniformly distributed light and prevents the panels from turning yellow.

It proves its durability with exteriors composed of an innovative combination of Aluminum+PMMA+PP, and its energy-saving upgrade through the improved driver box and IP-protected Samsung LED chip. Both frameless and big panels are inclusive of a quick connector for easy installation.

APPLICATION

Widely used in offices, schools, hospitals, and commercial establishments

V-TAC[®]
INNOVATIVE LED LIGHTING






KEY FEATURES

- Inclusive of a quick connector
- Flicker-free; stable drivers eliminate flashes
- Better light quality: less false colour plots
- 80% lower power consumption than conventional downlights
- Standard dimensions for big panels available
- Choose from square and round frameless mini panels

IP PROTECTED BY
SAMSUNG

**QUICK
CONNECTOR**





QUICK CONNECTOR

LED BIG PANELS


Square Panels-60x60

Our 36w and 45w LED panels are made with high quality PMMA diffusers which prevents it from turning yellow over time and makes it emit strong and evenly distributed light. Also available is the TP(a)-rated panel to meet fire safety standards. All our LED panels have quick connectors that will save installation time and costs.

- **Quick Connector**
- **SMD LED Type**
- **30,000 hrs Lifespan**
- **110° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**
- **Aluminum+ PMMA+PP**


5 YEAR
WARRANTY*

SKU:750 4000K DAY WHITE	MODEL	WATTS	LUMENS	BOX QTY.
SKU:751 6400K WHITE	VT-636	36w	3600	6 pcs




TP(A) POLYCARBONATE MICROPRISMATIC DIFFUSER

SKU: 632 3000K WARM WHITE	MODEL	WATTS	LUMENS	BOX QTY.
SKU: 633 4000K DAY WHITE	VT-645	45w	3600	6 pcs
SKU:634 6400K WHITE	PMMA Diffuser			





**QUICK
CONNECTOR**



LED BIG PANELS

Rectangle Panels-120x60


5 YEAR
WARRANTY

SKU:748 | 4000K DAY WHITE

SKU:749 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-646	45w	5400	2 pcs

PMMA Diffuser



LED PANELS

25


LED MINI PANELS Round Edge Series

A combination of function and aesthetics, our new LED mini panels have stylish and contemporary designs which light up all the way to the edges for your efficient, indoor ambient lighting.


- **Quick Connector**
- **SMD LED Type**
- **30,000 hrs Lifespan**
- **120° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**
- **ABS+Plastic Body**

5 YEAR
WARRANTY*


SKU: 626	3000K WARM WHITE	MODEL	WATTS	LUMENS	BOX QTY.
SKU: 627	4000K DAY WHITE	VT-608RD	8w	800	100 pcs
SKU: 628	6400K WHITE				




SKU: 620	3000K WARM WHITE	MODEL	WATTS	LUMENS	BOX QTY.
SKU: 621	4000K DAY WHITE	VT-615RD	15w	1500	40 pcs
SKU: 622	6400K WHITE				



SKU: 614	3000K WARM WHITE	MODEL	WATTS	LUMENS	BOX QTY.
SKU: 615	4000K DAY WHITE	VT-620RD	20w	2000	40 pcs
SKU: 616	6400K WHITE				





Quick Connector



LED PANELS

www.v-tac.eu | www.vtacexports.com

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

LED MINI PANELS


Square Edge Series

A combination of function and aesthetics, our new LED mini panels have stylish and contemporary designs which light up all the way to the edges for your efficient, indoor ambient lighting.


- **Quick Connector**
- **SMD LED Type**
- **30,000 hrs Lifespan**
- **120° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**
- **ABS+Plastic Body**

5
YEAR
WARRANTY


SKU: 623		3000K WARM WHITE	MODEL	WATTS	LUMENS	BOX QTY.
SKU: 624		4000K DAY WHITE	VT-608SQ	8w	800	100 pcs
SKU: 625		6400K WHITE				




SKU: 617		3000K WARM WHITE	MODEL	WATTS	LUMENS	BOX QTY.
SKU: 618		4000K DAY WHITE	VT-615SQ	15w	1500	40 pcs
SKU: 619		6400K WHITE				



SKU: 611		3000K WARM WHITE	MODEL	WATTS	LUMENS	BOX QTY.
SKU: 612		4000K DAY WHITE	VT-620SQ	20w	2000	40 pcs
SKU: 613		6400K WHITE				





Quick Connector



LED PANELS

www.v-tac.eu | www.vtacexports.com

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



LED TUBES

Longer lifespan, and control compatibility. Besides the efficiency, our LED tube range is your best choice in the age of smart lighting as its lifespan is not affected by the number of switching cycles. This converts to more savings in operating and replacement costs. V-TAC's complete LED tubes range includes T8s and integrated batten fittings, perfect for indoor lighting.

APPLICATION

Used for general purpose lighting in residences, commercial establishments, supermarkets, and offices

V-TAC[®]
INNOVATIVE LED LIGHTING






KEY FEATURES

- High lumen rating: 120 lumen/watt
- Uses IP-protected LED chip from Samsung
- Works perfectly with controls

IP PROTECTED BY
SAMSUNG

120
LM/WATT





LED TUBES G13-T8 -Nano Plastic Tube

This modern range of high-lumen LED tubes with IP-protected Samsung LED chip are the perfect retrofit for fluorescent fixtures. Complete with a series of pop kits (batten fittings inclusive of tubes), these sets of tubes are available in standard lengths for general purpose lighting in residences, commercial establishments, supermarkets, and offices.

- **SMD LED Type**
- **30,000 hrs Lifespan**
- **160° Beam Angle**
- **15000 On/Off**
- **AC:220-240V,50Hz**
- **>80 CRI**
- **>0.5 PF**
- **Nano Plastic Body**



5 YEAR
WARRANTY*

MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
-------	-------	----------	--------	-----------	----------

VT-062	10w	18w	1100	0.1264	25 pcs
--------	-----	-----	------	--------	--------

SKU: 686 | 4000K DAY WHITE

SKU: 687 | 6400K WHITE




MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
-------	-------	----------	--------	-----------	----------

VT-122	18w	45w	2250	0.1904	25 pcs
--------	-----	-----	------	--------	--------

SKU: 688 | 3000K WARM WHITE

SKU: 672 | 4000K DAY WHITE

SKU: 673 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
-------	-------	----------	--------	-----------	----------

VT-152	22w	75w	3000	0.2572	25 pcs
--------	-----	-----	------	--------	--------

SKU: 689 | 3000K WARM WHITE

SKU: 674 | 4000K DAY WHITE

SKU: 675 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-061	10w	18w	850	0.1264	25 pcs

SKU: 650 | 3000K WARM WHITE

SKU: 651 | 4000K DAY WHITE

SKU: 652 | 6400K WHITE




MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-121	18w	36w	1700	0.1904	25 pcs

SKU: 653 | 3000K WARM WHITE

SKU: 654 | 4000K DAY WHITE

SKU: 655 | 6400K WHITE




MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-151	22w	58w	2000	0.2572	25 pcs

SKU: 656 | 3000K WARM WHITE

SKU: 657 | 4000K DAY WHITE

SKU: 658 | 6400K WHITE



LED BATTEN FITTINGS

Single and Double Batten Fitting

This modern range of batten fittings offer durability and can house one to two LED tubes. These luminaires are available in standard lengths for general purpose lighting in residences, commercial establishments, supermarkets, and offices.

- **SMD LED Type**
- **30,000 hrs Lifespan**
- **160° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**
- **Nano Plastic Body**

5 YEAR
WARRANTY*



MODEL	WATTS	LUMENS	ON/OFF	PF	BOX QTY.
VT-12026	18w	1700	15000	>0.5	10 pcs
SKU: 6442 4000K DAY WHITE					
SKU: 6443 6400K WHITE					

MODEL	WATTS	LUMENS	ON/OFF	PF	BOX QTY.
VT-15023	22w	2000	15000	>0.5	10 pcs
SKU: 6438 4000K DAY WHITE					
SKU: 6439 6400K WHITE					



MODEL	WATTS	LUMENS	ON/OFF	PF	BOX QTY.
VT-12027	36w	3400	15000	>0.5	10 pcs


SKU: 6444 | 4000K DAY WHITE

SKU: 6445 | 6400K WHITE

MODEL	WATTS	LUMENS	ON/OFF	PF	BOX QTY.
VT-15024	44w	4000	15000	>0.5	10 pcs

SKU: 6440 | 4000K DAY WHITE

SKU: 6441 | 6400K WHITE



LED BATTEN FITTINGS

35



Quick Connector

FIXTURES WITH LED LED Prismatic Fittings


This new 10w to 60w range of efficient LED prismatic fittings from V-TAC all have a high-lumen rating of 120 lm/w and are equipped with IP-protected LED chip from Samsung. Available in 3000K, 4000K, and 6400K color temperatures, these durable fittings are ideal for any indoor lighting use.

- **SMD LED Type**
- **30,000 hrs Lifespan**
- **110° Beam Angle**
- **15000 On/Off**
- **AC:220-240V,50Hz**
- **CRI: >80**
- **>0.9 PF**
- **Plastic Body**
- **<0.5 s Instant Start**


5 YEAR
WARRANTY

MODEL	WATTS	LUMENS	WEIGHT-	BOX QTY.
VT-8-10	10w	1200	0.26	10 pcs

SKU: 659 | 3000K WARM WHITE
SKU: 660 | 4000K DAY WHITE
SKU: 661 | 6400K WHITE




MODEL	WATTS	LUMENS	WEIGHT-	BOX QTY.
VT-8-20	20w	2400	0.42	10 pcs



SKU: 662 | 3000K WARM WHITE
SKU: 663 | 4000K DAY WHITE
SKU: 664 | 6400K WHITE




MODEL	WATTS	LUMENS	WEIGHT-	BOX QTY.
VT-8-40	40w	4800	0.84	10 pcs



SKU: 665 | 3000K WARM WHITE
SKU: 666 | 4000K DAY WHITE
SKU: 667 | 6400K WHITE




MODEL	WATTS	LUMENS	WEIGHT-	BOX QTY.
VT-8-50	50w	6000	1.00	10 pcs



SKU: 668 | 4000K DAY WHITE
SKU: 669 | 6400K WHITE



MODEL	WATTS	LUMENS	WEIGHT-	BOX QTY.
VT-9-60	60w	7200	1.20	10 pcs



SKU: 670 | 4000K DAY WHITE
SKU: 671 | 6400K WHITE





FIXTURES WITH LED LED Batten Fitting

V-TAC's all new range of LED Batten fittings designed with LED chip by Samsung deliver high performance light output of 120 lumens/watt. These fittings are built strong using the materials Iron + Polycarbonate and are also TP(a) rated to meet the fire safety standards. Optional emergency pack and microwave sensor specially designed for LED Batten are also available.

- **TP(A) Rated**
- **30,000 Life Hours**
- **CRI - >80**

- **PF - 0.9**
- **On/Off Cycle - >15000 time**
- **Input Voltage - AC:220-240V**

5 YEAR
WARRANTY*

TP(a)

Polycarbonate




Compatible Emergency Pack



Sensor Compatible

MODEL	WATTS	LUMENS	WEIGHT-	BOX QTY.
VT-8-42	40w	4800	1.40	10 pcs

SKU: 755 | 4000K DAY WHITE



FEET



LM/WATT




MODEL	WATTS	LUMENS	WEIGHT-	BOX QTY.
VT-8-62	60w	6900	1.72	10 pcs

SKU: 756 | 4000K DAY WHITE



MODEL	WATTS	LUMENS	WEIGHT-	BOX QTY.
VT-8-80	80w	8600	2.07	10 pcs

SKU: 757 | 4000K DAY WHITE





FIXTURES WITH LED LED Batten Fitting

V-TAC's all new range of LED Batten fittings designed with LED chip by Samsung deliver high performance light output of 120 lumens/watt. These fittings are built strong using the materials Iron + Polycarbonate and are also TP(a) rated to meet the fire safety standards. Optional emergency pack and microwave sensor specially designed for LED Batten are also available.

- **TP(A) Rated**
- **30,000 Life Hours**
- **CRI - >80**
- **PF - 0.9**
- **On/Off Cycle - >15000 time**
- **Input Voltage - AC:220-240V**

5 YEAR
WARRANTY*

TP(a)

Polycarbonate



Compatible Emergency Pack



Sensor Compatible


MODEL	WATTS	LUMENS	WEIGHT-	BOX QTY.
VT-8-41	40w	4800	2.90	4 pcs

SKU: 753 | 4000K DAY WHITE



MODEL	WATTS	LUMENS	WEIGHT-	BOX QTY.
VT-8-61	60w	7200	3.65	4 pcs

SKU: 754 | 4000K DAY WHITE



Emergency Pack

VT-8-5 SKU: 758 Compatible with Batten



Microwave Sensor

VT-8-6 SKU: 759 Compatible with Batten





FIXTURES WITH LED LED Waterproof Fittings


With its IP65 rating and tough aluminum exterior, the new LED Tri-Proof Fittings are the optimal choice for a strong and durable fitting for indoor and outdoor lighting. Available in 4ft, 5ft, and 6ft, these high-lumen tri-proof fittings are ideal for illuminating open spaces that are frequently exposed to dust and moisture.


- **SMD LED Type**
- **20,000 - 30,000 hrs Lifespan**
- **110° Beam Angle**
- **IP65 Rating**
- **AC:220-240V,50Hz**
- **CRI: >80**
- **PF: >0.9**

5 YEAR
WARRANTY

MODEL	WATTS	LUMENS	ON/OFF	BODY TYPE	PF	WEIGHT-KG	BOX QTY.
VT-180	60w	5400	15000	Plastic	>0.9	1.30	9 pcs


SKU: 680 | 4000K DAY WHITE
SKU: 681 | 6400K WHITE






MODEL	WATTS	LUMENS	ON/OFF	BODY TYPE	PF	WEIGHT-KG	BOX QTY.
VT-160	60w	7200	15000	Aluminum	>0.9	2.10	9 pcs

SKU: 678 | 4000K DAY WHITE
SKU: 679 | 6400K WHITE



MODEL	WATTS	LUMENS	ON/OFF	BODY TYPE	PF	WEIGHT-KG	BOX QTY.
VT-170	70w	8400	15000	Aluminum	>0.9	2.67	9 pcs

SKU: 676 | 4000K DAY WHITE
SKU: 677 | 6400K WHITE





LED Highbay

One of the forerunners in the PRO series is the LED Highbays. This 100w to 200w highbay range includes subgroups with Mean Well and Samsung driver upgrades, both key players in the LED driver market that boasts of exceptional energy-saving features.

With up to a staggering 180++ lumen-per-watt rating and drivers that provide a lifespan of up to 50,000 hours, V-TAC's new generation of LED highbays are the strongest and most efficient LED high bays available in the market today.

APPLICATION

Recommended for lighting in warehouses, factories, gymnasiums, or any large open area with high ceiling



COMPLETE RANGE OF HIGHBAYS

Reflector Highbays with Mean Well Driver

Dimmable, IP65 LED highbays with a remarkable 180 lm/w rating for intensive lighting; equipped with the Mean Well driver; compatible with the Daylight Sensor; available in 100 W and 120 W



UFO Highbays with Mean Well Driver

IP65 highbays with an impressive 120 lm/w rating; also dimmable and compatible with our Daylight Sensor; available in 100 W and 150 W



Reflector Highbays with Samsung Power Supply

IP65 highbays with guaranteed reliability through its Samsung drivers for fine dimmability and high efficiency; compatible with the Daylight Sensor; Samsung Drivers included in range



UFO Highbays

Competitively priced IP44 LED highbays perfect for intensive lighting, perfect for industrial and even commercial areas; available in 100 W, 150 W, and 200 W



LED Canopy Lighting

Precisely designed for petrol stations; tough exterior made to withstand extreme conditions; suitable for both recessed and surface-mounted mounting



IP PROTECTED BY
SAMSUNG

V-TAC PERFORMANCE
180
LUMENS/WATT





Optional
DAYLIGHT SENSOR
SKU - 1369



REFLECTOR HIGHBAYS

MEAN WELL Driver

Powerful performance with ultra-efficient energy management. With a staggering high-lumen rating of 180 lm/w matched with the highly acclaimed Mean Well driver and IP65 Aluminum body, this range of LED highbays with IP-protected Samsung LED chip is the optimal choice for heavy-duty industrial lighting in warehouses, factories, and workshops. Perfectly compatible


- **PF: >0.9**
- **CRI:>80**
- **Die cast Aluminum**
- **SMD LED Type**
- **30,000 hrs Lifespan**
- **AC:220-240V,50Hz**

5 YEAR
WARRANTY

MODEL	WATTS	LUMENS	BEAM	BOX QTY.
VT-9-102	100w	18000	120°	2 pcs

SKU: 566 | 4000K DAY WHITE


SKU: 567 | 6400K WHITE



MODEL	WATTS	LUMENS	BEAM	BOX QTY.
VT-9-120	120w	21600	120°	2 pcs

SKU: 568 | 4000K DAY WHITE

SKU: 569 | 6400K WHITE



COVER OPTIONS



Aluminum Reflector
90° SKU-570



Aluminum Reflector
120° SKU-571



PC Transparent Reflector
120° SKU-574



120
LUMENS/WATT

IP65
RATING

MW
MEAN WELL
Your Reliable Power Partner

Optional
DAYLIGHT SENSOR
SKU - 1369

1-10V
DIMMABLE



UFO HIGHBAYSLED HIGHBAYS

This advanced LED highbays from V-TAC's PRO series are ready to impress with its high-lumen rating of 120 lm/w and IP-protected LED chip from Samsung. This range is equipped with drivers from Mean Well -- a key player in the LED driver industry for a strong and efficient performance.

- Available in 100 and 120 watts
- SMD LED Type
- 30,000 hrs Lifespan
- AC:100-277V,50/60Hz
- PF: >0.9
- CRI:>80
- Die cast Aluminum

5
YEAR
WARRANTY*

48

LED HIGHBAYS


*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

www.v-tac.eu | www.vtacexports.com

MODEL	WATTS	LUMENS	BEAM	BOX QTY.
VT-9-106	100w	12000	120°	1 pcs

SKU:585 | 4000K DAY WHITE


DALI
Dimming



MODEL	WATTS	LUMENS	BEAM	BOX QTY.
VT-9-100	100w	12000	90°	4 pcs

SKU: 564 | 4000K DAY WHITE


SKU: 565 | 6400K WHITE



MODEL	WATTS	LUMENS	BEAM	BOX QTY.
VT-9-150	150w	18000	90°	2 pcs

SKU: 560 | 4000K DAY WHITE


SKU: 561 | 6400K WHITE



MODEL	WATTS	LUMENS	BEAM	BOX QTY.
VT-9-101	100w	12000	120°	4 pcs

SKU: 562 | 4000K DAY WHITE


SKU: 563 | 6400K WHITE



MODEL	WATTS	LUMENS	BEAM	BOX QTY.
VT-9-151	150w	18000	120°	2 pcs

SKU: 558 | 4000K DAY WHITE

SKU: 559 | 6400K WHITE



120
LUMENS/WATT



USING
SAMSUNG
POWER SUPPLY

Optional
DAYLIGHT SENSOR
SKU - 1369



REFLECTOR HIGHBAYS

A new strong addition to V-TAC's PRO series are these LED high bays with Samsung drivers. With our latest in-branding program with Samsung, these highbays boasts of efficiency in every lumen with Samsung's cutting-edge drivers and IP-protected LED chip. With strong, IP65-rated diecast aluminum enclosing and unparalleled lighting performance, these LED highbays are sure to take the industrial lighting market by storm.

- 120 lm/w
- 30,000 hrs Lifespan
- AC:220-240V,50Hz
- PF: >0.9
- CRI:>80
- Die cast Aluminum

5 YEAR
WARRANTY

50

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty


LED Highbays

www.v-tac.eu | www.vtacexports.com

MODEL	WATTS	LUMENS	BEAM	BOX QTY.
VT-9-108	100w	18000	120°	1 pcs

SKU: 575 | 4000K DAY WHITE


SKU: 576 | 6400K WHITE



MODEL	WATTS	LUMENS	BEAM	BOX QTY.
VT-9-103	100w	12000	120°	1 pcs

SKU: 577 | 4000K DAY WHITE


SKU: 578 | 6400K WHITE



MODEL	WATTS	LUMENS	BEAM	BOX QTY.
VT-9-105	100w	12000	90°	1 pcs

SKU: 583 | 4000K DAY WHITE

SKU: 584 | 6400K WHITE



COVER OPTIONS



Aluminum Reflector
90° SKU-570



Aluminum Reflector
120° SKU-571



PC Transparent Reflector
120° SKU-574



UFO HIGHBAYSLED HIGHBAYS

This new range of IP44-LED high bays from V-TAC's PRO series delivers strong lighting for spacious areas that require intense lighting from high ceilings like manufacturing facilities and construction/development areas. Equipped with the advanced, IP-protected Samsung LED, it has exceptional performance without flickers and warm-up periods.


- **SMD LED Type**
- **30,000 hrs Lifespan**
- **AC:220-240V,50Hz**
- **PF: >0.9**
- **CRI:>80**
- **Die cast Aluminum**

5 YEAR
WARRANTY

MODEL	WATTS	LUMENS	BEAM	BOX QTY.
VT-9-98	100w	8000	90°	4 pcs

SKU: 556 | 4000K DAY WHITE


SKU: 557 | 6400K WHITE



MODEL	WATTS	LUMENS	BEAM	BOX QTY.
VT-9-148	150w	12000	90°	2 pcs

SKU: 552 | 4000K DAY WHITE


SKU: 553 | 6400K WHITE



MODEL	WATTS	LUMENS	BEAM	BOX QTY.
VT-9-99	100w	8000	120°	4 pcs

SKU: 554 | 4000K DAY WHITE


SKU: 555 | 6400K WHITE



MODEL	WATTS	LUMENS	BEAM	BOX QTY.
VT-9-149	150w	12000	120°	2 pcs

SKU: 550 | 4000K DAY WHITE


SKU: 551 | 6400K WHITE



MODEL	WATTS	LUMENS	BEAM	BOX QTY.
VT-9-200	200w	24000	120°	1 pcs

SKU: 580 | 4000K DAY WHITE

SKU: 581 | 6400K WHITE





LED CANOPY LIGHTING

A specialized addition to V-TAC's current roster of innovative LED lighting solutions, the new LED canopy light with Samsung LED is precisely designed for petrol stations. It has a slim design that is suitable for recessed or surface-mounted installation. This canopy is aluminum-made, having a tough exterior made to withstand extreme


- Specially designed for gas stations
- Suitable for recessed or surface mounted installation
- Super slim design and nice looking, easier to install
- Instant start, no noise, no flickering.
- Heat and Shock Resistant.
- Reduce maintenance costs up to 90%, almost free of maintenance.
- Suit for both indoor and outdoor use.

5 YEAR
WARRANTY*

MODEL	WATTS	LUMENS	BEAM	BOX QTY.
VT-9-155	150w	18000	110°	2 pcs

SKU: 572 | 4000K DAY WHITE

SKU: 573 | 6400K WHITE



LED HIGHBAYS

55



LED STRIP LIGHTS

V-TAC's efficient LED strip lights is an effective solution to light up tight spaces, or in simply decorating your kitchen, bedroom, and even your garden. Applicable both for accent lighting or task lighting, these strip lights are easy to install, compatible with controls, and are available in standard color temperatures.

APPLICATION

Recommended for bedrooms, kitchens, restaurants, bars, and other residential and commercial areas






KEY FEATURES

- Easy installation
- Uses IP-protected LED chip from Samsung
- Available in 5m and 10m
- Exceptionally low power consumption

IP PROTECTED BY
SAMSUNG



LED STRIP & NEON FLEX LIGHTS

This range includes 15-watt dust and moisture-rated LED strip lights, equipped with IP-protected Samsung LED for an even further advanced and vivid performance. It also has our IP65 neon flex LED strip light that is specially designed for outdoor resistance. Available in 3000K Warm White, 4000K Day White, and 6400K White, we have the optimal range of low-energy consuming and easy-to-install strip lights with vibrant lighting.

3 YEAR
WARRANTY*

- **LED strip is a low voltage flexible ribbon available in 24v and 12V**
- **Flexible & easy installation**
- **Exceptionally low power consumption**
- **Multiple visual effects in unending colours and shades**

MODEL	WATTS	LUMENS	VOLTAGE	BOX QTY.	SKU: 320	3000K WARM WHITE
VT-10-240	15w	1600	DC:24V	80 Packets	SKU: 321	4000K DAY WHITE
					SKU: 322	6400K WHITE



MODEL	WATTS	LUMENS	VOLTAGE	BOX QTY.	SKU: 323	3000K WARM WHITE
VT-5-120	12w	1200	DC:12V	80 Packets	SKU: 324	4000K DAY WHITE
					SKU: 325	6400K WHITE



WATERPROOF LED NEON FLEX

MODEL	WATTS	LUMENS	VOLTAGE	BOX QTY.	SKU: 326	3000K WARM WHITE
VT-55	10w	300	DC:12V	40 Packets	SKU:327	4000K DAY WHITE
					SKU:328	6400K WHITE



LED STRIPLIGHTS

59



LED DOWNLIGHTS

V-TAC's LED Bulkhead range is inclusive of IP65-rated 2D bulkheads made of state-of-the-art polycarbonate resins for a premium water and dustproof surface-mounted luminaire.

Each model has powerful combinations of two useful features: the emergency battery backup and the microwave sensor with 120° detection angle. Together with the new elegant designs, this luminaire's highlight is its competitive outdoor effectiveness in efficiency and security.

APPLICATION

Ideal for lighting applications in residential, commercial, and hospitality locations.





KEY FEATURES

- Four-options available: 3-in-1 2D Bulkhead with Emergency Battery Back-up & Microwave Sensor, 2D Bulkhead with Emergency Battery Back-up only, 2D Bulkhead with Microwave Sensor only, and stand-alone 2D Bulkhead with 5-years warranty
- Built-in power eliminates the need for an external power supply
- IP65 and strong PC covers for durability
- 3-hour Emergency Operation Time
- Microwave sensors: up to 10m detection
- up to 30,000hr lifespan
- Fully compatible with daylight sensors
- Equipped with a green LED charging indicator
- Suitable for open areas constantly exposed to dust and moisture like parking lots, corridors, airports, and malls.

IP PROTECTED BY
SAMSUNG


Microwave Sensor

Emergency 
Battery Backup

31 Emergency 
Battery Backup

Microwave Sensor

2D BULKHEAD

EMERGENCY
BATTERY
BACKUP 


MICROWAVE
SENSOR

31 IN 
EMERGENCY
BATTERY BACKUP

MICROWAVE SENSOR

 **IP65**
RATING



LED DOME LIGHTS

2D Bulkhead


Our resilient IP65 LED bulkheads make a good choice for outdoor residential, business, and industrial areas that need constant lighting since they can withstand weather, dust, and vandalism.

- AC:200-240V,50/60Hz
- PC Body type
- SMD LED Type
- 20,000 hrs Lifespan

5 YEAR
WARRANTY

MODEL	WATTS	LUMENS	BOX QTY.
VT-08	8w	720	10 pcs


SKU: 815 | 4000K DAY WHITE



MODEL	WATTS	LUMENS	BOX QTY.
VT-15	15w	1400	10 pcs

SKU: 801 | 4000K DAY WHITE

SKU: 802 | 6400K WHITE



Emergency Battery Backup

Emergency Battery Backup


These IP65 LED bulkheads are equipped with Ni-Cad batteries that automatically charges while in use. These fixtures can operate up to three (3) hrs on emergency situations.

- AC:200-240V,50/60Hz
- >1.2 Watts Emergency Standby Watts
- 60mA Battery Charging Current
- 200mA Battery Discharging Current
- Ni-CD AA, 7.2V 1.0Ah Battery Type
- Green LED Charging indicate
- Including battery protection circuit & inhibiting mode
- PC Body type
- >3 hrs Emergency Operation time
- SMD LED Type
- 30,000 hrs Lifespan

3 YEAR
WARRANTY


MODEL	WATTS	LUMENS	BOX QTY.
VT-11	10w	720	10 pcs

SKU: 816 | 4000K DAY WHITE



MODEL	WATTS	LUMENS	BOX QTY.
VT-17	17w	1400	10 pcs

SKU: 806 | 4000K DAY WHITE



2D Bulkhead with Sensor




This range of LED bulkheads are recommended for purposes of increasing security in garages, walkways, and parking areas. With competitive detection range and dimmable functions, these bulkheads exhibit exceptional performance in outdoor security lighting.

- AC:200-240V,50/60Hz
- 120° / 360° Detection Angle
- 3m, 5m, 8m, 10m (optional) Detection Distance
- Max DI0Mx4M Detection Range
- 10S, 1min, 5min, 10min customized Hold Time
- Day, 10Lux, 30Lux, 50Lux optional Day light Sensor
- Yes, 0, 10%, 20%, 30% optional Dimmable Function
- 0.5~3m/s Detection Motion Speed
- PC Body type
- >3 hrs Emergency Operation time
- SMD LED Type
- 30,000 hrs Lifespan

5 YEAR
WARRANTY

MODEL	WATTS	LUMENS	BOX QTY.
VT-09	10w	720	10 pcs

SKU: 818 | 4000K DAY WHITE




MODEL	WATTS	LUMENS	BOX QTY.
VT-16	15w	1400	10 pcs

SKU: 803 | 3000K WARM WHITE


SKU: 804 | 4000K DAY WHITE

SKU: 805 | 6400K WHITE



MODEL	WATTS	LUMENS	BOX QTY.
VT-22	15w	1450l	10 pcs

SKU:819 | 4000K DAY WHITE





2D Bulkhead 3in1

3in1 Emergency Battery Backup
Microwave Sensor


Our 3-in-1 LED bulkhead range is equipped with the complete package for a remarkable and reliable indoor/outdoor emergency and security lighting. With reliable Ni-Cad emergency battery back up, advanced microwave sensor, and optional dimmable functions, this range has impressive lighting abilities to make outdoor locations of residential, business, and industrial areas safer and easier to navigate.

- AC:200-240V,50/60Hz
- >1.2 Watts Emergency Standby Watts
- 60mA Battery Charging Current
- 200mA Battery Discharging Current
- Ni-CD AA, 7.2V 1.0Ah Battery Type
- Green LED Charging indicate
- Including battery protection circuit & inhibiting mode
- 120° / 360° Detection Angle
- Yes, 0, 10%, 20%, 30% optional Dimmable Function
- 0.5~3m/s Detection Motion Speed
- PC Body type
- >3 hrs Emergency Operation time
- SMD LED Type
- 3m, 5m, 8m, 10m (optional) Detection Distance
- 30,000 hrs Lifespan

3 YEAR
WARRANTY


MODEL	WATTS	LUMENS	BOX QTY.
VT-12	10w	720	10 pcs

SKU: 817 | 4000K DAY WHITE




MODEL	WATTS	LUMENS	BOX QTY.
VT-19	15w	1400	10 pcs

SKU: 812 | 4000K DAY WHITE



Built in light sensor

(When light intensity is more than 10 lx, light keep off even though people in. Less than 10 lx, PIR Sensor works)



CABINET LIGHT


Enjoy the convenience of V-TAC's new LED cabinet lights with built-in PIR sensor. Ideal for wardrobes, bookshelves, drawers, and tool cabinets. Fully powered by batteries, designed for a neat installation.

- Easy to mount
- Automatic sensing
- Convenient power source: uses battery instead of power supply, no need for wires
- Ideal for wardrobes, bookcases, cupboards, drawer, strongbox and more

5 YEAR
WARRANTY


VT-80 SKU: 813 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
1.5w	80	50 pcs



Built in light sensor

(When light intensity is more than 10 lx, light keep off even though people in. Less than 10 lx, PIR Sensor works)



CABINET LIGHT


Enjoy the convenience of V-TAC's new LED cabinet lights with built-in PIR sensor. Ideal for wardrobes, bookshelves, drawers, and tool cabinets. Fully powered by batteries, designed for a neat installation.

- Easy to mount
- Automatic sensing
- Convenient power source: uses battery instead of power supply, no need for wires
- Ideal for wardrobes, bookcases, cupboards, drawer, strongbox and more

5 YEAR
WARRANTY

VT-81 SKU: 814 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
1.5w	135	50 pcs



LED LINEAR LIGHTS

V-TAC LED Linear Lights is an energy efficient, low maintenance alternative to traditional linear fluorescent in a variety of industrial, commercial, and light assembly applications. It is the optimal solution for conventional lighting systems and also excellent for new installations due to its low installation cost.

KEY FEATURES

- Saves 80% energy
- No Ultraviolet or Infrared Rays
- Totally flexible, Compact & Adjustable design
- No Lead or Mercury content hence environment friendly
- Provides Uniform Radiance & Enhances appeal of any environment
- Continuous row modular system

APPLICATION

Ideal for lighting applications in residential, commercial, and hospitality locations.



COMPLETE RANGE OF LINEAR LIGHTS


Up & Down Linear Lights (Non-Linkable)

One (1) metre stand-alone suspended up & down lighting with cutting-edge reflectors for a soft yet sufficient lighting effect; available in Silver & White



Up & Down Linear Hanging Lights

Continuous suspended upward & downward lighting with a broad 160mm width for a wider scope; modern tech reflectors to distribute just the right amount of light; available in Silver & White



Up & Down Linear Hanging Lights (Slim)

Continuous suspended up & down lighting with a 75mm body; available in Black, Silver, and White



Linear Hanging Lights (Non-Dimmable)

Continuous suspended downward lighting with a narrow 35mm body for a leaner scope; competitively priced for professional task lighting in commercial areas; available in Black, Silver, & White



Linear Hanging Lights (Dimmable)

Dimmable suspended downward lighting with a 50mm body for narrower aisles; continuous up to 12m; available in Silver & White



LED Recessed Linear (Linkable)

Recessed version of our continuous downward linear lighting with a 70mm body; available in Silver & White



LED Recessed Linear (Linkable)

A broader version of our recessed linear lighting at 90mm width; continuous up to 12 metres; available in White





LINEAR HANGING LIGHTS-NON LINKABLE


This modern range of suspended linear lights has up & down illumination for a more evenly distributed light that creates a subtle ambient yet sufficient lighting for any commercial lighting. Linear up & down lights are offered in two colors variants Silver and White.

- **30,000 hrs Lifespan**
- **AC:100-270V,50/60Hz**
- **Aluminum Body**
- **UGR<6**

5 YEAR
WARRANTY

SILVER **VT-7-61-S** | **WHITE** **VT-7-61-W**
SKU:607 | 4000K DAY WHITE | SKU:606 | 4000K DAY WHITE

WATTS	LUMENS	BEAM ANGLE	SIZE	BOX QTY.
UP 30w	UP-3300	UP-110°	1179x64x35mm	8 pcs
DOWN 30w	DOWN-3300	Down-50°		




70

LED HIGHBAYS


*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

www.v-tac.eu | www.vtacexports.com



LED HIGHBAYS

71



LINKABLE

UPTO 12 METERS TOGETHER

LINEAR HANGING LIGHTS


This modern range of suspended linear lights has up & down illumination for a more evenly distributed light that creates a subtle ambient yet sufficient lighting for any commercial lighting. Linear up & down lights are offered in two colors variants Silver and White.

SILVER	VT-7-62-S	WHITE	VT-7-62-W
SKU:609 4000K DAY WHITE		SKU:608 4000K DAY WHITE	

WATTS	LUMENS	BEAM ANGLE	SIZE	BOX QTY.
UP 30w	UP-3300	UP-110°	1190x160x30mm	4 pcs
DOWN 30w	DOWN-3300	Down-50°		

- **30,000 hrs Lifespan**
- **AC:100-270V,50/60Hz**
- **Aluminum Body**
- **UGR<6**
- **Linkable with connectors**

5 YEAR
WARRANTY






LED HIGHBAYS

www.v-tac.eu | www.vtacexports.com

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



LINKABLE
UP TO 12 METERS TOGETHER

LINEAR HANGING UP-DOWN LIGHTS


This modern range of suspended linear lights has up & down illumination for a more evenly distributed light that creates a subtle ambient yet sufficient lighting for any commercial lighting. Linear up & down lights are offered in three colors variants Black, Silver and White.

- **30,000 hrs Lifespan**
- **AC:200-240V,50/60Hz**
- **Aluminum Body**
- **Linkable with connectors**

5 YEAR
WARRANTY*

BLACK	VT-7-60-B	SILVER	VT-7-60-S	WHITE	VT-7-60-W
SKU:379 4000K DAY WHITE		SKU:378 4000K DAY WHITE		SKU:377 4000K DAY WHITE	

WATTS	LUMENS	BEAM ANGLE	SIZE	BOX QTY.
UP 20w	UP-2000	120°	1200x75x105mm	pcs
DOWN 40w	DOWN-4000			






74

LED HIGHBAYS

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

www.v-tac.eu | www.vtacexports.com





LINKABLE
UPTO 12 METERS TOGETHER

LINEAR HANGING LIGHTS

Discover V-TAC's reliable 40w suspended linear lights with a staggering lifespan of 30,000 hours. Designed with excellent heat dissipation. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung. Linear lights are offered in three colors variants Black, Silver and White.



- **30,000 hrs Lifespan**
- **AC:200-240V,50/60Hz**
- **Linkable with connectors**
- **Aluminum Body**

5 YEAR
WARRANTY

BLACK	VT-7-40-B	SILVER	VT-7-40-S	WHITE	VT-7-40-W
SKU:374 4000K DAY WHITE		SKU:375 4000K DAY WHITE		SKU:376 4000K DAY WHITE	
SKU:600 6000K WHITE		SKU:601 6000K WHITE		SKU:602 6000K WHITE	

WATTS	LUMENS	BEAM ANGLE	SIZE	BOX QTY.
40w	4000	120°	1200x35x67mm	pcs







LINKABLE

UPTO 12 METERS TOGETHER

LINEAR HANGING LIGHTS

Discover V-TAC's reliable 40w suspended linear lights with a staggering lifespan of 30,000 hours. Designed with excellent heat dissipation. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung. Linear lights are offered in three colors variants Black, Silver and White.

- **30,000 hrs Lifespan**
- **UGR<19**
- **Linkable with connectors**
- **Aluminum Body**
- **0-10V Dimmable**

5 YEAR
WARRANTY

SILVER VT-7-43-S

SKU:384 | 4000K DAY WHITE

WHITE VT-7-43-W

SKU:383 | 4000K DAY WHITE

WATTS
40w



LUMENS
3400

BEAM ANGLE
120°

SIZE
1200x50x65mm

BOX QTY.
pcs







LINKABLE
UPTO 12 METERS TOGETHER

LED RECESSED LINEAR

Our new range of linear lights are also available for recessed installation, complete with necessary accessories for a seamless & continuous lighting system. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung. Linear lights are offered in two colors variants Silver and White.

- **30,000 hrs Lifespan**
- **AC:200-240V,50/60Hz**
- **Linkable with connectors**
- **Aluminum Body**

SILVER	VT-7-41-S	WHITE	VT-7-41-W
SKU:380 4000K DAY WHITE		SKU:381 4000K DAY WHITE	
SKU:603 6000K WHITE		SKU:604 6000K WHITE	

5 YEAR
WARRANTY


WATTS	LUMENS	BEAM ANGLE	SIZE	BOX QTY.
40w	4000	120°	1211x70x35mm	pcs

80

LED HIGHBAYS


*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

www.v-tac.eu | www.vtacexports.com




8W
VT-7-4I-L

SILVER: SKU:386 | 4000K DAY WHITE
WHITE SKU:385 | 4000K DAY WHITE




10W
VT-7-4I-

SILVER: SKU:388 | 4000K DAY WHITE
WHITE SKU:387 | 4000K DAY WHITE




12W
VT-7-4I-

SILVER: SKU:390 | 4000K DAY WHITE
WHITE SKU:389 | 4000K DAY WHITE




14W
VT-7-4I-T

SILVER: SKU:392 | 4000K DAY WHITE
WHITE SKU:391 | 4000K DAY WHITE



16W
VT-7-4I-X

SILVER: SKU:394 | 4000K DAY WHITE
WHITE SKU:393 | 4000K DAY WHITE





LINKABLE

UPTO 12 METERS TOGETHER

LED RECESSED LINEAR

Our new range of linear lights are also available for recessed installation, complete with necessary accessories for a seamless & continuous lighting system. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung.


- **30,000 hrs Lifespan**
- **AC:200-240V,50/60Hz**
- **Linkable with connectors**
- **Aluminum Body**

WHITE VT-7-42-W

SKU:382 | 4000K DAY WHITE

5 YEAR
WARRANTY*


WATTS	LUMENS	BEAM ANGLE	SIZE	BOX QTY.
40w	4000	120°	1211x90x35mm	pcs






10W
VT-7-42-L

SKU:395 | 4000K DAY WHITE




10W
VT-7-42-

SKU:396 | 4000K DAY WHITE




12W
VT-7-42-

SKU:397 | 4000K DAY WHITE




14W
VT-7-42-T

SKU:398 | 4000K DAY WHITE



16W
VT-7-42-X

SKU:399 | 4000K DAY WHITE





LED LINEAR LIGHTS

V-TAC's new Linear Trunking Light is a set of highly efficient, continuous linear light fixtures with a staggering 160 lm/w rating & a plug-and-play system. It provides an efficient, linkable modular system which means that each unit can be easily connected to the Linear Master Trunking through L, T, and X node connectors. 90°, 120°, and double asymmetric lenses are available for maximum adaptability on any space. Perfect suspended lighting for supermarkets, warehouse, service centers, and gymnasiums. No warm-up time, instant start-up. Sustained color temperature throughout long periods of usage.

High lumen output

output: 160 lm/W to meet different requirements

V-TAC PERFORMANCE
160
LUMENS/WATT


Flexible Beam angle

90°, 120°, double-asymmetric



Modular system

Continuous row system, seamless connection, max 3500W /row





MODEL	WATTS	CRI	LUMENS	PF	SIZE
VT-4551D	50w	>80	8000	>0.9	1500mm



85



AVERAGE BEAM ANGLE (509): 105.9 DEG

AVERAGE BEAM ANGLE(508):114.0 DE

AVERAGE BEAM ANGLE(508):116.9 DE



LINEAR TRACK MODULE

Box Qty.
5Pcs

SKU : 1382



END CAP-LINEAR LIGHT ACCESSORY

Box Qty.
200 Pcs

SKU : 1366



SUSPENDED CORD-LINEAR LIGHT

Box Qty.
100 Pcs

SKU : 1367



8 WIRE-FEED IN MALE CONNECTOR-LINEAR

Box Qty.
200 Pcs

SKU : 1368



L NODE CONNECTOR-LINEAR ACCESSORY

Box Qty.
8Pcs

SKU : 1383



T NODE CONNECTOR-LINEAR ACCESSORY

Box Qty.
2Pcs

SKU : 1384



X NODE CONNECTOR-LINEAR ACCESSORY

Box Qty.
2Pcs

SKU : 1385



S LINE-FOLLOW TRUNKING RAIL

Box Qty.
10 Pcs

SKU : 1451



S LINE-PC BLANK COVER

Box Qty.
35 Pcs

SKU : 1452



LED TRACK LIGHTS

Color has a massive influence on purchasing decisions. V-TAC's new generation of innovative 4-Line LED Track Lights are the premiere choice for retail lighting since Samsung's COB solution are optimized for this purpose. The >90 CRI rating of these track lights provide vivid colors, highly enhancing any product's appeal to consumers. Single and 4-Line track lights are included in this new generation of track lights from V-TAC.

APPLICATION

Ideal for lighting applications in residential, commercial, and hospitality locations.





KEY FEATURES

- Saves 80% energy
- No Ultraviolet or Infrared Rays
- Totally flexible, Compact & Adjustable design
- No Lead or Mercury content hence environment-friendly
- Provides uniform radiance & enhances appeal of any environment.
- Enhances measurable levels of performance as compared to older versions of high wattage halogen & HID light sources in retail & commercial lighting applications.

IP PROTECTED BY
SAMSUNG

LED TRACKLIGHTS

4 Line Tracklights-Black Body

5 YEAR
WARRANTY*


A complete range of durable 7w to 20w 4-line LED track lights with aluminum body equipped with IP-protected LEDs by Samsung. These COB LEDs are also renowned for its high-CRI rating, perfect for retail lighting. Available in a stylish, ebony black finish.

- **COB LED Type**
- **30,000 hrs Lifespan**
- **24° Beam Angle**
- **AC:220-240V,50Hz**
- **High CRI of > 90**




MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-407-B	7w	420	>0.5	>90	40 pcs	24°

SKU: 353 | 3000K WARM WHITE
SKU: 354 | 4000K DAY WHITE
SKU: 355 | 5000K WHITE




MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-415-B	15w	1050	>0.5	>90	40 pcs	24°

SKU: 359 | 3000K WARM WHITE
SKU: 360 | 4000K DAY WHITE
SKU: 361 | 5000K WHITE



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-420-B	20w	1400	>0.9	>90	40 pcs	24°

SKU: 365 | 3000K WARM WHITE
SKU: 366 | 4000K DAY WHITE
SKU: 367 | 5000K WHITE



LED TRACKLIGHTS

4 Line Tracklights-White Body

5 YEAR
WARRANTY*


A complete range of durable 7w to 20w 4-line LED track lights with aluminum body equipped with IP-protected LEDs by Samsung. These COB LEDs are also renowned for its high-CRI rating, perfect for retail lighting. Available in a stylish, clean white finish.

- **COB LED Type**
- **30,000 hrs Lifespan**
- **24° Beam Angle**
- **AC:220-240V,50Hz**
- **High CRI of > 90**




MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-407-W	7w	490	>0.5	>90	40 pcs	24°

SKU: 350 | 3000K WARM WHITE
SKU: 351 | 4000K DAY WHITE
SKU: 352 | 5000K WHITE




MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-415-W	15w	1200	>0.5	>90	40 pcs	24°

SKU: 356 | 3000K WARM WHITE
SKU: 357 | 4000K DAY WHITE
SKU: 358 | 5000K WHITE



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-420-W	20w	1600	>0.9	>90	40 pcs	24°

SKU: 362 | 3000K WARM WHITE
SKU: 363 | 4000K DAY WHITE
SKU: 364 | 5000K WHITE



LED TRACKLIGHTS LED Shutter Tracklights

These durable 4-line LED track lights are equipped with shutters for flexibility — easily adjust them to achieve desired beam angle.

These COB LEDs are also renowned for its high-CRI rating, perfect for retail lighting.

Available in white and black body.


- **COB LED Type**
- **30,000 hrs Lifespan**
- **24°-60° Adjustable**
- **AC:220-240V,50Hz**
- **High CRI of > 90**



5 YEAR
WARRANTY*


MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-433-B	33w	2640	>0.9	>90	8 pcs	24°-60°

SKU: 371 | 3000K WARM WHITE
SKU: 372 | 4000K DAY WHITE
SKU: 373 | 5000K WHITE



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-433-W	33w	2640	>0.9	>90	8 pcs	24°-60°

SKU: 368 | 3000K WARM WHITE
SKU: 369 | 4000K DAY WHITE
SKU: 370 | 5000K WHITE





LED TRACKLIGHTS

93



LED SPOT LIGHTS

Our new range of LED spotlights with Samsung LEDs is your leading choice for efficient directional lighting solutions. This new range is perfectly compatible with existing GU10 holders. They deliver the same warm light as halogen spots while exhibiting the energy-saving benefits that LEDs provide. Ideal for retail and residential lighting.

APPLICATION

Ideal for lighting applications in residential, commercial, and hospitality locations.





KEY FEATURES

- Classic halogen-like design with up to 80% power savings
- Uses IP-protected Samsung LED chip
- Compatibility ensured: available in all existing spotlight holders
- Optional beam angles: ranging from 38° to 300°
- Set the right tone: dimmable options available

IP PROTECTED BY
SAMSUNG



LED SPOTLIGHTS

LED Capsules Lights

Our newly improved range of capsule lights are the ideal choice for replacing Halogen counterparts. Now equipped with IP-protected Samsung LED chip for maximum efficiency.

- 30,000-hr lifespan
- DC:12V for G4
- AC:220-240V,50Hz for G9
- CRI: >80

5 YEAR
WARRANTY*



G4



G4





G9



G9



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-201	1.5w	10w	100	G4	400 pcs

SKU: 240 | 3000K WARM WHITE
SKU: 241 | 4000K DAY WHITE
SKU: 242 | 6400K WHITE




MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-234	3.2w	30w	385	G4	pcs

SKU: 131 | 3000K WARM WHITE
SKU: 132 | 4000K DAY WHITE
SKU: 133 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-203	2.5w	20w	200	G9	500 pcs

SKU: 243 | 3000K WARM WHITE
SKU: 244 | 4000K DAY WHITE
SKU: 245 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-204	3w	25w	300	G9	500 pcs

SKU: 246 | 3000K WARM WHITE
SKU: 247 | 4000K DAY WHITE
SKU: 248 | 6400K WHITE



LED SPOTLIGHTS

LED GU10 Lights

Achieve a warm soft glow in any room with our improved range of GU10 spotlights with 30,000-hr lamp life. The best professional choice to highlight your highlights – these energy-saving spotlights are compatible with existing GU10 holders while giving the classic warm light that a conventional halogen spot provides.

- Clear and frost cover options
- Available in 38°D or 110°D beam angle
- Uses IP-protected Samsung LED chip
- Dimmable options available
- 30,000-hr lifespan
- DC:12V for GU5.3
- AC:220-240V,50Hz for GU10

5 YEAR
WARRANTY



GU10




GU10



GU10



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-205	5w	35w	400	GU10	200 pcs

SKU: 201 | 3000K WARM WHITE
SKU: 202 | 4000K DAY WHITE
SKU: 203 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-275	5w	40w	380	GU10	192 pcs

SKU: 108 | 3000K WARM WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-275D	5w	35w	380	GU10	192 pcs

SKU: 109 | 3000K WARM WHITE



LED SPOTLIGHTS LED GU10 Lights

5 YEAR
WARRANTY*



GU10



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-247	6.5w	60w	480	GU10	200 pcs

SKU: 192 | 3000K WARM WHITE
SKU: 193 | 4000K DAY WHITE
SKU: 194 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-247D	6.5w	55w	450	GU10	200 pcs

SKU: 198 | 3000K WARM WHITE
SKU: 199 | 4000K DAY WHITE
SKU: 200 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-227D	6.5w	35w	450	GU10	200 pcs

SKU: 195 | 3000K WARM WHITE
SKU: 196 | 4000K DAY WHITE
SKU: 197 | 6400K WHITE



LED SPOTLIGHTS

MR16 | GU10

5 YEAR
WARRANTY*



GU5.3



GU10


MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-257	6.5w	55w	450	GU5.3	200 pcs

SKU: 204 | 3000K WARM WHITE
SKU: 205 | 4000K DAY WHITE
SKU: 206 | 6400K WHITE




MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-267	6.5w	40w	450	GU5.3	200 pcs

SKU: 207 | 3000K WARM WHITE
SKU: 208 | 4000K DAY WHITE
SKU: 209 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-277	7w	65w	480	GU10	200 pcs

SKU: 165 | 3000K WARM WHITE
SKU: 166 | 4000K DAY WHITE
SKU: 167 | 6400K WHITE





LED BULBS

Find the right bulb in V-TAC's newly improved range of LED bulbs. With our recent in-branding program with Samsung, all LED chips used in the PRO Series lamp range are IP-protected, shielding it from any dust or moisture that may compromise its performance.

From aesthetically-pleasing filament bulbs to our extensive options of 360° omnidirectional thermoplastic bulbs in all sizes, watts, and lumens, we have a complete range to replace 60w to 150w traditional lamps for your home, office, or business.

APPLICATION

General lighting in residential, commercial, and industrial areas





KEY FEATURES

- Includes Amber & Clear Filament Bulbs, High-Lumen Bulbs, Thermoplastic Bulbs, Reflector Bulbs, PAR Bulbs, Big Bulbs, and B22s.
- Uses IP-protected Samsung LED chip
- Lightweight yet durable body: made of Aluminum + ASA plastic
- Designed with optimal thermal management
- 80% lower power consumption
- Dimmable options available
- 30,000-hr lifespan: remarkable performance than conventional and other LED lamps

IP PROTECTED BY
SAMSUNG



LED AMBER FILAMENT

A60

V-TAC's decorative Amber Filament Lamp range is devised with the latest technology to provide the warm look and feel of conventional filament bulbs.

- **20,000 hrs Lifespan**
- **300° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**

5 YEAR
WARRANTY




A60 | E27



A60 | B22



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-214	4w	30w	350	E27	A60	50 pcs

SKU: 282 | 2200K WARM WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-266	6w	55w	725	E27	A60	50 pcs

SKU: 286 | 2200K WARM WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-228	4w	35w	350	B22	A60	96 pcs



SKU:107 | 2200K WARM WHITE



BAYONET



PACK



LED AMBER FILAMENT

G95 | G125 | ST64

V-TAC's decorative Amber Filament Lamp range is devised with the latest technology to provide the warm look and feel of conventional filament bulbs.

- 20,000 hrs Lifespan
- 300° Beam Angle
- AC:220-240V,50Hz
- CRI: >80

5 YEAR
WARRANTY



G95




G125



ST64


MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-296	6w	55w	725	E27	G95	20 pcs

SKU: 293 | 2200K WARM WHITE




MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-297	6w	55w	725	E27	G125	20 pcs

SKU: 291 | 2200K WARM WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-276	6w	55w	725	E27	ST64	50 pcs

SKU: 290 | 2200K WARM WHITE



LED CLEAR FILAMENT

A60

V-TAC's decorative and efficient LED filament range also comes in an elegant, clear glass body for a classic vintage design in A60, candle, and globe shapes that can replace 35 to 60-watt traditional filament bulbs.

- Uses IP-protected Samsung LED chip
- 20,000 hrs Lifespan
- 300° Beam Angle
- AC:220-240V,50Hz
- CRI: >80

5 YEAR
WARRANTY





A60 | E27



A60 | B22



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-256	6w	60w	806	E27	A60	50 pcs

SKU: 287 | 2700K WARM WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-208	4w	40w	400	B22	A60	96 pcs

SKU: 106 | 3000K WARM WHITE



LED CLEAR FILAMENT Candle



Candle | B22



Candle | E14



Twist Candle





Flame Candle

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-222	4w	40w	400	B22	Candle	192 pcs

SKU: 105 | 3000K WARM WHITE





BAYONET



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-254	4w	35w	400	E14	Candle	100 pcs

SKU: 272 | 2700K WARM WHITE




MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-254D	4w	30w	350	E14	Candle	100 pcs

SKU: 278 | 2700K WARM WHITE




DIMMABLE




MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-274	4w	35w	400	E14	Candle	100 pcs

SKU: 279 | 2700K WARM WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-264	4w	35w	400	E14	Candle	100 pcs

SKU: 275 | 2700K WARM WHITE



LED BULBS

105

LED CLEAR FILAMENT

Candle | G45 | G95 | G125

5 YEAR
WARRANTY*



Candle



G45



G95




G125


MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-284D	4w	30w	350	B15	Candle	100 pcs
SKU: 862 3000K WARM WHITE						



DIMMABLE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-244	4w	35w	400	E27	G45	100 pcs
SKU: 280 2700K WARM WHITE						



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-286	6w	60w	806	E27	G95	20 pcs
SKU: 294 2700K WARM WHITE						




LM/WATT



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-287	6w	60w	806	E27	G125	20 pcs
SKU: 292 2700K WARM WHITE						



LM/WATT





LED BULBS

www.v-tac.eu | www.vtacexports.com

107

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

HIGH LUMEN BULBS

C37 | G45 | P45

Available in warm to bright color temperatures, this high-lumen range includes candelabra-style C37 lamps, 45mm diameter spheroid/ping pong G45 bulbs, and 45mm pear-shaped bulbs for a complete selection of lamps to meet a desired combination for mood and task lighting in residential and commercial spaces.

- **A++ energy rating**
- **120 lm/w**
- **30,000-hr lifespan**
- **200° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**

5 YEAR
WARRANTY



C37





G45





P45


MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-255	4.5w	40w	470	E14	Candle	200 pcs
SKU: 258 3000K WARM WHITE SKU: 259 4000K DAY WHITE SKU: 260 6400K WHITE						



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-245	4.5w	40w	470	E27	G45	200 pcs
SKU: 261 3000K WARM WHITE SKU: 262 4000K DAY WHITE SKU: 263 6400K WHITE						



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-225	4.5w	40w	470	E14	P45	200 pcs
SKU: 264 3000K WARM WHITE SKU: 265 4000K DAY WHITE SKU: 266 6400K WHITE						



HIGH LUMEN BULBS

A60 | A65

Adequate light at an optimal cost – equipped with Samsung LED chip, V-TAC's complete range of high-lumen LED lamps includes a vast array of general-purpose lighting solutions with the efficiency of LED lighting technology. Better design, quality, and performance; truly a modern take on traditional lamps.

- **A++ energy rating**
- **120 lm/w**
- **30,000-hr lifespan**
- **200° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**

5 YEAR
WARRANTY




A60



A65


MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-265	6.5w	60w	806	E27	A60	100 pcs
SKU: 255	3000K WARM WHITE					
SKU: 256	4000K DAY WHITE					
SKU: 257	6400K WHITE					



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-285	8.5w	75w	1055	E27	A60	100 pcs
SKU: 252	3000K WARM WHITE					
SKU: 253	4000K DAY WHITE					
SKU: 254	6400K WHITE					



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-295	12w	100w	1521	E27	A65	100 pcs
SKU: 249	3000K WARM WHITE					
SKU: 250	4000K DAY WHITE					
SKU: 251	6400K WHITE					



LED PLASTIC BULBS

ST26 | T37

A decorative and efficient range of Candle, G45, P45, lamps for intricate light fittings in wall lamps, chandeliers and table lamps. This new generation of LED plastic bulbs includes our 9w to 18w A58, A65, and A80 lamps which are ideal for general purpose lighting at

- **ST26, T37, C37, and G45 shapes available**
- **Uses IP-protected Samsung LED chip**
- **Standard color temperatures**
- **30,000-hr lifespan**

5 YEAR
WARRANTY



ST26





T37





T37



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-202	2w	20w	180	E14	ST26	400 pcs
SKU: 234 3000K WARM WHITE SKU: 235 4000K DAY WHITE SKU: 236 6400K WHITE						



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-248	8w	55w	725	E14	T37	200 pcs
SKU: 267 3000K WARM WHITE SKU: 268 4000K DAY WHITE SKU: 269 6400K WHITE						



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-237	8w	55w	725	E27	T37	200 pcs
SKU: 144 3000K WARM WHITE SKU: 145 4000K DAY WHITE SKU: 146 6400K WHITE						



LED PLASTIC BULBS

Candle C37

5 YEAR
WARRANTY



Candle | E14



Candle | B22





Flame Candle





Candle | E14



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-226	5.5w	40w	470	E14	Candle	200 pcs
SKU: 171 3000K WARM WHITE SKU: 172 4000K DAY WHITE SKU: 173 6400K WHITE						





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-294D	5.5w	40w	470	E14	Candle	200 pcs
SKU: 859 3000K WARM WHITE						





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-289	5.5w	40w	470	E27	Candle	200 pcs
SKU: 858 3000K WARM WHITE						



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-258	5.5w	40w	470	E14	Candle	200 pcs
SKU: 117 3000K WARM WHITE SKU: 118 4000K DAY WHITE SKU: 119 6400K WHITE						



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-268	7w		600	E14	Candle	200 pcs
SKU: 111 3000K WARM WHITE SKU: 112 4000K DAY WHITE SKU: 113 6400K WHITE						



LED BULBS

111

LED PLASTIC BULBS G45


5 YEAR
WARRANTY*



G45


MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-246	5.5w	40w	470	E27	G45	200 pcs

SKU: 174 | 3000K WARM WHITE
SKU: 175 | 4000K DAY WHITE
SKU: 176 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-283	5.5w	40w	470	E27	G45	200 pcs

SKU: 857 | 3000K WARM WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-290	7w		600	E27	G45	200 pcs

SKU: 866 | 3000K WARM WHITE
SKU: 867 | 4000K DAY WHITE
SKU: 868 | 6400K WHITE



LED PLASTIC BULBS

P45


5 YEAR
WARRANTY*



P45


MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-236	5.5w	40w	470	E14	P45	200 pcs

SKU: 168 | 3000K WARM WHITE
SKU: 169 | 4000K DAY WHITE
SKU: 170 | 6400K WHITE




MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-282	5.5w	40w	470	E14	P45	200 pcs

SKU: 856 | 3000K WARM WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-270	7w		600	E14	P45	200 pcs

SKU: 863 | 3000K WARM WHITE
SKU: 864 | 4000K DAY WHITE
SKU: 865 | 6400K WHITE



LED PLASTIC BULBS

A58

5 YEAR
WARRANTY*




A58 | E14



A58 | E27

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-269	9w	60w	806	E14	A58	100 pcs

SKU: 114 | 3000K WARM WHITE
SKU: 115 4000K DAY WHITE
SKU: 116 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-209	9w	55w	725	E27	A58	100 pcs

SKU: 156 | 3000K WARM WHITE
SKU: 157 | 4000K DAY WHITE
SKU: 158 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-210	9w	60w	806	E27	A58	100 pcs

SKU: 228 | 3000K WARM WHITE
SKU: 229 | 4000K DAY WHITE
SKU: 230 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-211	11w	70w	975	E27	A60	100 pcs

SKU: 177 | 3000K WARM WHITE
SKU: 178 | 4000K DAY WHITE
SKU: 179 | 6400K WHITE



LED PLASTIC BULBS

A58 | A65 | A80

5 YEAR
WARRANTY*



A58




A65



A80


MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-212	11w	75w	1055	E27	A60	100 pcs
SKU: 231	3000K WARM WHITE					
SKU: 232	4000K DAY WHITE					
SKU: 233	6400K WHITE					



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-215	15w	85w	1250	E27	A65	100 pcs
SKU: 159	3000K WARM WHITE					
SKU: 160	4000K DAY WHITE					
SKU: 161	6400K WHITE					



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-217	17w	100w	1521	E27	A65	100 pcs
SKU: 162	3000K WARM WHITE					
SKU: 163	4000K DAY WHITE					
SKU: 164	6400K WHITE					



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-298	18w		2000	E27	A80	100 pcs
SKU: 126	3000K WARM WHITE					
SKU: 127	4000K DAY WHITE					
SKU: 128	6400K WHITE					



LED BULBS

115

LED PLASTIC BULBS

Candle | G45

5 YEAR
WARRANTY*



Candle | B15



Candle | B22





G45

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-299	5.5w	40w	470	B15	Candle	200 pcs

SKU: 860 | 3000K WARM WHITE



ALSO AVAILABLE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-299D	5.5w	40w	470	B15	Candle	200 pcs


SKU: 861 | 3000K WARM WHITE



DIMMABLE



ALSO AVAILABLE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-223	5.5w	40w	470	B22	Candle	192 pcs



SKU: 103 | 3000K WARM WHITE



BAYONET



ALSO AVAILABLE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-221	5.5w	40w	470	B22	G45	192 pcs



SKU: 104 | 3000K WARM WHITE



BAYONET



ALSO AVAILABLE



LED PLASTIC BULBS A58

5 YEAR
WARRANTY*



A58



A60



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-229	9w	60w	806	B22	A58	96 pcs
SKU: 101	3000K WARM WHITE					
SKU: 850	4000K DAY WHITE					
SKU: 851	6400K WHITE					



BAYONET



12 PACK
ALSO AVAILABLE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-259D	9w	60	806	B22	A58	100 pcs
SKU: 852	3000K WARM WHITE					





BAYONET



DIMMABLE





12 PACK
ALSO AVAILABLE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-219	9w	60w	806	B22	A58	100 pcs
SKU: 270	3000K WARM WHITE					



BAYONET



LED PLASTIC BULBS

A60 | A65

5 YEAR
WARRANTY*



A60




A65

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-213	11w	75w	1055	B22	A60	100 pcs

SKU: 271 | 3000K WARM WHITE
SKU: 110 | 4000K DAY WHITE



BAYONET



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-231	11w	75w	1055	B22	A60	96 pcs


SKU: 102 | 3000K WARM WHITE
SKU: 853 | 6400K WHITE



BAYONET



ALSO AVAILABLE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-281	15w	85w	1250	B22	A65	100 pcs



SKU: 854 | 3000K WARM WHITE
SKU: 855 | 6400K WHITE



BAYONET



ALSO AVAILABLE



LED PLASTIC BULBS

LED Reflector Bulb

We offer an energy-efficient reflectors range of various widths (39mm, 50mm, 63mm, 80mm) for diffused lighting that can serve as track or spotlight in residential, hospitality, or commercial spaces.

- Available in E14 and E27
- Uses IP-protected Samsung LED chip
- 30,000-hr lifespan
- 120° Beam Angle
- AC:220-240V,50Hz
- CRI: >80

5 YEAR
WARRANTY



R39



R50





R63




R80



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-239	3w	25w	250	E14	R39	200 pcs
SKU: 210	3000K WARM WHITE					
SKU: 211	4000K DAY WHITE					
SKU: 212	6400K WHITE					





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-250	6w	40w	470	E14	R50	200 pcs
SKU: 138	3000K WARM WHITE					
SKU: 139	4000K DAY WHITE					
SKU: 140	6400K WHITE					



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-263	8w	60w	570	E27	R63	200 pcs
SKU: 141	3000K WARM WHITE					
SKU: 142	4000K DAY WHITE					
SKU: 143	6400K WHITE					



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-280	10w	75w	800	E27	R80	200 pcs
SKU: 135	3000K WARM WHITE					
SKU: 136	4000K DAY WHITE					
SKU: 137	6400K WHITE					



LED BULBS

119

LED PLASTIC BULBS

LED PAR Bulb

Provide precisely control LED beams of light to any space with V-TAC's improved range of LED PAR bulbs with 40° beam angle. With a significantly longer lifespan and up to 80% lower energy-consumption, our LED PAR series is your cost-efficient replacement for Halogen PAR lamps. Our PAR series offers advanced thermal management features and uses IP-protected LED chip from Samsung.

- **Uses IP-protected Samsung LED chip**
- **20,000 hrs Lifespan**
- **300° Beam Angle**
- **AC:220-240V,50Hz**

5 YEAR
WARRANTY



PAR20





PAR30



PAR38



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-220	7w	65w	495	E27	PAR20	100 pcs

SKU: 147 | 3000K WARM WHITE
SKU: 148 | 4000K DAY WHITE
SKU: 149 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-230	11w	95w	825	E27	PAR30	30 pcs

SKU: 153 | 3000K WARM WHITE
SKU: 154 | 4000K DAY WHITE
SKU: 155 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-238	14w	120w	1100	E27	PAR38	30 pcs

SKU: 150 | 3000K WARM WHITE
SKU: 151 | 4000K DAY WHITE
SKU: 152 | 6400K WHITE



LED BULBS

LED Big Bulb

V-TAC's Big Bulb range are ready to meet lighting demands for big spaces that require broader lighting with its range of unique designs, all with significantly greater luminous flux. This range has lamps with diameter ranging from 75mm up to 250mm. Despite the great size, these LED big bulbs are equipped with modern thermal management so it will not heat up and has IP-protected Samsung LED for maximum efficiency.

- **30,000 hrs Lifespan**
- **AC:220-240V,50Hz**
- **CRI: >80**

5 YEAR
WARRANTY



F150




F200



F250


MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-216	15w	80w	1200	E27	F150	20 pcs
SKU: 213	3000K WARM WHITE					
SKU: 214	4000K DAY WHITE					
SKU: 215	6400K WHITE					



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-224	24w	120w	1900	E27	F200	20 pcs
SKU: 216	3000K WARM WHITE					
SKU: 217	4000K DAY WHITE					
SKU: 218	6400K WHITE					



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-235	36w	170w	2900	E27	F250	20 pcs
SKU: 219	3000K WARM WHITE					
SKU: 220	4000K DAY WHITE					
SKU: 221	6400K WHITE					



LED BULBS

PAR Bulb | G120

5 YEAR
WARRANTY*




GX53



G120

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-207	7w	45w	550	GX53	100 pcs

SKU: 222 | 3000K WARM WHITE
SKU: 223 | 4000K DAY WHITE
SKU: 224 | 6400K WHITE




MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-218	17w	100w	1521	E27	G120	20 pcs

SKU: 225 | 3000K WARM WHITE
SKU: 226 | 4000K DAY WHITE
SKU: 227 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-288	18w		2000	E27	G120	20 pcs

SKU: 123 | 3000K WARM WHITE
SKU: 124 | 4000K DAY WHITE
SKU: 125 | 6400K WHITE



LED BULBS

UFO Bulb | Lowbay

5 YEAR
WARRANTY*



E27



E40



E40

MODEL	WATTS	LUMENS	BASE	BOX QTY.
VT-240	36w	3960	E27	20 pcs

SKU: 283 | 3000K WARM WHITE
SKU: 284 | 4000K DAY WHITE
SKU: 285 | 6400K WHITE



MODEL	WATTS	LUMENS	BASE	BOX QTY.
VT-260	60w	4800	E40	20 pcs

SKU: 187 | 4000K DAY WHITE
SKU: 188 | 6400K WHITE



MODEL	WATTS	LUMENS	BASE	BOX QTY.
VT-85	85w	6800	E40	4 pcs

SKU: 520 | 4000K DAY WHITE
SKU: 521 | 6400K WHITE

LED Bulbs Blister Packing

With a focus on the ever-evolving demands, we are engaged in supplying a wide range of LED Bulb Blister Packs.





LED Bulbs-E14

4w VT-2184

SKU: 7366 - 2700K Warm White 3800157628570

Box Qty.
50 Pcs

EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **400lm**
Commercial Type: **P45**
LED Type: **SMD**
CRI: **>80**



PF: **>0.4**
Beam Angle: **300°**
Base: **E14**
Body Type: **Glass**
Dimension: **45x77mm**





LED Bulbs-E27

4w VT-2194

SKU: 7367 - 2700K Warm White 3800157628587

Box Qty.
50 Pcs

EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **400lm**
Commercial Type: **G45**
LED Type: **SMD**
CRI: **>80**



PF: **>0.4**
Beam Angle: **300°**
Base: **E27**
Body Type: **Glass**
Dimension: **45x75mm**





LED Candle Filament Bulbs

4w VT-2104

SKU: 7282 - 2700K Warm White 3800157623728

Box Qty.
50 Pcs

EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **400lm**
Commercial Type: **Candle**
LED Type: **SMD**
CRI: **>80**



PF: **>0.4**
Beam Angle: **300°**
Base: **E14**
Body Type: **Glass**
Dimension: **35x100mm**




LED Candle Filament Bulbs

4W VT-2134D

SKU: 7284 - 2700K Warm White 3800157623742


 Box Qty.
50 Pcs


EQ. Watts: 35w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 350lm
 Commercial Type: Candle
 LED Type: SMD
 CRI: >80



PF: >0.5
 Beam Angle: 300°
 Base: E14
 Body Type: Glass
 Dimension: 35x100mm




LED Candle Filament Bulbs

4W VT-2174

SKU: 7365 - 2700K Warm White 3800157628563


 Box Qty.
50 Pcs

EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 400lm
 Commercial Type: Candle
 LED Type: SMD
 CRI: >80



PF: >0.4
 Beam Angle: 300°
 Base: E14
 Body Type: Glass
 Dimension: 35x100mm




LED Filament Bulbs

4W VT-2114

SKU: 7283 - 2700K Warm White 3800157623735


 Box Qty.
25 Pcs

EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 400lm
 Commercial Type: A60
 LED Type: SMD
 CRI: >80



PF: >0.4
 Beam Angle: 300°
 Base: E27
 Body Type: Glass
 Dimension: 60x107mm



LED Bulbs-E27

6W VT-2186

SKU: 7368 - 2700K Warm White 3800157628594



Box Qty.
25 Pcs



EQ. Watts: **55w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **660lm**
Commercial Type: **A60**
LED Type: **Filament**
CRI: **>80**

PF: **>0.5**
Beam Angle: **300°**
Base: **E27**
Body Type: **Glass**
Dimension: **60x107mm**



LED Candle Bulbs

5.5W VT-2106

SKU: 7291 - 2700K Warm White 3800157623810
SKU: 7292 - 4000K Day White 3800157623827
SKU: 7293 - 6400K White 3800157623834



Box Qty.
50 Pcs



EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **470lm**
Commercial Type: **Candle**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **200°**
Base: **E14**
Body Type: **ThermoPlastic**
Dimension: **37x100mm**



LED Bulbs-E14

5.5W VT-2146

SKU: 7355 - 2700K Warm White 3800157628136
SKU: 7356 - 4000K Day White 3800157628143



Box Qty.
50 Pcs



EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **470lm**
Commercial Type: **P45**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **180°**
Base: **E14**
Body Type: **ThermoPlastic**
Dimension: **45x81mm**



LED Bulbs-E27



5.5W VT-2166

SKU: 7360 - 2700K Warm White

3800157628181

SKU: 7361 - 4000K Day White

3800157628198

Box Qty.
50 Pcs

EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **470lm**
 Commercial Type: **G45**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.4**
 Beam Angle: **180°**
 Base: **E27**
 Body Type: **ThermoPlastic**
 Dimension: **45x82mm**



LED Bulbs-E27

9W VT-2139

SKU: 7295 - 4000K Day White

3800157623858

SKU: 7296 - 6400K White

3800157623865

Box Qty.
25 Pcs

EQ. Watts: **60w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **806lm**
 Commercial Type: **A60**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **200°**
 Base: **E27**
 Body Type: **ThermoPlastic**
 Dimension: **60x112mm**



LED Bulbs-E27


11W VT-2111

SKU: 7297 - 2700K Warm White

3800157623872

3800157623889

3800157623896

Box Qty.
25 Pcs

EQ. Watts: **75w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **1055lm**
 Commercial Type: **A60**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **200°**
 Base: **E27**
 Body Type: **ThermoPlastic**
 Dimension: **60x120mm**



LED Bulbs-E27

6W VT-2022BP

SKU: 7324 - 2700K Warm White

SKU: 7325 - 4000K Day White

SKU: 7326 - 6400K White

3800157624602

3800157624619

3800157624626



Box Qty.
40 Pcs



EQ. Watts: **40w**

Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **470lm**

Commercial Type: **A60**

LED Type: **SMD**

CRI: **>80**



PF: **>0.4**

Beam Angle: **200°**

Base: **E27**

Body Type: **ThermoPlastic**

Dimension: **60x112mm**



LED Bulbs-E27

9W VT-2109

SKU: 7285 - 2700K Warm White

SKU: 7286 - 4000K Day White

SKU: 7287 - 6400K White


3800157623759

3800157623766

3800157623773



Box Qty.
25 Pcs



EQ. Watts: **60w**

Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **806lm**

Commercial Type: **A60**

LED Type: **SMD**

CRI: **>80**

PF: **>0.5**

Beam Angle: **200°**

Base: **E27**

Body Type: **ThermoPlastic**

Dimension: **60x122mm**



LED Bulbs-E27

9W VT-2129

SKU: 7288 - 2700K Warm White

SKU: 7289 - 4000K Day White

SKU: 7290 - 6400K White


3800157623780

3800157623797

3800157623803



Box Qty.
25 Pcs



EQ. Watts: **60w**

Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **806lm**

Commercial Type: **A60**

LED Type: **SMD**

CRI: **>80**

PF: **>0.5**

Beam Angle: **200°**

Base: **E27**

Body Type: **ThermoPlastic**

Dimension: **60x112mm**




LED Bulbs-E27

9w VT-2149

SKU: 7309 - 3 IN 1

3800157623995

Box Qty.
25 Pcs

EQ. Watts: **60w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **806lm**
 Commercial Type: **A60**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **200°**
 Base: **E27**
 Body Type: **ThermoPlastic**
 Dimension: **60x112mm**



LED Bulbs-E27

15w VT-2117

SKU: 7300 - 2700K Warm White 3800157623902

Box Qty.
25 Pcs

EQ. Watts: **100w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **1500lm**
 Commercial Type: **A65**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **200°**
 Base: **E27**
 Body Type: **ThermoPlastic**
 Dimension: **66.5x134mm**





LED Thermoplastic Bulbs

The definition of sustainability: Sharing the incandescent bulb's design and built for higher energy, V-TAC's comprehensive thermoplastic bulb series can be proposed for a wide variety of high-end projects.

Product Features

- Lasts 20 times longer than Standard Bulbs
- Broad Range of holders
- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Customized exterior for stronger body
- High Power LED Chips
- Non - Flickering
- Dimmable & Non Dimmable options

Applications

Perfect choice for Hotels, Bars, Commercial & Residential Lighting and Exhibition Stands.



Bulbs-A60-E27-RGB

6w VT-2022

SKU: 7121 - 2700K Warm White


3800157609975

SKU: 7150 - 4000K Day White

3800157610711

SKU: 7151 - 6400K White

3800157610728

Box Qty.
100 PcsEQ. Watts: **40w**Voltage/Frequency: **AC:220-240V,50Hz**Luminous Flux: **470lm**Commercial Type: **A60**LED Type: **SMD**CRI: **>80**PF: **>0.5**Beam Angle: **200°**Base: **E27**Body Type: **ThermoPlastic**Dimension: **60x112mm**

- High-efficient RGB light LED bulb with IR remote controller
- Your smart choice to replace your outdated incandescent and fluorescent bulbs
- Provides various colors and light modes for your choice: flash, strobe, fade, smooth, on and off for your choice



Bulbs-A60-E27-Sensor

9w VT-2016

SKU: 4459 - 2700K Warm White

3800157608237

SKU: 4460 - 4000K Day White

3800157608244

SKU: 4461 - 6000K White

3800157608251

Box Qty.
100 PcsEQ. Watts: **60w**Voltage/Frequency: **AC:220-240V,50Hz**Luminous Flux: **806lm**Commercial Type: **A60**LED Type: **SMD**CRI: **>80**PF: **>0.5**Beam Angle: **200°**Base: **E27**Body Type: **ThermoPlastic**Dimension: **60x122mm**

Our smart sensor bulbs are built in with photocells with transmits Signal to light source as per lumen conditions smartly and saves power by going onto Light mode, enabling you to save power and reduce consumption of power when not required.




Bulbs-A60-E27-3 Step Dimming

9w VT-2011

SKU: 4447 - 2700K Warm White 3800157607988
SKU: 4448 - 4000K Day White 3800157607995
SKU: 4449 - 6400K White 3800157608008

Box Qty.
100 Pcs



EQ. Watts:	60w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	200°
Luminous Flux:	806lm	Base:	E27
Commercial Type:	A60	Body Type:	ThermoPlastic
LED Type:	SMD	Dimension:	60x112mm
CRI:	>80		



Smart Dimming Technology Without A Dimmer!

At the click of button, change the lighting Power from 100% to 50% and if need to Reduce more click again to go to 15%.




Bulbs-A60-E27-Color Changing

9w VT-2119

SKU: 7317 - 3 IN 1 3800157624497

Box Qty.
100 Pcs



EQ. Watts:	60w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	200°
Luminous Flux:	806lm	Base:	E27
Commercial Type:	A60	Body Type:	ThermoPlastic
LED Type:	SMD	Dimension:	60x112mm
CRI:	>80		



HOW IT WORKS

1. Switch the light on for cool white.
2. Turn the Switch off and on again for warm white.
3. Turn the Switch off and on again for day white.
4. Switch between these to select your ideal colour.

new!

Fire Flame-Bulb

4W VT-2135

SKU: 7426 - 1800K Warm White 3800157635271



Flame Effect

Box Qty.
50 Pcs

EQ. Watts:	N/A	PF:	>0.6
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	280lm	Base:	E27
Commercial Type:	N/A	Body Type:	Plastic
LED Type:	SMD	Dimension:	50x128mm
CRI:	>80		


- Dynamic Moving Flame, Simulate Nature Fire Flicker Flame.
- Soft LED Light Source
- Low Corbin Environment

Bulbs-A60-E27-DC 24V

9W VT-2059

SKU: 7417 - 4000K Day White 3800157632744
SKU: 7224 - 6400K White 3800157617543Box Qty.
100 Pcs

EQ. Watts:	55w	PF:	>0.7
Voltage/Frequency:	DC:24V	Beam Angle:	200°
Luminous Flux:	720lm	Base:	E27
Commercial Type:	A60	Body Type:	ThermoPlastic
LED Type:	SMD	Dimension:	60x112mm
CRI:	>80		





Bulbs-A60-E27

9w VT-2000R

SKU: 7341 - Red

3800157626033



Box Qty.
100 Pcs

EQ. Watts: **30w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **270lm**
Commercial Type: **A60**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **200°**
Base: **E27**
Body Type: **ThermoPlastic**
Dimension: **60x112mm**



Bulbs-A60-E27

9w VT-2000Y

SKU: 7342 - Yellow

3800157626040



Box Qty.
100 Pcs

EQ. Watts: **50w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **570lm**
Commercial Type: **A60**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **200°**
Base: **E27**
Body Type: **ThermoPlastic**
Dimension: **60x112mm**





Bulbs-A60-E27

9w **VT-2000G**


SKU: 7343 - Green

3800157626057

Box Qty.
100 Pcs

EQ. Watts: **30w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **310lm**
 Commercial Type: **A60**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **200°**
 Base: **E27**
 Body Type: **ThermoPlastic**
 Dimension: **60x112mm**



Bulbs-A60-E27

9w **VT-2000B**

SKU: 7344 - Blue

3800157626064

Box Qty.
100 Pcs

EQ. Watts: **15w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **120lm**
 Commercial Type: **A60**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **200°**
 Base: **E27**
 Body Type: **ThermoPlastic**
 Dimension: **60x112mm**




LED Bulbs-E27

5w VT-2055

SKU: 7266 - 2700K Warm White 3800157622981



Box Qty.
30 Pcs



EQ. Watts: **35w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **420lm**
Commercial Type: **A55**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **200°**
Base: **E27**
Body Type: **ThermoPlastic**
Dimension: **55x106mm**



Bulbs-A60-E27

9w VT-2099

SKU: 7260 - 2700K Warm White 3800157622110
SKU: 7261 - 4000K Day White 3800157622127
SKU: 7262 - 6400K White 3800157622134



Box Qty.
100 Pcs



EQ. Watts: **60w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **806lm**
Commercial Type: **A60**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **200°**
Base: **E27**
Body Type: **ThermoPlastic**
Dimension: **60x112mm**


LED Bulbs-E27

9w VT-1900

SKU: 7241 - 4000K Day White 3800157620147
SKU: 7242 - 6400K White 3800157620154



Box Qty.
20 Pcs



EQ. Watts: **60w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **806lm**
Commercial Type: **A60**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **200°**
Base: **E27**
Body Type: **ThermoPlastic**
Dimension: **60x112mm**

LED Bulbs-E27

11w VT-2113


SKU: 7352 - 2700K Warm White

3800157627412

3800157627429

3800157627436

SKU: 7354 - 6400K White

Box Qty.
40 Pcs

EQ. Watts: **75w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **1055lm**
 Commercial Type: **A60**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **200°**
 Base: **E27**
 Body Type: **ThermoPlastic**
 Dimension: **60x120mm**

Bulbs-A60-E27

11w VT-2112

SKU: 7350 - 2700K Warm White

3800157627399

3800157627320

3800157627405

SKU: 7351 - 6400K White

Box Qty.
100 Pcs

EQ. Watts: **75w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **1055lm**
 Commercial Type: **A60**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **200°**
 Base: **E27**
 Body Type: **ThermoPlastic**
 Dimension: **60x120mm**

Bulbs-A65-E27


15w VT-2015-E27

SKU: 4453 - 2700K Warm White

3800157608091

3800157608107

3800157608114

Box Qty.
100 Pcs

EQ. Watts: **100w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **1500lm**
 Commercial Type: **A65**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **200°**
 Base: **E27**
 Body Type: **ThermoPlastic**
 Dimension: **66.5x134mm**




Bulbs-A65-E27

17W VT-2017

SKU: 4456 - 2700K Warm White 3800157608121



Box Qty.
100 Pcs



EQ. Watts: **130w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **1800lm**
Commercial Type: **A65**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **200°**
Base: **E27**
Body Type: **ThermoPlastic**
Dimension: **66.5x134mm**




LED Bulbs-B22

9w VT-2069-3PC

SKU: 7246 - 2700K Warm White 3800157620192



Box Qty.
20 Pcs



EQ. Watts: **60w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **806lm**
Commercial Type: **A60**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **200°**
Base: **B22**
Body Type: **ThermoPlastic**
Dimension: **60x112mm**





Bulbs-A60-B22

9w VT-1853

SKU: 7402 - 4000K Day White 3800157629270
SKU: 7403 - 6400K White 3800157629287



Box Qty.
100 Pcs



EQ. Watts: **60w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **806lm**
Commercial Type: **A60**
LED Type: **SMD**
CRI: **>80**



PF: **>0.5**
Beam Angle: **200°**
Base: **B22**
Body Type: **ThermoPlastic**
Dimension: **60x112mm**



Bulbs-A60-B22

9w VT-2189

SKU: 7422 - 2700K Warm White 3800230626295

Box Qty.
100 Pcs



EQ. Watts: **60w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **806lm**
 Commercial Type: **A60**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **200°**
 Base: **B22**
 Body Type: **ThermoPlastic**
 Dimension: **60x106mm**

Bulbs-A65-B22

15w VT-2015-B22

SKU: 7229 - 2700K Warm White 3800157619554
 SKU: 7399 - 4000K Day White 3800157629010
 SKU: 7400 - 6400K White 3800157629027

Box Qty.
100 Pcs


EQ. Watts: **100w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **1350lm**
 Commercial Type: **A65**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **200°**
 Base: **B22**
 Body Type: **ThermoPlastic**
 Dimension: **66.5x134mm**

Bulbs-G45-B22

3w VT-2053-B22

SKU: 7233 - 6400K White 3800157619783

Box Qty.
200 Pcs

EQ. Watts: **25w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **250lm**
 Commercial Type: **G45**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **180°**
 Base: **B22**
 Body Type: **ThermoPlastic**
 Dimension: **45x75mm**



Bulbs-G45-B22
5.5w VT-2197D



SKU: 7419 - 2700K Warm White 3800157633079



Box Qty.
100 Pcs



EQ. Watts: **50w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **470lm**
Commercial Type: **G45**
LED Type: **SMD**
CRI: **>80**



PF: **>0.7**
Beam Angle: **200°**
Base: **B22**
Body Type: **ThermoPlastic**
Dimension: **45x81mm**





Bulbs-G45-B22
6w VT-1973

SKU: 4441 - 2700K Warm White 3800157607674



Box Qty.
100 Pcs

EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **470lm**
Commercial Type: **G45**
LED Type: **SMD**
CRI: **>80**



PF: **>0.5**
Beam Angle: **180°**
Base: **B22**
Body Type: **ThermoPlastic**
Dimension: **45x80mm**





Bulbs-Candle-B15
6w VT-1857

SKU: 4217 - 3000K Warm White 3800230624802



Box Qty.
200 Pcs

EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **470lm**
Commercial Type: **Candle**
LED Type: **SMD**
CRI: **>80**



PF: **>0.5**
Beam Angle: **200°**
Base: **B15**
Body Type: **ThermoPlastic**
Dimension: **37x102mm**





Bulbs-Candle-B22

3w VT-2073

 SKU: 7230 - 2700K Warm White
 SKU: 7231 - 6400K White

 3800157619578
 3800157619585

 Box Qty.
200 Pcs

 EQ. Watts: **25w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **250lm**
 Commercial Type: **Candle**
 LED Type: **SMD**
 CRI: **>80**

 PF: **>0.4**
 Beam Angle: **200°**
 Base: **B22**
 Body Type: **ThermoPlastic**
 Dimension: **37x102mm**



Bulbs-Candle-B22

5.5w VT-2196D

SKU: 7418 - 2700K Warm White

3800157633062


 Box Qty.
200 Pcs

 EQ. Watts: **50w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **470lm**
 Commercial Type: **Candle**
 LED Type: **SMD**
 CRI: **>80**

 PF: **>0.5**
 Beam Angle: **200°**
 Base: **B22**
 Body Type: **ThermoPlastic**
 Dimension: **37x100mm**



Bulbs-Candle-B22

6w VT-1965

 SKU: 4440 - 2700K Warm White
 SKU: 7346 - 6400K White

 3800157607667
 3800157627283

 Box Qty.
200 Pcs

 EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **470lm**
 Commercial Type: **Candle**
 LED Type: **SMD**
 CRI: **>80**

 PF: **>0.5**
 Beam Angle: **200°**
 Base: **B22**
 Body Type: **ThermoPlastic**
 Dimension: **37x102mm**



Bulbs-Candle-E14

3w VT-2033

SKU: 7196 - 2700K Warm White

SKU: 7197 - 4000K Day White

SKU: 7198 - 6400K White

3800157615808



3800157615815

3800157615822



Box Qty.

200 Pcs



EQ. Watts: **25w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **250lm**
Commercial Type: **Candle**
LED Type: **SMD**
CRI: **>80**

PF: **>0.4**
Beam Angle: **200°**
Base: **E14**
Body Type: **ThermoPlastic**
Dimension: **37x100mm**



Bulbs-Candle-E14

4w VT-1818

SKU: 4216 - 2700K Warm White

SKU: 4166 - 4000K Day White

SKU: 4122 - 6400K White

3800230624796



3800230620675

3800230620668



Box Qty.

200 Pcs



EQ. Watts: **30w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **320lm**
Commercial Type: **Candle**
LED Type: **SMD**
CRI: **>80**

PF: **>0.4**
Beam Angle: **200°**
Base: **E14**
Body Type: **ThermoPlastic**
Dimension: **37x100mm**

new!



Bulbs-Candle-E14

5.5w VT-1855

SKU: 42151 - 2700K Warm White

SKU: 42581 - 4000K Day White


3800157639316

3800157639323



Box Qty.

200 Pcs



EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **470lm**
Commercial Type: **Candle**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **200°**
Base: **E14**
Body Type: **Thermoplastic**
Dimension: **37x100mm**

Candle-E14 - 3Pc Pack



5.5w VT-2076

SKU: 7263 - 2700K Warm White
 SKU: 7264 - 4000K Day White
 SKU: 7265 - 6400K White

3800157622950
 3800157622967
 3800157622974



Box Qty.
60 Pcs



EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **470lm**
 Commercial Type: **Candle**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **200°**
 Base: **E14**
 Body Type: **ThermoPlastic**
 Dimension: **37x100mm**

Bulbs-Candle-E27


5.5w VT-1821N

SKU: 43421 - 2700K Warm White
 SKU: 43431 - 4000K Day White
 SKU: 43441 - 6400K White

3800157624381
 3800157624398
 3800157624404



Box Qty.
200 Pcs



EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **470lm**
 Commercial Type: **Candle**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **200°**
 Base: **E27**
 Body Type: **ThermoPlastic**
 Dimension: **37x100mm**

Bulbs-Candle-E14


4w VT-1818TP

SKU: 4164 - 2700K Warm White

3800230620743



Box Qty.
200 Pcs



EQ. Watts: **30w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **320lm**
 Commercial Type: **Candle**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.4**
 Beam Angle: **200°**
 Base: **E14**
 Body Type: **ThermoPlastic**
 Dimension: **37x124mm**



Bulbs-Candle-E14



7W VT-2097

SKU: 7320 - 6400K White

3800157624527



Box Qty.
200 Pcs



EQ. Watts: **55w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **750lm**
Commercial Type: **Candle**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **200°**
Base: **E14**
Body Type: **ThermoPlastic**
Dimension: **37x100mm**



Bulbs-G45-E27

3w VT-2053-E27

SKU: 7202 - 2700K Warm White

3800157615860

SKU: 7203 - 4000K Day White



3800157615877

SKU: 7204 - 6400K White

3800157615884



Box Qty.
200 Pcs



EQ. Watts: **25w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **250lm**
Commercial Type: **G45**
LED Type: **SMD**
CRI: **>80**

PF: **>0.4**
Beam Angle: **180°**
Base: **E27**
Body Type: **ThermoPlastic**
Dimension: **45x76mm**





Bulbs-G45-E27

4W VT-1830

SKU: 4207 - 6400K White

3800230624611

Box Qty.
200 Pcs

EQ. Watts: 30w
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 320lm
Commercial Type: G45
LED Type: SMD
CRI: >80

PF: >0.4
Beam Angle: 180°
Base: E27
Body Type: ThermoPlastic
Dimension: 45x82mm



Bulbs-G45-E27

5.5W VT-1879N

SKU: 7407 - 2700K Warm White


3800157629485

SKU: 7408 - 4000K Day White

3800157629492

SKU: 7409 - 6400K White

3800157629508

Box Qty.
200 Pcs

EQ. Watts: 40w
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 470lm
Commercial Type: G45
LED Type: SMD
CRI: >80

PF: >0.5
Beam Angle: 180°
Base: E27
Body Type: ThermoPlastic
Dimension: 45x82mm



Bulbs-G45 - 3Pc Pack

5.5W VT-2176

SKU: 7362 - 2700K Warm White



3800157628204

SKU: 7363 - 4000K Day White

3800157628211

SKU: 7364 - 6400K White

3800157628228

Box Qty.
60 Pcs

EQ. Watts: 40w
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 470lm
Commercial Type: G45
LED Type: SMD
CRI: >80

PF: >0.5
Beam Angle: 180°
Base: E27
Body Type: ThermoPlastic
Dimension: 45x82mm



Bulbs-P45-E14

3w VT-2043

SKU: 7199 - 2700K Warm White

SKU: 7200 - 4000K Day White

SKU: 7201 - 6400K White

3800157615839

3800157615846

3800157615853



Box Qty.

200 Pcs

EQ. Watts: **25w**

Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **250lm**

Commercial Type: **P45**

LED Type: **SMD**

CRI: **>80**



PF: **>0.4**

Beam Angle: **180°**

Base: **E14**

Body Type: **ThermoPlastic**

Dimension: **45x81mm**



Bulbs-P45-E14

5.5w VT-1880N

SKU: 42501 - 2700K Warm White

SKU: 42511 - 4000K Day White

SKU: 42521 - 6400K White

3800157624367

3800157626408

3800157624374



Box Qty.

200 Pcs

EQ. Watts: **40w**

Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **470lm**

Commercial Type: **P45**

LED Type: **SMD**

CRI: **>80**



PF: **>0.5**

Beam Angle: **180°**

Base: **E14**

Body Type: **ThermoPlastic**

Dimension: **45x81mm**



LED Bulbs-E14

5.5w VT-2156

SKU: 7357 - 2700K Warm White

SKU: 7358 - 4000K Day White

SKU: 7359 - 6400K White

3800157628150

3800157628167

3800157628174



Box Qty.

60 Pcs

EQ. Watts: **40w**

Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **470lm**

Commercial Type: **P45**

LED Type: **SMD**

CRI: **>80**



PF: **>0.5**

Beam Angle: **180°**

Base: **E14**

Body Type: **ThermoPlastic**

Dimension: **45x81mm**





Bulbs-T37-E14

9w

VT-2029

SKU: 7173 - 2700K Warm White

SKU: 7174 - 4000K Day White

SKU: 7175 - 6400K White

3800157615495

3800157615501

3800157615518



Box Qty.

200 Pcs

EQ. Watts: 50w



Voltage/Frequency: AC:220-240V,50/60Hz

Luminous Flux: 750lm

Commercial Type: T37

LED Type: SMD

CRI: >80



PF: >0.5

Beam Angle: 230°

Base: E14

Body Type: ThermoPlastic

Dimension: 37x115mm





Bulbs-R39-E14



3w VT-1861

SKU: 4220 - 4000K Day White
SKU: 4242 - 6400K White

3800230625489
3800230626806
3800230626806

Box Qty.
200 Pcs

EQ. Watts: **25w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **210lm**
Commercial Type: **R39**
LED Type: **SMD**
CRI: **>80**



Bulbs-R50-E14



6w VT-1876

SKU: 4246 - 6400K White

3800230626813

Box Qty.
200 Pcs

EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **400lm**
Commercial Type: **R50**
LED Type: **SMD**
CRI: **>80**



Bulbs-R63-E27



8w VT-1862

SKU: 4140 - 4000K Day White
SKU: 4244 - 6400K White

3800230620903
3800230626820

Box Qty.
200 Pcs

EQ. Watts: **60w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **500lm**
Commercial Type: **R63**
LED Type: **SMD**
CRI: **>80**






Bulbs-R7S

7W VT-1917

 SKU: 7123 - 3000K Warm White
 SKU: 7124 - 4000K Day White

 3800157610032
 3800157610049

 Box Qty.
100 Pcs

 EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **470lm**
 Commercial Type: **R7S**
 LED Type: **SMD**
 CRI: **>80**


 PF: **>0.5**
 Beam Angle: **360°**
 Base: **R7S**
 Body Type: **ThermoPlastic**
 Dimension: **25x118mm**


Bulbs-R7S

10w VT-1990

 SKU: 4369 - 3000K Warm White
 SKU: 4389 - 4000K Day White
 SKU: 4390 - 6400K White

 3800157602952
 3800157604130
 3800157604147

 Box Qty.
100 Pcs

 EQ. Watts: **60w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **1000lm**
 Commercial Type: **R7S**
 LED Type: **SMD**
 CRI: **>80**


 PF: **>0.5**
 Beam Angle: **360°**
 Base: **R7S**
 Body Type: **ThermoPlastic**
 Dimension: **25x118mm**


Bulbs-PL-G24

6W VT-2046-G24

SKU: 7210 - 3000K Warm White

3800157617024


 Box Qty.
50 Pcs

 EQ. Watts: **50w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **480lm**
 Commercial Type: **PL**
 LED Type: **SMD**
 CRI: **>80**

 PF: **>0.5**
 Beam Angle: **120°**
 Base: **G24**
 Body Type: **Plastic+Aluminium**
 Dimension: **38x145mm**



Bulbs-Globe-E27

10w VT-1893

SKU: 4276 - 3000K Warm White 3800230627889
SKU: 4277 - 4000K Day White 3800230627896
SKU: 4278 - 6400K White 3800230627902

Box Qty.
12 Pcs

EQ. Watts: **60w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **810lm**
Commercial Type: **G95**
LED Type: **SMD**
CRI: **>80**



PF: **>0.5**
Beam Angle: **200°**
Base: **E27**
Body Type: **ThermoPlastic**
Dimension: **95x140mm**




Bulbs-Globe-E27

13w VT-1883

SKU: 4253 - 3000K Warm White 3800230627094
SKU: 4274 - 6400K White 3800230627865

Box Qty.
12 Pcs

EQ. Watts: **75w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **1055lm**
Commercial Type: **G120**
LED Type: **SMD**
CRI: **>80**



PF: **>0.7**
Beam Angle: **200°**
Base: **E27**
Body Type: **ThermoPlastic**
Dimension: **120x164mm**



Bulbs-Globe-E27


13w VT-1884D

SKU: 4254 - 2700K Warm White 3800230627100

Box Qty.
12 Pcs



EQ. Watts: **75w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **1055lm**
Commercial Type: **G120**
LED Type: **SMD**
CRI: **>80**



PF: **>0.7**
Beam Angle: **200°**
Base: **E27**
Body Type: **ThermoPlastic**
Dimension: **120x164mm**



Big Bulbs-T100-E27

24w VT-2125


SKU: 7275 - 3000K Warm White
SKU: 7276 - 4000K Day White

3800157623650
3800157623667
3800157623674



Box Qty.
40 Pcs

EQ. Watts: **150w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **2080lm**
Commercial Type: **T100**
LED Type: **SMD**
CRI: **>80**



PF: **>0.5**
Beam Angle: **200°**
Base: **E27**
Body Type: **Plastic**
Dimension: **100x174mm**



Bulbs-ED90-E27

40w VT-1940


SKU: 7132 - 3000K Warm White
SKU: 7133 - 4000K Day White
SKU: 7134 - 6500K White

3800157610285
3800157610292
3800157610308



Box Qty.
30 Pcs

EQ. Watts: **250w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **3500lm**
Commercial Type: **ED-90**
LED Type: **SMD2835**
CRI: **>80**



PF: **>0.9**
Beam Angle: **235°**
Base: **E27**
Body Type: **Aluminium+PC**
Dimension: **90x212mm**

UFO-F150-E27



15w VT-2116

SKU: 7159 - 4000K Day White
SKU: 7160 - 6400K White

3800157612500
3800157612517



Box Qty.
20 Pcs



EQ. Watts: **90w**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **1350lm**
Commercial Type: **F150**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **120°**
Base: **E27**
Body Type: **Plastic**
Dimension: **150x80mm**

UFO-F150-E27



24w VT-2124

SKU: 7161 - 3000K Warm White
SKU: 7163 - 6400K White

3800157612524
3800157612531
3800157612548



Box Qty.
20 Pcs



EQ. Watts: **160w**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **2610lm**
Commercial Type: **F150**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **120°**
Base: **E27**
Body Type: **Plastic**
Dimension: **200x80mm**

UFO-F150-E27


36w VT-2136

SKU: 7164 - 3000K Warm White
SKU: 7166 - 6400K White

3800157612555
3800157612562
3800157612579



Box Qty.
20 Pcs



EQ. Watts: **190w**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **3240lm**
Commercial Type: **F150**
LED Type: **SMD**
CRI: **>80**

PF: **>0.9**
Beam Angle: **120°**
Base: **E27**
Body Type: **Plastic**
Dimension: **250x80mm**



LED Filament Bulbs

Filament bulbs can be replacements for 30w to 55w counterparts to let you achieve incredible energy savings. This range is a modern take on the classic Edison lamp but with a cool running performance and environmentally-friendly components.

Product Features

- Classic Vintage Design
- Available in Amber cover, White cover and Frost cover
- Lasts 20 times longer than Standard Bulbs
- Low power consumption
- No mercury, environmental protection
- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Dimmable & Non Dimmable options

Applications

Perfect choice for Restaurants, Lobbies, Coffee shops, Hotels and Bars

SpecialBulbs


new!



Filament-A70-E27

8W VT-2138D

SKU: 7461 - 2000K Warm White 3800157637367



Box Qty.
6 Pcs



DIMMABLE

EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **500lm**
Commercial Type: **A165**
LED Type: **Filament**
CRI: **>80**

PF: **>0.5**
Beam Angle: **340°**
Base: **E27**
Body Type: **Glass**
Dimension: **160x298mm**

SpecialBulbs


new!



Filament-A70-E27

8W VT-2158D

SKU: 7462 - 2000K Warm White 3800157637374



Box Qty.
4 Pcs



DIMMABLE

EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **500lm**
Commercial Type: **G200**
LED Type: **Filament**
CRI: **>80**

PF: **>0.5**
Beam Angle: **340°**
Base: **E27**
Body Type: **Glass**
Dimension: **200x280mm**

SpecialBulbs

new!



Filament-BF180-E27


8W VT-2168D

SKU: 7463 - 2000K Warm White 3800157637381

Box Qty.
6 Pcs

EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 500lm
 Commercial Type: BF180
 LED Type: Filament
 CRI: >80

PF: >0.5
 Beam Angle: 340°
 Base: E27
 Body Type: Glass
 Dimension: 180x360mm



SpecialBulbs

new!




Filament-BF180-E27

8W VT-2178D


SKU: 7464 - 2000K Warm White 3800157637398

Box Qty.
6 Pcs

EQ. Watts: 50w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 600lm
 Commercial Type: BF180
 LED Type: Filament
 CRI: >80



PF: >0.5
 Beam Angle: 340°
 Base: E27
 Body Type: Glass
 Dimension: 180x360mm



SpecialBulbs


new!



Smoky Filament-S200-E27

8W VT-2188D

SKU: 7465 - 2000K Warm White 3800157637404



Box Qty.
4 Pcs



EQ. Watts:	30w	PF:	> 0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	340°
Luminous Flux:	350lm	Base:	E27
Commercial Type:	S200	Body Type:	Glass
LED Type:	Filament	Dimension:	180x390mm
CRI:	> 80		

SpecialBulbs

new!





Filament-R125-E27

8W VT-2198D

SKU: 7468 - 6500K White 3800157639187
 SKU: 7466 - 2700K Warm White 3800157639163
 SKU: 7467 - 4000K Day White 3800157639170

Box Qty.
24 Pcs



EQ. Watts:	50w	PF:	> 0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	110°
Luminous Flux:	600lm	Base:	E27
Commercial Type:	R125	Body Type:	Glass
LED Type:	Filament	Dimension:	125x182mm
CRI:	> 80		



Amber Cover -LED Filament Bulbs



4W VT-2154

SKU: 7335 - 2200K Warm White 3800157625197


 Box Qty.
50 Pcs

EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **360lm**
 Commercial Type: **A60**
 LED Type: **Filament**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **300°**
 Base: **E27**
 Body Type: **Glass**
 Dimension: **60x98mm**



Filament-A60-E27


4W VT-2164

SKU: 7336 - 2700K Warm White 3800157625203


 Box Qty.
50 Pcs

EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **400lm**
 Commercial Type: **A60**
 LED Type: **Filament**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **300°**
 Base: **E27**
 Body Type: **Glass**
 Dimension: **60x98mm**



Amber Cover -Filament-ST64-E27


4W VT-2144

SKU: 7327 - 2200K Warm White 3800157624718


 Box Qty.
100 Pcs


EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **400lm**
 Commercial Type: **ST64**
 LED Type: **Filament**
 CRI: **>80**

PF: **>0.4**
 Beam Angle: **300°**
 Base: **E27**
 Body Type: **Glass**
 Dimension: **64x140mm**






Amber Cover -Filament-A60-E27

3w VT-2063

SKU: 7219 - 2200K Warm White 3800157617277

Box Qty.
100 Pcs

EQ. Watts: **20w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **150lm**
Commercial Type: **A60**
LED Type: **Filament**
CRI: **>80**



PF: **>0.4**
Beam Angle: **300°**
Base: **E27**
Body Type: **Glass**
Dimension: **60x105mm**




Amber Cover -Filament-ST64-E27

5w VT-2065

SKU: 7218 - 2200K Warm White 3800157617260

Box Qty.
100 Pcs

EQ. Watts: **30w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **300lm**
Commercial Type: **ST64**
LED Type: **Filament**
CRI: **>80**



PF: **>0.5**
Beam Angle: **300°**
Base: **E27**
Body Type: **Glass**
Dimension: **64x140mm**




Amber Cover -Filament-Globe-E27

6w VT-2126

SKU: 7328 - 2200K Warm White 3800157624725

Box Qty.
100 Pcs

EQ. Watts: **55w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **480lm**
Commercial Type: **G125**
LED Type: **Filament**
CRI: **>70**



PF: **>0.5**
Beam Angle: **300°**
Base: **E27**
Body Type: **Glass**
Dimension: **125x175mm**



Amber Cover -Filament-ST64-E27


5w VT-2066

SKU: 7220 - 2200K Warm White 3800157617284


 Box Qty.
100 Pcs

EQ. Watts: 30w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 300lm
 Commercial Type: ST64
 LED Type: Filament
 CRI: >80

PF: >0.5
 Beam Angle: 300°
 Base: E27
 Body Type: Glass
 Dimension: 64x140mm



Amber Cover -Filament-Globe-E27



5w VT-2085

SKU: 7216 - 2200K Warm White 3800157617246


 Box Qty.
20 Pcs

EQ. Watts: 30w
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 300lm
 Commercial Type: G125
 LED Type: Filament
 CRI: >80

PF: >0.5
 Beam Angle: 300°
 Base: E27
 Body Type: Glass
 Dimension: 125x175mm



Amber Cover -Filament-Globe-E27



5w VT-2075

SKU: 7217 - 2200K Warm White 3800157617253


 Box Qty.
50 Pcs

EQ. Watts: 30w
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 300lm
 Commercial Type: G95
 LED Type: Filament
 CRI: >80

PF: >0.5
 Beam Angle: 300°
 Base: E27
 Body Type: Glass
 Dimension: 95x138mm





Amber Cover -Filament-Globe-E27

4w VT-2024

SKU: 7146 - 2200K Warm White 3800157610612

Box Qty.
50 Pcs

EQ. Watts: **35w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **400lm**
Commercial Type: **G95**
LED Type: **Filament**
CRI: **>80**



PF: **>0.4**
Beam Angle: **300°**
Base: **E27**
Body Type: **Glass**
Dimension: **95x140mm**




Amber Cover -Filament-Globe-E27

7w VT-2027

SKU: 7147 - 2200K Warm White 3800157610629

Box Qty.
50 Pcs

EQ. Watts: **60w**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **700lm**
Commercial Type: **G95**
LED Type: **Filament**
CRI: **>80**



PF: **>0.5**
Beam Angle: **300°**
Base: **E27**
Body Type: **Glass**
Dimension: **95x140mm**




Amber Cover -Filament-Globe-E27

4w VT-2004

SKU: 7148 - 2200K Warm White 3800157610636

Box Qty.
100 Pcs

EQ. Watts: **35w**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **400lm**
Commercial Type: **G80**
LED Type: **Filament**
CRI: **>80**




PF: **>0.4**
Beam Angle: **300°**
Base: **E27**
Body Type: **Glass**
Dimension: **80x140mm**



Amber Cover -Filament-Globe-E27

4W VT-1956

SKU: 4473 - 2200K Warm White 3800157609074

Box Qty.
12 Pcs

EQ. Watts:	55w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	550lm	Base:	E27
Commercial Type:	G125	Body Type:	Glass
LED Type:	Filament	Dimension:	125x165mm
CRI:	>80		



Amber Cover -Filament-Globe-E27

5W VT-2085D

SKU: 7415 - 2200K Warm White 3800157631990

Box Qty.
20 Pcs


EQ. Watts:	30w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	300lm	Base:	E27
Commercial Type:	G125	Body Type:	Glass
LED Type:	Filament	Dimension:	125x175mm
CRI:	>80		



Amber Cover -Filament-Globe-E27

8W VT-2019

SKU: 7145 - 2200K Warm White 3800157610605

Box Qty.
50 Pcs

EQ. Watts:	65w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	800lm	Base:	E27
Commercial Type:	G95	Body Type:	Glass
LED Type:	Filament	Dimension:	95x140mm
CRI:	>80		



Amber Cover -Filament-T30-E27


2w VT-2052

SKU: 7252 - 2200K Warm White 3800157620833



Box Qty.
100 Pcs

EQ. Watts: **20w**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **200lm**
Commercial Type: **T30**
LED Type: **Filament**
CRI: **>80**



PF: **>0.5**
Beam Angle: **300°**
Base: **E27**
Body Type: **Glass**
Dimension: **30x136mm**



Filament-T30-E27



2w VT-2042

SKU: 7251 - 2700K Warm White 3800157620826



Box Qty.
100 Pcs

EQ. Watts: **20w**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **200lm**
Commercial Type: **T30**
LED Type: **Filament**
CRI: **>80**



PF: **>0.5**
Beam Angle: **300°**
Base: **E27**
Body Type: **Glass**
Dimension: **30x136mm**



Amber Cover -Filaments-T30-E27



5w VT-2005

SKU: 7142 - 2200K Warm White 3800157610575



Box Qty.
100 Pcs

EQ. Watts: **45w**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **500lm**
Commercial Type: **T30**
LED Type: **Filament**
CRI: **>80**




PF: **>0.5**
Beam Angle: **300°**
Base: **E27**
Body Type: **Glass**
Dimension: **30x300mm**



Amber Cover -Filaments-T30-E27

6w VT-2006

SKU: 7143 - 2200K Warm White 3800157610582

Box Qty.
100 Pcs


EQ. Watts:	50w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	600lm	Base:	E27
Commercial Type:	T30	Body Type:	Glass
LED Type:	Filament	Dimension:	30x185mm
CRI:	>80		



Amber Cover -Filaments-T30-E27

7w VT-2008

SKU: 7144 - 2200K Warm White 3800157610599

Box Qty.
100 Pcs


EQ. Watts:	60w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	700lm	Base:	E27
Commercial Type:	T30	Body Type:	Glass
LED Type:	Filament	Dimension:	30x300mm
CRI:	>80		



Amber Cover -Filament-Candle-E14

4w VT-1955

SKU: 7113 - 2200K Warm White 3800157609883

Box Qty.
100 Pcs

EQ. Watts:	40w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	350lm	Base:	E14
Commercial Type:	Candle	Body Type:	Glass
LED Type:	Filament	Dimension:	35x100mm
CRI:	>80		



Amber Cover -Filament-Candle-E14


4w VT-1949

SKU: 7114 - 2200K Warm White 3800157609890



Box Qty.
100 Pcs

EQ. Watts: **35w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **350lm**
Commercial Type: **Candle**
LED Type: **Filament**
CRI: **>80**



Amber Cover -Filament-Candle-E14



4w VT-1948

SKU: 7115 - 2200K Warm White 3800157609906



Box Qty.
100 Pcs

EQ. Watts: **35w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **350lm**
Commercial Type: **Candle**
LED Type: **Filament**
CRI: **>80**



Amber Cover -Filament-Candle-E14


4w VT-1947

SKU: 7116 - 2200K Warm White 3800157609913



Box Qty.
100 Pcs

EQ. Watts: **35w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **350lm**
Commercial Type: **Candle**
LED Type: **Filament**
CRI: **>80**





Amber Cover -Filament-A60-E27



4W VT-1954

SKU: 4498 - 2200K Warm White 3800157609739


 Box Qty.
50 Pcs

EQ. Watts: 35w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 350lm
 Commercial Type: A60
 LED Type: Filament
 CRI: >80

PF: >0.4
 Beam Angle: 300°
 Base: E27
 Body Type: Glass
 Dimension: 60x107mm



Amber Cover -Filament-A60-E27


8W VT-1958

SKU: 4472 - 2200K Warm White 3800157609067


 Box Qty.
50 Pcs

EQ. Watts: 60w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 720lm
 Commercial Type: A67
 LED Type: Filament
 CRI: >80

PF: >0.5
 Beam Angle: 300°
 Base: E27
 Body Type: Glass
 Dimension: 67x123mm



Amber Cover -Filament-A67-E27


10W VT-2028

SKU: 7157 - 2200K Warm White 3800157612227


 Box Qty.
50 Pcs

EQ. Watts: 65w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 900lm
 Commercial Type: A67
 LED Type: Filament
 CRI: >80

PF: >0.5
 Beam Angle: 300°
 Base: E27
 Body Type: Glass
 Dimension: 67x123mm



new!



Amber Filament-A70-E27


12.5W VT-2123

SKU: 7457 - 2200K Warm White



Box Qty.
50 Pcs

EQ. Watts: **85w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **1240lm**
Commercial Type: **A70**
LED Type: **Filament**
CRI: **>80**



PF: **>0.5**
Beam Angle: **330°**
Base: **E27**
Body Type: **Glass**
Dimension: **70x132mm**



Amber Cover -Filament-ST64-B22


4w VT-2145

SKU: 7421 - 2200K Warm White 3800157633093



Box Qty.
100 Pcs

EQ. Watts: **30w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **350lm**
Commercial Type: **ST64**
LED Type: **Filament**
CRI: **>80**



PF: **>0.5**
Beam Angle: **300°**
Base: **B22**
Body Type: **Glass**
Dimension: **64x138mm**




Amber Cover -Filament-ST64-B22

4w VT-2145D

SKU: 7420 - 2200K Warm White 3800157633086

Box Qty.
100 Pcs

EQ. Watts: 25w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 350lm
 Commercial Type: ST64
 LED Type: Filament
 CRI: >80



PF: >0.5
 Beam Angle: 300°
 Base: B22
 Body Type: Glass
 Dimension: 64x138mm



Amber Cover -Filament-ST64-E27

4w VT-1964D

SKU: 4368 - 2200K Warm White 3800157602945

Box Qty.
100 Pcs

EQ. Watts: 30w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 350lm
 Commercial Type: ST64
 LED Type: Filament
 CRI: >80




PF: >0.7
 Beam Angle: 300°
 Base: E27
 Body Type: Glass
 Dimension: 64x138mm



Amber Cover -Filament-ST64-E27

4w VT-1964

SKU: 4361 - 2200K Warm White 3800157602747

Box Qty.
50 Pcs

EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 350lm
 Commercial Type: ST64
 LED Type: Filament
 CRI: >80

PF: >0.4
 Beam Angle: 300°
 Base: E27
 Body Type: Glass
 Dimension: 64x138mm



Amber Cover -Filament-ST64-E27

5w VT-2065D


SKU: 7416 - 2200K Warm White 3800157632003



Box Qty.
100 Pcs



EQ. Watts: **30w**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **300lm**
Commercial Type: **ST64**
LED Type: **Filament**
CRI: **>80**



PF: **>0.5**
Beam Angle: **300°**
Base: **E27**
Body Type: **Glass**
Dimension: **64x140mm**



Amber Cover -Filament-ST64-E27


6w VT-1966

SKU: 4362 - 2200K Warm White 3800157602754



Box Qty.
50 Pcs

EQ. Watts: **45w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **500lm**
Commercial Type: **ST64**
LED Type: **Filament**
CRI: **>80**



PF: **>0.5**
Beam Angle: **300°**
Base: **E27**
Body Type: **Glass**
Dimension: **64x138mm**



Amber Cover -Filament-ST64-E27


8w VT-1968

SKU: 4421 - 2200K Warm White 3800157606356



Box Qty.
50 Pcs

EQ. Watts: **60w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **700lm**
Commercial Type: **ST64**
LED Type: **Filament**
CRI: **>80**



PF: **>0.5**
Beam Angle: **300°**
Base: **E27**
Body Type: **Glass**
Dimension: **64x138mm**



Amber Cover -Filament-Globe-E27


6w VT-2026D

SKU: 7156 - 2200K Warm White 3800157612210

Box Qty.
12 Pcs

DIMMABLE

EQ. Watts: 50w
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 500lm
 Commercial Type: G95
 LED Type: Filament
 CRI: >80



PF: >0.7
 Beam Angle: 300°
 Base: E27
 Body Type: Glass
 Dimension: 95x135mm



Amber Cover -Filament-Globe-E27


8w VT-2018D

SKU: 7155 - 2200K Warm White 3800157612203

Box Qty.
12 Pcs

DIMMABLE

EQ. Watts: 60w
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 700lm
 Commercial Type: G125
 LED Type: Filament
 CRI: >80



PF: >0.7
 Beam Angle: 300°
 Base: E27
 Body Type: Glass
 Dimension: 125x177mm

new!


Filament-G125-E27

12.5w VT-2153

SKU: 7456 - 2200K Warm White

Box Qty.
25 Pcs

EQ. Watts: 85w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 1240lm
 Commercial Type: G125
 LED Type: Filament
 CRI: >80



PF: >0.5
 Beam Angle: 330°
 Base: E27
 Body Type: Glass
 Dimension: 125x178mm



White Cover -Filament-Candle-E14

4w VT-1924

SKU: 7102 - 4000K Day White
SKU: 7103 - 6400K White

3800157609777
3800157609784



Box Qty.
100 Pcs



EQ. Watts: **35w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **350lm**
Commercial Type: **Candle**
LED Type: **Filament**
CRI: **>80**

PF: **>0.4**
Beam Angle: **300°**
Base: **E14**
Body Type: **Glass**
Dimension: **35x100mm**



Cross Filament-Candle-E14


4w VT-1924C

SKU: 71011 - 2700K Warm White
SKU: 71031 - 6400K White

3800157628617
3800157624244



Box Qty.
100 Pcs



EQ. Watts: **35w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **350lm**
Commercial Type: **Candle**
LED Type: **Filament**
CRI: **>80**

PF: **>0.4**
Beam Angle: **300°**
Base: **E14**
Body Type: **Glass**
Dimension: **35x100mm**



White Cover -Filament-A60-E27


4w VT-1939

SKU: 4489 - 2700K Warm White
SKU: 4490 - 4000K Day White
SKU: 4491 - 6400K White

3800157609647
3800157609654
3800157609661



Box Qty.
50 Pcs



EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **350lm**
Commercial Type: **A60**
LED Type: **Filament**
CRI: **>80**

PF: **>0.4**
Beam Angle: **300°**
Base: **E27**
Body Type: **Glass**
Dimension: **60x107mm**




White Cover -Filament-Candle-E14

4W VT-1927

 SKU: 7105 - 4000K Day White
 SKU: 7106 - 6400K White

 3800157609807
 3800157609814

 Box Qty.
100 Pcs

 EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **350lm**
 Commercial Type: **Candle**
 LED Type: **Filament**
 CRI: **>80**

 PF: **>0.4**
 Beam Angle: **300°**
 Base: **E14**
 Body Type: **Glass**
 Dimension: **35x121mm**


Cross Filament-Candle-E14

4W VT-1927C

SKU: 71041 - 2700K Warm White 3800157624299


 Box Qty.
100 Pcs

 EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **350lm**
 Commercial Type: **Candle**
 LED Type: **Filament**
 CRI: **>80**


 PF: **>0.4**
 Beam Angle: **300°**
 Base: **E14**
 Body Type: **Glass**
 Dimension: **35x121mm**


Frost Cover -Filament-Candle-E14

4W VT-1936

 SKU: 4474 - 2700K Warm White
 SKU: 4475 - 4000K Day White
 SKU: 4476 - 6400K White

 3800157609081
 3800157609098
 3800157609104

 Box Qty.
100 Pcs

 EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **400lm**
 Commercial Type: **Candle**
 LED Type: **Filament**
 CRI: **>80**

 PF: **>0.4**
 Beam Angle: **300°**
 Base: **E14**
 Body Type: **Glass**
 Dimension: **35x100mm**




Frost Cover -Filament-Candle-E14

4w VT-1937

SKU: 4477 - 2700K Warm White 3800157609111
SKU: 4478 - 4000K Day White 3800157609128
SKU: 4479 - 6400K White 3800157609135

Box Qty.
100 Pcs



EQ. Watts:	40w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	400lm	Base:	E14
Commercial Type:	Candle	Body Type:	Glass
LED Type:	Filament	Dimension:	35x121mm
CRI:	>80		




Frost Cover -Filament-Candle-E14

4w VT-1928

SKU: 7108 - 4000K Day White 3800157609838
SKU: 7109 - 6400K White 3800157609845

Box Qty.
100 Pcs



EQ. Watts:	40w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	400lm	Base:	E14
Commercial Type:	Candle	Body Type:	Glass
LED Type:	Filament	Dimension:	35x100mm
CRI:	>80		



Cross Filament-Candle-E14

4w VT-1928C

SKU: 71071 - 2700K Warm White 3800157624213
SKU: 71081 - 4000K Day White 3800157624220
SKU: 71091 - 6400K White 3800157624237

Box Qty.
100 Pcs




EQ. Watts:	40w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	400lm	Base:	E14
Commercial Type:	Candle	Body Type:	Glass
LED Type:	Filament	Dimension:	35x100mm
CRI:	>80		



Frost Cover -Filament-Candle-E14

4W VT-1923

SKU: 7110 - 2700K Warm White 3800157609852
 SKU: 7111 - 4000K Day White 3800157609869
 SKU: 7112 - 6400K White 3800157609876


 Box Qty.
100 Pcs



EQ. Watts:	40w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	400lm	Base:	E14
Commercial Type:	Candle	Body Type:	Glass
LED Type:	Filament	Dimension:	35x121mm
CRI:	>80		



Frost Cover -Filament-Candle-E14

4W VT-2054D

SKU: 7176 - 2700K Warm White 3800157615525


 Box Qty.
100 Pcs



EQ. Watts:	35w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	350lm	Base:	E14
Commercial Type:	Candle	Body Type:	Glass
LED Type:	Filament	Dimension:	35x100mm
CRI:	>80		



Frost Cover -Filament-Candle-E14

4W VT-2056D

SKU: 7177 - 2700K Warm White 3800157615532


 Box Qty.
100 Pcs


EQ. Watts:	35w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	350lm	Base:	E14
Commercial Type:	Candle	Body Type:	Glass
LED Type:	Filament	Dimension:	35x121mm
CRI:	>80		

Frost Cover -Filament-Globe-E27

4w VT-1974

SKU: 4496 - 4000K Day White 3800157609715
SKU: 4497 - 6400K White 3800157609722

Box Qty.
100 Pcs

EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **400lm**
Commercial Type: **G45**
LED Type: **Filament**
CRI: **>80**




Frost Cover -Filament-P45-E14

4w VT-1835C

SKU: 44941 - 6400K White 3800157624268
3800157624282

Box Qty.
100 Pcs

EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **400lm**
Commercial Type: **P45**
LED Type: **Filament**
CRI: **>80**




Frost Cover -Filament-A60-E27

4w VT-1934

SKU: 4486 - 2700K Warm White 3800157609616
SKU: 4487 - 4000K Day White 3800157609623
SKU: 4488 - 6400K White 3800157609630

Box Qty.
50 Pcs

EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **400lm**
Commercial Type: **A60**
LED Type: **Filament**
CRI: **>80**






Frost Cover -Filament-A60-E27

5w VT-2045

SKU: 7178 - 2700K Warm White 3800157615549
 SKU: 7179 - 4000K Day White 3800157615556
 SKU: 7180 - 6400K White 3800157615563

Box Qty.
50 Pcs


EQ. Watts:	50w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	600lm	Base:	E27
Commercial Type:	A60	Body Type:	Glass
LED Type:	Filament	Dimension:	60x107mm
CRI:	>80		



Frost Cover -Filament-A60-E27

6w VT-1935C

SKU: 44801 - 2700K Warm White 3800157624091

Box Qty.
50 Pcs


EQ. Watts:	55w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	660lm	Base:	E27
Commercial Type:	A60	Body Type:	Glass
LED Type:	Filament	Dimension:	60x107mm
CRI:	>80		



Frost Cover -Filament-A60-E27

6w VT-1935

SKU: 4481 - 4000K Day White 3800157609159
 SKU: 4482 - 6400K White 3800157609166

Box Qty.
50 Pcs


EQ. Watts:	55w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	660lm	Base:	E27
Commercial Type:	A60	Body Type:	Glass
LED Type:	Filament	Dimension:	60x107mm
CRI:	>80		



Frost Cover -Filament-A60-E27

7W VT-2047

SKU: 7181 - 2700K Warm White 3800157615570
SKU: 7182 - 4000K Day White 3800157615587
SKU: 7183 - 6400K White 3800157615594




EQ. Watts:	60w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	840lm	Base:	E27
Commercial Type:	A60	Body Type:	Glass
LED Type:	Filament	Dimension:	60x107mm
CRI:	>80		



Frost Cover -Filament-A60-E27

7W VT-2047C

SKU: 71811 - 2700K Warm White 3800157624107




EQ. Watts:	60w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	840lm	Base:	E27
Commercial Type:	A60	Body Type:	Glass
LED Type:	Filament	Dimension:	60x107mm
CRI:	>80		



Frost Cover -Filament-A67-E27

8W VT-1938

SKU: 4483 - 2700K Warm White 3800157609586
SKU: 4484 - 4000K Day White 3800157609593
SKU: 4485 - 6400K White 3800157609609




EQ. Watts:	60w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	800lm	Base:	E27
Commercial Type:	A67	Body Type:	Glass
LED Type:	Filament	Dimension:	67x123mm
CRI:	>80		

Frost Cover -Filament-A67-E27

9w VT-2049

SKU: 7184 - 2700K Warm White 3800157615600
 SKU: 7185 - 4000K Day White 3800157615617
 SKU: 7186 - 6400K White 3800157615624


 Box Qty.
50 Pcs


EQ. Watts:	80w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	1100lm	Base:	E27
Commercial Type:	A67	Body Type:	Glass
LED Type:	Filament	Dimension:	67x123mm
CRI:	>80		

Frost Cover -Filament-A67-E27

10w VT-2023

SKU: 7153 - 4000K Day White 3800157612180
 SKU: 7154 - 6400K White 3800157612197



 Box Qty.
50 Pcs


EQ. Watts:	75w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	1055lm	Base:	E27
Commercial Type:	A67	Body Type:	Glass
LED Type:	Filament	Dimension:	67x123mm
CRI:	>80		

Frost Cover -Filament-Globe-E27

7W VT-2057

SKU: 7187 - 2700K Warm White 3800157615631
 SKU: 7188 - 6400K White 3800157615648


 Box Qty.
12 Pcs


EQ. Watts:	60w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	840lm	Base:	E27
Commercial Type:	G95	Body Type:	Glass
LED Type:	Filament	Dimension:	95x135mm
CRI:	>80		



Frost Cover -Filament-Globe-E27

7W VT-2067

SKU: 7189 - 2700K Warm White 3800157615655
SKU: 7190 - 6400K White 3800157615662

Box Qty.
12 Pcs

EQ. Watts:	60w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	840lm	Base:	E27
Commercial Type:	G125	Body Type:	Glass
LED Type:	Filament	Dimension:	125x177mm
CRI:	>80		



Frost Cover -Filament-Globe-E27


7W VT-2067D

SKU: 7191 - 2700K Warm White 3800157615679

Box Qty.
12 Pcs



EQ. Watts:	55w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	300°
Luminous Flux:	750lm	Base:	E27
Commercial Type:	G125	Body Type:	Glass
LED Type:	Filament	Dimension:	125x177mm
CRI:	>80		



Clear Glass-Filament-ST64-E27


4W VT-2105D

SKU: 7414 - 2700K Warm White 3800157630320

Box Qty.
100 Pcs



EQ. Watts:	45w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	490lm	Base:	E27
Commercial Type:	ST64	Body Type:	Glass
LED Type:	Filament	Dimension:	64x145mm
CRI:	>80		






Clear Glass-Filament-A60-E27

4W VT-1885

SKU: 4259 - 2700K Warm White 3800230627179

Box Qty.
50 Pcs


EQ. Watts:	40w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	400lm	Base:	E27
Commercial Type:	A60	Body Type:	Glass
LED Type:	Filament	Dimension:	60x107mm
CRI:	>80		



Clear Glass-Filament-A60-E27

4W VT-1885C

SKU: 42591 - 2700K Warm White 3800157624312

Box Qty.
50 Pcs


EQ. Watts:	40w	PF:	>0.4
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	400lm	Base:	E27
Commercial Type:	A60	Body Type:	Glass
LED Type:	Filament	Dimension:	60x107mm
CRI:	>80		



Clear Glass-Filament-A60-E27

4W VT-1885DC

SKU: 43641 - 2700K Warm White 3800157624305

Box Qty.
50 Pcs

EQ. Watts:	30w	PF:	>0.5
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	300°
Luminous Flux:	350lm	Base:	E27
Commercial Type:	A60	Body Type:	Glass
LED Type:	Filament	Dimension:	60x107mm
CRI:	>80		




Clear Glass-Filament-A67-E27

8w VT-1978

SKU: 4407 - 2700K Warm White 3800157606165
SKU: 4409 - 6400K White 3800157606189



Box Qty.
100 Pcs



EQ. Watts: **60w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **800lm**
Commercial Type: **A67**
LED Type: **Filament**
CRI: **>80**

PF: **>0.5**
Beam Angle: **300°**
Base: **E27**
Body Type: **Glass**
Dimension: **67x123mm**




Clear Glass-Filament-A60-B22

5w VT-2035

SKU: 7170 - 2700K Warm White 3800157615464



Box Qty.
50 Pcs



EQ. Watts: **50w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **600lm**
Commercial Type: **A60**
LED Type: **Filament**
CRI: **>80**

PF: **>0.5**
Beam Angle: **300°**
Base: **B22**
Body Type: **Glass**
Dimension: **60x107mm**



new!



Clear Filament-A70-E27

12.5w VT-2133

SKU: 7460 - 6500K White 3800157637893
SKU: 7458 - 3000K Warm White 3800157637879
SKU: 7459 - 4000K Day White 3800157637886



Box Qty.
50 Pcs



EQ. Watts: **100w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **1550lm**
Commercial Type: **A70**
LED Type: **Filament**
CRI: **>80**

PF: **>0.5**
Beam Angle: **330°**
Base: **E27**
Body Type: **Glass**
Dimension: **70x132mm**




Clear Glass-Filament-ST26-E14

2W VT-1952

 SKU: 4445 - 4000K Day White 3800157607865
 SKU: 4446 - 6400K White 3800157607872

 Box Qty.
100 Pcs

 EQ. Watts: **20w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **180lm**
 Commercial Type: **ST26**
 LED Type: **Filament**
 CRI: **>80**

 PF: **>0.4**
 Beam Angle: **300°**
 Base: **E14**
 Body Type: **Glass**
 Dimension: **26x58mm**


Clear Glass-Filament-Candle-E14

4W VT-1986

SKU: 4301 - 2700K Warm White 3800230629951


 Box Qty.
100 Pcs

 EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **400lm**
 Commercial Type: **Candle**
 LED Type: **Filament**
 CRI: **>80**

 PF: **>0.4**
 Beam Angle: **300°**
 Base: **E14**
 Body Type: **Glass**
 Dimension: **35x100mm**




Clear Glass-Filament-Candle-E14

4W VT-1986C

SKU: 43011 - 2700K Warm White 3800157624114


 Box Qty.
100 Pcs

 EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **400lm**
 Commercial Type: **Candle**
 LED Type: **Filament**
 CRI: **>80**

 PF: **>0.4**
 Beam Angle: **300°**
 Base: **E14**
 Body Type: **Glass**
 Dimension: **35x100mm**




Clear Glass-Filament-Candle-E14

4w VT-1986DC


SKU: 43651 - 2700K Warm White 3800157624176



Box Qty.
100 Pcs



EQ. Watts: **30w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **350lm**
Commercial Type: **Candle**
LED Type: **Filament**
CRI: **>80**



PF: **>0.5**
Beam Angle: **300°**
Base: **E14**
Body Type: **Glass**
Dimension: **35x100mm**



Clear Glass-Filament-Candle-E14


4w VT-1985C

SKU: 43071 - 2700K Warm White 3800157624183



Box Qty.
100 Pcs

EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **400lm**
Commercial Type: **Candle**
LED Type: **Filament**
CRI: **>80**



PF: **>0.4**
Beam Angle: **300°**
Base: **E14**
Body Type: **Glass**
Dimension: **35x100mm**



Clear Glass-Filament-Candle-E14

4w VT-1995

SKU: 4308 - 2700K Warm White 3800157600354
SKU: 4431 - 4000K Day White 3800157606455
SKU: 4432 - 6400K White 3800157606462



Box Qty.
100 Pcs

EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **400lm**
Commercial Type: **Candle**
LED Type: **Filament**
CRI: **>80**



PF: **>0.4**
Beam Angle: **300°**
Base: **E14**
Body Type: **Glass**
Dimension: **35x121mm**



Clear Glass-Filament-Candle-E14


4W VT-1995D

SKU: 4388 - 2700K Warm White 3800157603973

Box Qty.
100 Pcs

DIMMABLE

EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 320lm
 Commercial Type: Candle
 LED Type: Filament
 CRI: >80



PF: >0.5
 Beam Angle: 300°
 Base: E14
 Body Type: Glass
 Dimension: 35x121mm



Clear Glass-Filament-Candle-E14


4W VT-1995DC

SKU: 43881 - 2700K Warm White 3800157624251

Box Qty.
100 Pcs

DIMMABLE

EQ. Watts: 30w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 350lm
 Commercial Type: Candle
 LED Type: Filament
 CRI: >80



PF: >0.5
 Beam Angle: 300°
 Base: E14
 Body Type: Glass
 Dimension: 35x121mm



Clear Glass-Filament-Candle-E14


4W VT-1997

SKU: 4302 - 2700K Warm White 3800230629968

Box Qty.
50 Pcs

DIMMABLE

EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 400lm
 Commercial Type: Candle
 LED Type: Filament
 CRI: >80



PF: >0.4
 Beam Angle: 300°
 Base: E14
 Body Type: Glass
 Dimension: 35x121mm



Clear Glass-Filament-Candle-E14

4w VT-1997D


SKU: 4366 - 2700K Warm White 3800157602921



Box Qty.
100 Pcs



EQ. Watts: **30w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **320lm**
Commercial Type: **Candle**
LED Type: **Filament**
CRI: **>80**



PF: **>0.5**
Beam Angle: **300°**
Base: **E14**
Body Type: **Glass**
Dimension: **35x121mm**



Clear Glass-Filament-Candle-E14


4w VT-1997C

SKU: 44301 - 6400K White 3800157624190
3800157624206



Box Qty.
100 Pcs

EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **400lm**
Commercial Type: **Candle**
LED Type: **Filament**
CRI: **>80**



PF: **>0.4**
Beam Angle: **300°**
Base: **E14**
Body Type: **Glass**
Dimension: **35x121mm**



Clear Glass-Filament-Candle-E14


6w VT-2127

SKU: 7423 - 3000K Warm White 3800157632577
SKU: 7424 - 4000K Day White 3800157632584
SKU: 7425 - 6400K White 3800157632591



Box Qty.
200 Pcs

EQ. Watts: **45w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **600lm**
Commercial Type: **Candle**
LED Type: **SMD**
CRI: **>80**



PF: **>0.5**
Beam Angle: **300°**
Base: **E14**
Body Type: **Glass**
Dimension: **35x100mm**




Clear Glass-Filament-Globe-E27

4W VT-1980

 SKU: 4427 - 4000K Day White
 SKU: 4428 - 6400K White

 3800157606417
 3800157606424

 Box Qty.
100 Pcs


EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **400lm**
 Commercial Type: **G45**
 LED Type: **Filament**
 CRI: **>80**

PF: **>0.4**
 Beam Angle: **300°**
 Base: **E27**
 Body Type: **Glass**
 Dimension: **45x75mm**



Color Bulbs-G45-E27

2W VT-2132-P

SKU: 7410 - Pink

3800157630269


 Box Qty.
100 Pcs


EQ. Watts: **10w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **60lm**
 Commercial Type: **G45**
 LED Type: **Filament**
 CRI: **>80**

PF: **>0.4**
 Beam Angle: **300°**
 Base: **E27**
 Body Type: **Glass**
 Dimension: **45x75mm**



Color Bulbs-G45-E27

2W VT-2132-G

SKU: 7411 - Green

3800157630276


 Box Qty.
100 Pcs


EQ. Watts: **10w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **60lm**
 Commercial Type: **G45**
 LED Type: **Filament**
 CRI: **>80**

PF: **>0.4**
 Beam Angle: **300°**
 Base: **E27**
 Body Type: **Glass**
 Dimension: **45x75mm**




Color Bulbs-G45-E27

2w VT-2132-B

SKU: 7412 - Blue

3800157630283



Box Qty.
100 Pcs

EQ. Watts: **10w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **60lm**
Commercial Type: **G45**
LED Type: **Filament**
CRI: **>80**

PF: **>0.4**
Beam Angle: **300°**
Base: **E27**
Body Type: **Glass**
Dimension: **45x75mm**



Color Bulbs-G45-E27

2w VT-2132-R

SKU: 7413 - Red

3800157630290



Box Qty.
100 Pcs

EQ. Watts: **10w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **60lm**
Commercial Type: **G45**
LED Type: **Filament**
CRI: **>80**

PF: **>0.4**
Beam Angle: **300°**
Base: **E27**
Body Type: **Glass**
Dimension: **45x75mm**





Clear Glass-Filament-P45-E14


4w VT-1996D

SKU: 4394 - 2700K Warm White 3800157604314

Box Qty.
100 Pcs

DIMMABLE

EQ. Watts: 30w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 320lm
 Commercial Type: P45
 LED Type: Filament
 CRI: >80



PF: >0.5
 Beam Angle: 300°
 Base: E14
 Body Type: Glass
 Dimension: 45x77mm




Clear Glass-Filament-P45-E14

4w VT-1996

SKU: 4426 - 6400K White 3800157606394

Box Qty.
100 Pcs

EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 400lm
 Commercial Type: P45
 LED Type: Filament
 CRI: >80



PF: >0.4
 Beam Angle: 300°
 Base: E14
 Body Type: Glass
 Dimension: 45x77mm




Clear Glass-Filament-P45-E14

4w VT-1996C

SKU: 43001 - 2700K Warm White 3800157624138
3800157628600Box Qty.
100 Pcs

EQ. Watts: 40w
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 400lm
 Commercial Type: P45
 LED Type: Filament
 CRI: >80



PF: >0.4
 Beam Angle: 300°
 Base: E14
 Body Type: Glass
 Dimension: 45x77mm



Clear Glass-Filament-Globe-E27

4w VT-1994D

SKU: 4399 - 2700K Warm White 3800157605021



Box Qty.
20 Pcs



EQ. Watts: **30w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **320lm**
Commercial Type: **G125**
LED Type: **Filament**
CRI: **>80**



PF: **>0.5**
Beam Angle: **300°**
Base: **E27**
Body Type: **Glass**
Dimension: **125x177mm**



Clear Glass-Filament-Globe-E27

6w VT-2147

SKU: 7427 - 6400K White 3800157635288



Box Qty.
20 Pcs



EQ. Watts: **60w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **806lm**
Commercial Type: **G125**
LED Type: **Filament**
CRI: **>80**

PF: **>0.5**
Beam Angle: **300°**
Base: **E27**
Body Type: **Glass**
Dimension: **125x177mm**

new!



Clear Glass-Filament-Globe-E27

12.5w VT-2143

SKU: 7455 - 6500K White
SKU: 7453 - 3000K Warm White
SKU: 7454 - 4000K Day White



Box Qty.
25 Pcs



EQ. Watts: **100w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **1550lm**
Commercial Type: **G125**
LED Type: **Filament**
CRI: **>80**

PF: **>0.5**
Beam Angle: **330°**
Base: **E27**
Body Type: **Glass**
Dimension: **125x177mm**



PAR38 Bulbs-E27

15W VT-1125-G

SKU: 4418 - Green

SKU: 4419 - Red

SKU: 4420 - Blue



3800157606318

3800157606325

3800157606301



Box Qty.

40 PcsEQ. Watts: **100w**Voltage/Frequency: **AC:180-240V,50/60Hz**Luminous Flux: **1200lm**Commercial Type: **PAR38**LED Type: **SMD**CRI: **>80**PF: **>0.5**Beam Angle: **40°**Base: **E27**Body Type: **Plastic Coated Aluminium**Dimension: **Ø120x133mm**
VT-798
B22-E27 Converter-Bulbs

SKU: 3420

3800157608435



Box Qty.

250 Pcs

Aluminium+PC



- 5 Meter Long String
- 10 Holders with 0.5 Meter Distance

VT-7135

String Light-WP Socket-E27

SKU: 3698



Box Qty.
4 Pcs

- 15 Meter Long String
- 15 Holders with 1 Meter Distance

VT-713

String Light-WP Socket-E27

SKU: 3673



Box Qty.
4 Pcs



- 5 Meter Long String
- 10 Holders with 0.5 Meter Distance

VT-70510

String Light-LED-5M

0.5w

SKU: 7437 - 6000K White
SKU: 7436 - 3000K Warm White
SKU: 7435 - RGB+Yellow



Box Qty.
10 Pcs



- 10 Meter Long String
- 20 Holders with 0.5 Meter Distance

VT-71020

String Light-LED-10M

0.5w

SKU: 7440 - 6000K White
SKU: 7439 - 3000K Warm White
SKU: 7438 - RGB+Yellow



Box Qty.
5 Pcs



LED Spotlights

Introducing a sustainable and energy efficient replacement for power consuming 35W and 50W Halogen Spotlights. An extensive range of LED Spotlights (1.2W-8W)

Product Features

- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Customized exterior for stronger body
- Choice of beam angle from 38° to 300°
- Premium Quality Power Driver

Applications

Perfect choice for Hotels, Bars, Commercial & Residential Lighting and Exhibition Stands



Capsules-G9-Blister Pack


2W VT-2102BP

SKU: 7340 - 3000K Warm White

3800157625630



Box Qty.
400 Pcs



EQ. Watts: **20w**
Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **230lm**
LED Type: **COB**
CRI: **>80**

PF: **>0.7**
Beam Angle: **230°**
Base: **G9**
Body Type: **Glass**
Dimension: **14.5x43.5mm**



Capsules-G9

2W VT-2102

SKU: 7337 - 3000K Warm White

SKU: 7338 - 4000K Day White

SKU: 7339 - 6000K White

3800157625210

3800157625227

3800157625234



Box Qty.
400 Pcs



EQ. Watts: **20w**
Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **230lm**
LED Type: **COB**
CRI: **>80**

PF: **>0.7**
Beam Angle: **230°**
Base: **G9**
Body Type: **Glass**
Dimension: **14.5x43.5mm**

new!

Capsules-G9

5W VT-2175D

SKU: 7429 - 3000K Warm White

SKU: 7430 - 4000K Day White

SKU: 7431 - 6400K White

3800157637046

3800157637053

3800157637060

Box Qty.
600 PcsEQ. Watts: **50w**Voltage/Frequency: **AC:200-240V,50/60Hz**Luminous Flux: **500lm**LED Type: **SMD**CRI: **>80**PF: **>0.4**Beam Angle: **300°**Base: **G9**Body Type: **Ceramic**Dimension: **22x60mm****new!**

Capsules-G9

5.5W VT-2177

SKU: 7432 - 3000K Warm White


SKU: 7433 - 4000K Day White

SKU: 7434 - 6400K White

3800157637077

3800157637084

3800157637091

Box Qty.
600 PcsEQ. Watts: **50w**Voltage/Frequency: **AC:200-240V,50/60Hz**Luminous Flux: **550lm**LED Type: **SMD**CRI: **>80**PF: **>0.4**Beam Angle: **300°**Base: **G9**Body Type: **Ceramic**Dimension: **16x63mm**



Spotlights-GU10-Lens-38°



2W VT-2002

SKU: 7169 - 6400K White

3800157612821



Box Qty.
200 Pcs



EQ. Watts: **15w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **180lm**
LED Type: **SMD**
CRI: **>80**

PF: **>0.4**
Beam Angle: **38°**
Base: **GU10**
Body Type: **Plastic**
Dimension: **35x46.5mm**

new!



Spotlights-GU10-Lens-38°



5W VT-2165D

SKU: 7428 - 3000K Warm White

3800157636247



Box Qty.
200 Pcs



EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **380lm**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **38°**
Base: **GU10**
Body Type: **Plastic**
Dimension: **ø50x55mm**



Spotlights-GU10-Lens-110°

7W VT-2778

SKU: 1672 - 3000K Warm White

3800157602136

SKU: 1673 - 4500K Day White


3800157602143

SKU: 1674 - 6400K White

3800157602150



Box Qty.
200 Pcs



EQ. Watts: **45w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **500lm**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **110°**
Base: **GU10**
Body Type: **Plastic**
Dimension: **50x57mm**



Spotlights-GU10-Lens-38°


7W VT-2666

SKU: 1657 - 3000K Warm White
 SKU: 1658 - 4500K Day White
 SKU: 1659 - 6000K White

3800157601641
 3800157601658
 3800157601665



Box Qty.
200 Pcs



EQ. Watts: **50w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **550lm**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **38°**
 Base: **GU10**
 Body Type: **Plastic**
 Dimension: **50x57mm**



Spotlights-GU10-Lens-38°


7W VT-2886D

SKU: 1666 - 3000K Warm White
 SKU: 1667 - 4500K Day White
 SKU: 1668 - 6000K White

3800157602075
 3800157602082
 3800157602099



Box Qty.
200 Pcs



EQ. Watts: **50w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **550lm**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **38°**
 Base: **GU10**
 Body Type: **Plastic**
 Dimension: **50x57mm**



Spotlights-MR16-Lens-38°



7W VT-1967

SKU: 1663 - 3000K Warm White
 SKU: 1664 - 4500K Day White
 SKU: 1665 - 6000K White

3800157602044
 3800157602051
 3800157602068



Box Qty.
200 Pcs



EQ. Watts: **50w**
 Voltage/Frequency: **AC/DC:12V,50Hz**
 Luminous Flux: **550lm**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **38°**
 Base: **MR16**
 Body Type: **Plastic**
 Dimension: **50x50mm**



Spotlights-GU10-Lens-38°


8W VT-2889

SKU: 1693 - 3000K Warm White
SKU: 1695 - 6400K White

3800157608947
3800157608954
3800157608961



Box Qty.
200 Pcs



EQ. Watts: **80w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **750lm**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **38°**
Base: **GU10**
Body Type: **Plastic**
Dimension: **50x55mm**



Spotlights-GU10-Milky Cover-110°


3W VT-1933

SKU: 7126 - 3000K Warm White
SKU: 7127 - 4000K Day White
SKU: 7128 - 6400K White

3800157610148
3800157610155
3800157610162



Box Qty.
200 Pcs



EQ. Watts: **25w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **210lm**
LED Type: **SMD**
CRI: **>80**

PF: **>0.4**
Beam Angle: **110°**
Base: **GU10**
Body Type: **Plastic**
Dimension: **50x57mm**



Spotlights-GU10-Milky Cover-110°


5W VT-1975

SKU: 1685 - 3000K Warm White
SKU: 1686 - 4000K Day White
SKU: 1687 - 6000K White

3800157606240
3800157606257
3800157606264



Box Qty.
200 Pcs



EQ. Watts: **40w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **320lm**
LED Type: **SMD**
CRI: **>80**

PF: **>0.4**
Beam Angle: **110°**
Base: **GU10**
Body Type: **Plastic**
Dimension: **50x57mm**

Spotlights-GU10-3PC Pack

5w VT-2095

SKU: 7269 - 3000K Warm White


3800157623018

SKU: 7270 - 4000K Day White

3800157623025

SKU: 7271 - 6400K White

3800157623032

Box Qty.
60 Pcs

EQ. Watts: **35w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **400lm**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **110°**
 Base: **GU10**
 Body Type: **Plastic**
 Dimension: **50x57mm**

Spotlights-GU10-Blister Pack

6w VT-2107

SKU: 7303 - 3000K Warm White


3800157623933

SKU: 7304 - 4000K Day White

3800157623940

SKU: 7305 - 6400K White

3800157623957

Box Qty.
50 Pcs

EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **500lm**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **110°**
 Base: **GU10**
 Body Type: **Plastic**
 Dimension: **50x57mm**

Spotlights-GU10-Blister Pack

6.5w VT-2108D

SKU: 7306 - 3000K Warm White


3800157623964

SKU: 7307 - 4000K Day White

3800157623971

SKU: 7308 - 6400K White

3800157623988

Box Qty.
50 Pcs

EQ. Watts: **40w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **450lm**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **38°**
 Base: **GU10**
 Body Type: **Plastic**
 Dimension: **50x57mm**




Spotlights-GU10-Lens-110°

7W VT-2887D

SKU: 1669 - 3000K Warm White
SKU: 1670 - 4500K Day White
SKU: 1671 - 6000K White

3800157602105
3800157602112
3800157602129



EQ. Watts: **45w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **500lm**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **110°**
Base: **GU10**
Body Type: **Plastic**
Dimension: **50x57mm**



Spotlights-MR16-Milky Cover-110°

7W VT-1977

SKU: 1688 - 3000K Warm White
SKU: 1690 - 6000K White

3800157606950
3800157606967
3800157606974



EQ. Watts: **45w**
Voltage/Frequency: **AC/DC:12V,50Hz**
Luminous Flux: **500lm**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **110°**
Base: **MR16**
Body Type: **Plastic**
Dimension: **50x50mm**





Reflector-Round

5W VT-1100RD

SKU: 7331 - 6400K White

3800157624824
3800157624831
3800157624848

Box Qty.
100 Pcs

EQ. Watts: **35w**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **350lm**
LED Type: **SMD**
CRI: **>80**

PF: **>0.4**
Beam Angle: **68°**
Base: **N/A**
Body Type: **ABS+PC**
Dimension: **Ø90x 45mm**





Reflector-Square

5W VT-1100SQ

SKU: 7332 - 3000K Warm White
SKU: 7333 - 4000K Day White
SKU: 7334 - 6400K White

3800157624855
3800157624862
3800157624879

Box Qty.
50 Pcs

EQ. Watts: **35w**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **350lm**
LED Type: **SMD**
CRI: **>80**

PF: **>0.4**
Beam Angle: **68°**
Base: **N/A**
Body Type: **ABS+PC**
Dimension: **90x90x45mm**





PAR-GX53

7W VT-1969

SKU: 4439 - 6000K White

3800157607049
3800157607056

Box Qty.
100 Pcs

EQ. Watts: **45w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **550lm**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **110°**
Base: **Gx53**
Body Type: **Thermoplastic**
Dimension: **75x29mm**



A modern interior space featuring a dark wood dining table and chairs. The ceiling is white with three cylindrical surface-mounted GU10 fittings. The walls are covered in horizontal wood panels, and a dark wood pillar is visible. The floor is made of light-colored wood planks.

**SURFACE MOUNTED
GU10 FITTINGS**

Easy Installation
Elegant Design

new!

Fitting Round-GU10




Box Qty.
50 Pcs

Model No: VT-872-WB
SKU Code: 3153
Base: GU10
Material: Aluminium+PC
Shape: Round
Color of Fixture: White+Black
Dimension: 79x32mm
Cutting Size: 72mm
EAN Code: 3800157638968

new!

Fitting Round-GU10




Box Qty.
50 Pcs

Model No: VT-872-WR
SKU Code: 3155
Base: GU10
Material: Aluminium+PC
Shape: Round
Color of Fixture: White+Rose Gold
Dimension: 79x32mm
Cutting Size: 72mm
EAN Code: 3800157638982

new!

Fitting Round-GU10



Box Qty.
50 Pcs

Model No: VT-872-WG
SKU Code: 3154
Base: GU10
Material: Aluminium+PC
Shape: Round
Color of Fixture: White+Gold
Dimension: 79x32mm
Cutting Size: 72mm
EAN Code: 3800157638975

new!

Fitting Round-GU10




Box Qty.
50 Pcs

Model No: VT-872-WC
SKU Code: 3156
Base: GU10
Material: Aluminium+PC
Shape: Round
Color of Fixture: White+Chrome
Dimension: 79x32mm
Cutting Size: 72mm
EAN Code: 3800157638999

new!


Fitting Round-GU10


 Box Qty.
50 Pcs

Model No: VT-873-WB
 SKU Code: 3157
 Base: GU10
 Material: Aluminium+PC
 Shape: Round
 Color of Fixture: White+Black
 Dimension: 80x42mm
 Cutting Size: 75mm
 EAN Code: 3800157639002

new!


Fitting Round-GU10


 Box Qty.
50 Pcs

Model No: VT-873-WR
 SKU Code: 3159
 Base: GU10
 Material: Aluminium+PC
 Shape: Round
 Color of Fixture: White+Rose Gold
 Dimension: 80x42mm
 Cutting Size: 75mm
 EAN Code: 3800157639026

new!


Fitting Round-GU10


 Box Qty.
50 Pcs

Model No: VT-873-WG
 SKU Code: 3158
 Base: GU10
 Material: Aluminium+PC
 Shape: Round
 Color of Fixture: White+Gold
 Dimension: 80x42mm
 Cutting Size: 75mm
 EAN Code: 3800157639019

new!


Fitting Round-GU10


 Box Qty.
50 Pcs

Model No: VT-873-WC
 SKU Code: 3160
 Base: GU10
 Material: Aluminium+PC
 Shape: Round
 Color of Fixture: White+Chrome
 Dimension: 80x42mm
 Cutting Size: 75mm
 EAN Code: 3800157639033

new!

Fitting Round-GU10




Box Qty.
50 Pcs

Model No: VT-874-WB
SKU Code: 3161
Base: GU10
Material: Aluminium+PC
Shape: Round
Color of Fixture: White+Black
Dimension: 80x42mm
Cutting Size: 75mm
EAN Code: 3800157639040

new!

Fitting Round-GU10




Box Qty.
50 Pcs

Model No: VT-874-WR
SKU Code: 3163
Base: GU10
Material: Aluminium+PC
Shape: Round
Color of Fixture: White+Rose Gold
Dimension: 80x42mm
Cutting Size: 75mm
EAN Code: 3800157639064

new!

Fitting Round-GU10




Box Qty.
50 Pcs

Model No: VT-874-WG
SKU Code: 3162
Base: GU10
Material: Aluminium+PC
Shape: Round
Color of Fixture: White+Gold
Dimension: 80x42mm
Cutting Size: 75mm
EAN Code: 3800157639057

new!

Fitting Round-GU10




Box Qty.
50 Pcs

Model No: VT-874-WC
SKU Code: 3164
Base: GU10
Material: Aluminium+PC
Shape: Round
Color of Fixture: White+Chrome
Dimension: 80x42mm
Cutting Size: 75mm
EAN Code: 3800157639071

new!


Fitting Square-GU10

Box Qty.
50 Pcs

Model No	VT-875-WB
SKU Code:	3165
Base:	GU10
Material:	Aluminium+PC
Shape:	Square
Color of Fixture:	White+Black
Dimension:	85x85x62mm
Cutting Size:	80x80mm
EAN Code:	3800157639088

new!


Fitting Square-GU10

Box Qty.
50 Pcs

Model No	VT-875-WR
SKU Code:	3167
Base:	GU10
Material:	Aluminium+PC
Shape:	Square
Color of Fixture:	White+Rose Gold
Dimension:	85x85x62mm
Cutting Size:	80x80mm
EAN Code:	3800157639101

new!


Fitting Square-GU10

Box Qty.
50 Pcs

Model No	VT-875-WG
SKU Code:	3166
Base:	GU10
Material:	Aluminium+PC
Shape:	Square
Color of Fixture:	White+Gold
Dimension:	85x85x62mm
Cutting Size:	80x80mm
EAN Code:	3800157639095

new!

Fitting Square-GU10

Box Qty.
50 Pcs

Model No	VT-875-WC
SKU Code:	3168
Base:	GU10
Material:	Aluminium+PC
Shape:	Square
Color of Fixture:	White+Chrome
Dimension:	85x85x62mm
Cutting Size:	80x80mm
EAN Code:	3800157639118

new!


Fitting Square-GU10



Box Qty.
50 Pcs

Model No	VT-876-RD
SKU Code:	3169
Base:	GU10
Material:	Aluminium
Shape:	Square
Color of Fixture:	White
Dimension:	85x32mm
Cutting Size:	75mm
EAN Code:	3800157639125

Fitting-Square-GU10



Box Qty.
50 Pcs

Model No	VT-797-WH
SKU :	3630
Base:	GU10
Material:	Die Cast Aluminium
Shape:	Square
Color of Fixture:	White
Dimension:	142x100x100mm
Cutting Size:	N/A
EAN :	3800157612074

new!


Fitting Square-GU10



Box Qty.
50 Pcs

Model No	VT-876-SQ
SKU Code:	3170
Base:	GU10
Material:	Aluminium
Shape:	Square
Color of Fixture:	White
Dimension:	85x85x32mm
Cutting Size:	75mm
EAN Code:	3800157639132


Fitting-Square-GU10



Box Qty.
50 Pcs


Model No	VT-797-B
SKU :	3631
Base:	GU10
Material:	Die Cast Aluminium
Shape:	Square
Color of Fixture:	Black
Dimension:	100x100x142mm
Cutting Size:	N/A
EAN :	3800157612081

Fitting-Square-GU10

Box Qty.
50 Pcs


Model No **VT-797-SN**
 SKU : **3632**
 Base: **GU10**
 Material: **Die Cast Aluminium**
 Shape: **Square**
 Color of Fixture: **Satin Nickel**
 Dimension: **100x100x142mm**
 Cutting Size: **N/A**
 EAN : **3800157612098**

Fitting-Round-GU10

Box Qty.
50 Pcs


Model No **VT-796-B**
 SKU : **3628**
 Base: **GU10**
 Material: **Die Cast Aluminium**
 Shape: **Round**
 Color of Fixture: **Black**
 Dimension: **Ø142x100mm**
 Cutting Size: **N/A**
 EAN : **3800157612050**

Fitting-Round-GU10

Box Qty.
50 Pcs


Model No **VT-796-WH**
 SKU : **3627**
 Base: **GU10**
 Material: **Die Cast Aluminium**
 Shape: **Round**
 Color of Fixture: **White**
 Dimension: **Ø142x100mm**
 Cutting Size: **N/A**
 EAN : **3800157612043**

Fitting-Round-GU10

Box Qty.
50 Pcs

Model No **VT-796-SN**
 SKU : **3629**
 Base: **GU10**
 Material: **Die Cast Aluminium**
 Shape: **Round**
 Color of Fixture: **Satin Nickel**
 Dimension: **Ø142x100mm**
 Cutting Size: **N/A**
 EAN : **3800157612067**


GX53-Accessory



Box Qty.
50 Pcs

Model No: **VT-715-W**
SKU: **3675**
Base: **GX53**
Material: **Iron**
Shape: **Round**
Color of Fixture: **White**
Dimension: **Ø105x40mm**
Cutting Size: **90mm**
EAN: **3800157625241**


GX53-Accessory



Box Qty.
50 Pcs

Model No: **VT-715-CH**
SKU: **3677**
Base: **GX53**
Material: **Iron**
Shape: **Round**
Color of Fixture: **Chrome**
Dimension: **Ø105x40mm**
Cutting Size: **90mm**
EAN: **3800157625265**


GX53-Accessory



Box Qty.
50 Pcs

Model No: **VT-715-G**
SKU: **3676**
Base: **GX53**
Material: **Iron**
Shape: **Round**
Color of Fixture: **Gold**
Dimension: **Ø105x40mm**
Cutting Size: **90mm**
EAN: **3800157625258**


Fitting-Square-GU10



Box Qty.
36 Pcs

Model No: **VT-727SQ**
SKU: **3664**
Base: **GU10**
Material: **Gypsum**
Shape: **Square**
Color of Fixture: **White**
Dimension: **70x70x75mm**
Cutting Size: **N/A**
EAN: **3800157624589**


Fitting-Round-GU10



Box Qty.
36 Pcs

Model No: VT-727RD
SKU: 3665
Base: GU10
Material: Gypsum
Shape: Round
Color of Fixture: White
Dimension: Ø70x75mm
Cutting Size: N/A
EAN: 3800157624596

Fitting-Round-GU10



Box Qty.
36 Pcs

Model No: VT-716RD
SKU: 3667
Base: GU10
Material: Gypsum
Shape: Round
Color of Fixture: White
Dimension: Ø75x75mm
Cutting Size: N/A
EAN: 3800157624749


Fitting-Square-GU10



Box Qty.
36 Pcs

Model No: VT-716SQ
SKU: 3666
Base: GU10
Material: Gypsum
Shape: Square
Color of Fixture: White
Dimension: 75x75x75mm
Cutting Size: N/A
EAN: 3800157624732

Fitting-Square-GU10



Box Qty.
20 Pcs

Model No: VT-762
SKU: 3648
Base: GU10
Material: Gypsum
Shape: Round
Color of Fixture: White
Dimension: 215x120x60mm
Cutting Size: 215x120mm
EAN: 3800157618588

Fitting-Square-GU10



Box Qty.
24 Pcs

Model No: VT-763
SKU: 3649
Base: GU10
Material: Gypsum
Shape: Square
Color of Fixture: White
Dimension: 120x120x50mm
Cutting Size: 123x123mm
EAN: 3800157618595

Fitting-Square-GU10



Box Qty.
30 Pcs

Model No: VT-765
SKU: 3651
Base: GU10
Material: Gypsum
Shape: Square
Color of Fixture: White
Dimension: 100x100x30mm
Cutting Size: 103x103mm
EAN: 3800157618618

Fitting-Round-GU10



Box Qty.
20 Pcs

Model No: VT-764
SKU: 3650
Base: GU10
Material: Gypsum
Shape: Round
Color of Fixture: White
Dimension: Ø140x40mm
Cutting Size: Ø140mm
EAN: 3800157618601

Fitting-Round-GU10



Box Qty.
20 Pcs

Model No: VT-771
SKU: 3652
Base: GU10
Material: Gypsum
Shape: Round
Color of Fixture: White
Dimension: Ø100x30mm
Cutting Size: Ø103mm
EAN: 3800157618625

Fitting-Square-GU10



Box Qty.
20 Pcs

Model No	VT-772
SKU :	3653
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fixture:	White
Dimension:	132x132x74mm
Cutting Size:	135x135mm
EAN :	3800157618632


Fitting-Square-GU10



Box Qty.
24 Pcs

Model No	VT-776SQ
SKU :	3641
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fixture:	White
Dimension:	120x120x40mm
Cutting Size:	123x123mm
EAN :	3800157616355

Fitting-Round-GU10



Box Qty.
24 Pcs

Model No	VT-776RD
SKU :	3640
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fixture:	White
Dimension:	Ø120x40mm
Cutting Size:	Ø123mm
EAN :	3800157616348


Fitting-Round-GU10



Box Qty.
20 Pcs

Model No	VT-773
SKU :	3654
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fixture:	White
Dimension:	Ø132x74mm
Cutting Size:	Ø132mm
EAN :	3800157618649

Fitting-Square-GU10



Box Qty.
24 Pcs

Model No: VT-714
SKU: 3674
Base: GU10
Material: Gypsum
Shape: Square
Color of Fixture: White
Dimension: 120x120x45mm
Cutting Size: 123x123mm
EAN: 3800157625180

Fitting-Round-GU10-Frost Glass



Box Qty.
24 Pcs

Model No: VT-801RD
SKU: 3692
Base: GU10
Material: Gypsum
Shape: Round
Color of Fixture: White
Dimension: Ø120x60mm
Cutting Size: Ø123mm
EAN: 3800157628945

Fitting-Square-GU10-Frost Glass



Box Qty.
24 Pcs

Model No: VT-801SQ
SKU: 3691
Base: GU10
Material: Gypsum
Shape: Square
Color of Fixture: White
Dimension: 120x120x60mm
Cutting Size: 123x123mm
EAN: 3800157628938

Fitting-Round-GU10-2Pc Pack



Box Qty.
200 Pcs

Model No: VT-778-WH
SKU: 3584
Base: GU10
Material: Ferrum
Shape: Round
Color of Fixture: White
Dimension: Ø80x30mm
Cutting Size: Ø65mm
EAN: 3800157607131

Fitting-Round-GU10-2Pc Pack


 Box Qty.
200 Pcs

Model No VT-778-SN
SKU : 3585
Base: GU10
Material: Ferrum
Shape: Round
Color of Fxture: Satin Nickel
Dimension: Ø80x30mm
Cutting Size: Ø65mm
EAN : 3800157607148

Fitting-Round-GU10-Changing Angle


 Box Qty.
100 Pcs


Model No VT-780-WH
SKU : 3593
Base: GU10
Material: Ferrum
Shape: Round
Color of Fxture: White
Dimension: Ø100x45mm
Cutting Size: Ø90mm
EAN : 3800157607223

Fitting-Round-GU10-2Pc Pack


 Box Qty.
200 Pcs


Model No VT-778-CH
SKU : 3586
Base: GU10
Material: Ferrum
Shape: Round
Color of Fxture: Chrome
Dimension: Ø80x30mm
Cutting Size: Ø65mm
EAN : 3800157607155

Fitting-Round-GU10-Changing Angle


 Box Qty.
100 Pcs

Model No VT-780-SN
SKU : 3594
Base: GU10
Material: Ferrum
Shape: Round
Color of Fxture: Satin Nickel
Dimension: Ø100x45mm
Cutting Size: Ø90mm
EAN : 3800157607230


Fitting-Round-GU10



Box Qty.
100 Pcs

Model No: VT-774-WH
SKU: 3642
Base: GU10
Material: Aluminium
Shape: Round
Color of Fixture: White
Dimension: Ø81x34mm
Cutting Size: Ø73mm
EAN: 3800157617086


Fitting-Round-GU10



Box Qty.
100 Pcs

Model No: VT-774-MG
SKU: 3644
Base: GU10
Material: Aluminium
Shape: Round
Color of Fixture: Metallic Grey
Dimension: Ø81x34mm
Cutting Size: Ø73mm
EAN: 3800157617109


Fitting-Round-GU10



Box Qty.
100 Pcs

Model No: VT-774-SN
SKU: 3643
Base: GU10
Material: Aluminium
Shape: Round
Color of Fixture: Satin Nickel
Dimension: Ø81x34mm
Cutting Size: Ø73mm
EAN: 3800157617093


Fitting-Round-GU10



Box Qty.
100 Pcs

Model No: VT-775-WH
SKU: 3645
Base: GU10
Material: Aluminium
Shape: Round
Color of Fixture: White
Dimension: Ø95x32mm
Cutting Size: Ø85mm
EAN: 3800157617116


Fitting-Round-GU10



Box Qty.
100 Pcs

Model No: VT-775-SN
SKU: 3646
Base: GU10
Material: Aluminium
Shape: Round
Color of Fixture: Satin Nickel
Dimension: Ø95x32mm
Cutting Size: Ø85mm
EAN: 3800157617123


Fitting-Round-GU10



Box Qty.
100 Pcs

Model No: VT-782RD-WH
SKU: 3599
Base: GU10
Material: Aluminium
Shape: Round
Color of Fixture: White
Dimension: Ø91x25mm
Cutting Size: Ø75mm
EAN: 3800157607285


Fitting-Round-GU10



Box Qty.
100 Pcs

Model No: VT-775-MG
SKU: 3647
Base: GU10
Material: Aluminium
Shape: Round
Color of Fixture: Metallic Grey
Dimension: Ø95x32mm
Cutting Size: Ø85mm
EAN: 3800157617130

Fitting-Round-GU10



Box Qty.
100 Pcs

Model No: VT-782RD-AB
SKU: 3600
Base: GU10
Material: Aluminium
Shape: Round
Color of Fixture: Aluminium Brush
Dimension: Ø91x25mm
Cutting Size: Ø75mm
EAN: 3800157607292

Fitting-Round-GU10



Box Qty.
50 Pcs

Model No: VT-783RD-WH
SKU: 3601
Base: 2XGU10
Material: Aluminium
Shape: Round
Color of Fixture: White
Dimension: 173x91x25mm
Cutting Size: 155x75mm
EAN: 3800157607308

Fitting-Round-GU10



Box Qty.
50 Pcs

Model No: VT-784RD-WH
SKU: 3603
Base: 3XGU10
Material: Aluminium
Shape: Round
Color of Fixture: White
Dimension: 255x91x25mm
Cutting Size: 235x75mm
EAN: 3800157607322

Fitting-Round-GU10



Box Qty.
50 Pcs

Model No: VT-783RD-AB
SKU: 3602
Base: 2XGU10
Material: Aluminium
Shape: Round
Color of Fixture: Aluminium Brush
Dimension: 173x91x25mm
Cutting Size: 155x75mm
EAN: 3800157607315

Fitting-Round-GU10



Box Qty.
50 Pcs

Model No: VT-784RD-AB
SKU: 3604
Base: 3XGU10
Material: Aluminium
Shape: Round
Color of Fixture: Aluminium Brush
Dimension: 255x91x25mm
Cutting Size: 235x75mm
EAN: 3800157607339

Fitting-Square-GU10

Box Qty.
100 Pcs


Model No VT-782SQ-WH
 SKU : 3605
 Base: 1XGU10
 Material: Aluminium
 Shape: Square
 Color of Fixture: White
 Dimension: 91x91x25mm
 Cutting Size: 75x75mm
 EAN : 3800157607346

Fitting-Square-GU10

Box Qty.
50 Pcs


Model No VT-783SQ-WH
 SKU : 3607
 Base: 2XGU10
 Material: Aluminium
 Shape: Square
 Color of Fixture: White
 Dimension: 173x91x25mm
 Cutting Size: 155x75mm
 EAN : 3800157607360

Fitting-Square-GU10

Box Qty.
100 Pcs

Model No VT-782SQ-AB
 SKU : 3606
 Base: 1XGU10
 Material: Aluminium
 Shape: Square
 Color of Fixture: Aluminium Brush
 Dimension: 91x91x25mm
 Cutting Size: 235x75mm
 EAN : 3800157607353

Fitting-Square-GU10

Box Qty.
50 Pcs

Model No VT-783SQ-AB
 SKU : 3608
 Base: GU10
 Material: Aluminium
 Shape: Square
 Color of Fixture: Aluminium Brush
 Dimension: 173x91x25mm
 Cutting Size: 155x75mm
 EAN : 3800157607377

Fitting-Square-GU10



Box Qty.
50 Pcs

Model No: VT-784SQ-WH
SKU: 3609
Base: 3XGU10
Material: Aluminium
Shape: Square
Color of Fixture: White
Dimension: 255x91x25mm
Cutting Size: 235x75mm
EAN: 3800157607384

Fitting-Round-GU10



Box Qty.
100 Pcs

Model No: VT-7227RD-WH
SKU: 3469
Base: GU10
Material: Ferrum
Shape: Round
Color of Fixture: White
Dimension: Ø82x25mm
Cutting Size: Ø74mm
EAN: 3800157605885

Fitting-Square-GU10



Box Qty.
50 Pcs

Model No: VT-784SQ-AB
SKU: 3610
Base: 3XGU10
Material: Aluminium
Shape: Square
Color of Fixture: Aluminium Brush
Dimension: 255x91x25mm
Cutting Size: 235x75mm
EAN: 3800157607391


Fitting-Round-GU10



Box Qty.
100 Pcs


Model No: VT-7227RD-SN
SKU: 3470
Base: GU10
Material: Ferrum
Shape: Round
Color of Fixture: Satin Nickel
Dimension: Ø82x25mm
Cutting Size: Ø74mm
EAN: 3800157605892

Fitting-Round-GU10




Model No	VT-7227RD-SS
SKU :	3471
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fixture:	Stainless Steel
Dimension:	Ø82x25mm
Cutting Size:	Ø74mm
EAN :	3800157605908

Fitting-Round-GU10




Model No	VT-786
SKU :	3612
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fixture:	White
Dimension:	88x38mm
Cutting Size:	Ø75mm
EAN :	3800157607414

Fitting-Round-GU10




Model No	VT-785
SKU :	3611
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fixture:	White
Dimension:	88x38mm
Cutting Size:	Ø75mm
EAN :	3800157607407

Fitting-Square-GU10



Model No	VT-7227SQ-WH
SKU :	3472
Base:	GU10
Material:	Ferrum
Shape:	Square
Color of Fixture:	White
Dimension:	82x82x22mm
Cutting Size:	74x74mm
EAN :	3800157605915


Fitting-Square-GU10



Box Qty.
100 Pcs

Model No: VT-7227SQ-SN
SKU: 3473
Base: GU10
Material: Ferrum
Shape: Square
Color of Fixture: Satin Nickel
Dimension: 82x82x22mm
Cutting Size: 74x74mm
EAN: 3800157605922


Fitting-Round-GU10



Box Qty.
50 Pcs

Model No: VT-711-W-RD
SKU: 3669
Base: GU10
Material: Zinc Alloy+Ferrum
Shape: Round
Color of Fixture: White
Dimension: 82x101mm
Cutting Size: N/A
EAN: 3800157625135

Fitting-Square-GU10



Box Qty.
100 Pcs

Model No: VT-7227SQ-SS
SKU: 3474
Base: GU10
Material: Ferrum
Shape: Square
Color of Fixture: Stainless Steel
Dimension: 82x82x22mm
Cutting Size: 74x74mm
EAN: 3800157605939


Zoom Fitting



Box Qty.
50 Pcs


Model No: VT-700W
SKU: 3689
Base: GU10
Material: Aluminium
Shape: Round
Color of Fixture: White
Dimension: Ø102x46mm
Cutting Size: 93mm
EAN: 3800157628501

Zoom Fitting



Model No	VT-700S
SKU :	3690
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fixture:	Satin Nickel
Dimension:	Ø102x46mm
Cutting Size:	93mm
EAN :	3800157628518


Fitting-Round-GU10



Model No	VT-787RD-SN
SKU :	3614
Base:	GU10
Material:	Zinc Alloy+Ferrum
Shape:	Round
Color of Fixture:	White
Dimension:	84x38mm
Cutting Size:	75mm
EAN :	3800157607438




Fitting-Square-GU10



Model No	VT-787RD-WH
SKU :	3613
Base:	GU10
Material:	Zinc Alloy+Ferrum
Shape:	Round
Color of Fixture:	White
Dimension:	84x38mm
Cutting Size:	75mm
EAN :	3800157607421




Fitting-Square-GU10



Model No	VT-787SQ-WH
SKU :	3615
Base:	GU10
Material:	Zinc Alloy+Ferrum
Shape:	Square
Color of Fixture:	White
Dimension:	84x84x38mm
Cutting Size:	75mm
EAN :	3800157607445



Fitting-Square-GU10




Box Qty.
100 Pcs



Model No: VT-787SQ-SN
SKU: 3616
Base: GU10
Material: Zinc Alloy+Ferrum
Shape: Square
Color of Fixture: Satin Nickel
Dimension: 84x84x38mm
Cutting Size: 75mm
EAN: 3800157607452


Fitting-Round-GU10



Box Qty.
100 Pcs

Model No: VT-781RD-SN
SKU: 3596
Base: GU10
Material: Aluminium+Ferrum
Shape: Round
Color of Fixture: Satin Nickel
Dimension: 100x45mm
Cutting Size: 90mm
EAN: 3800157607254


Fitting-Round-GU10



Box Qty.
100 Pcs

Model No: VT-781RD-WH
SKU: 3595
Base: GU10
Material: Aluminium+Ferrum
Shape: Round
Color of Fixture: White
Dimension: 100x45mm
Cutting Size: 90mm
EAN: 3800157607247

Fitting-Square-GU10



Box Qty.
100 Pcs

Model No: VT-781SQ-WH
SKU: 3597
Base: GU10
Material: Aluminium+Ferrum
Shape: Square
Color of Fixture: White
Dimension: 100x100x38mm
Cutting Size: 90x90mm
EAN: 3800157607261

Fitting-Square-GU10



Model No	VT-781SQ-SN
SKU :	3598
Base:	GU10
Material:	Aluminium+Ferrum
Shape:	Square
Color of Fixture:	Satin Nickel
Dimension:	100x100x38mm
Cutting Size:	90x90mm
EAN :	3800157607278

Fitting-Round-GU10



Model No	VT-779-SN-RD
SKU :	3588
Base:	GU10
Material:	Zinc Alloy
Shape:	Round
Color of Fixture:	Satin Nickel
Dimension:	82x25mm
Cutting Size:	74mm
EAN :	3800157607179

Fitting-Round-GU10



Model No	VT-779-WH-RD
SKU :	3587
Base:	GU10
Material:	Zinc Alloy
Shape:	Round
Color of Fixture:	White
Dimension:	82x25mm
Cutting Size:	74mm
EAN :	3800157607162

Fitting-Round-GU10



Model No	VT-779-CH-RD
SKU :	3589
Base:	GU10
Material:	Zinc Alloy
Shape:	Round
Color of Fixture:	Chrome
Dimension:	82x25mm
Cutting Size:	74mm
EAN :	3800157607186

Fitting-Square-GU10



Box Qty.
100 Pcs

Model No: VT-779-WH-SQ
SKU: 3590
Base: GU10
Material: Zinc Alloy
Shape: Square
Color of Fixture: White
Dimension: 82x82x22mm
Cutting Size: 74mm
EAN: 3800157607193

Fitting-Square-GU10



Box Qty.
100 Pcs

Model No: VT-779-CH-SQ
SKU: 3592
Base: GU10
Material: Zinc Alloy
Shape: Square
Color of Fixture: Chrome
Dimension: 82x82x25mm
Cutting Size: 74mm
EAN: 3800157607216

Fitting-Square-GU10



Box Qty.
100 Pcs

Model No: VT-779-SN-SQ
SKU: 3591
Base: GU10
Material: Zinc Alloy
Shape: Square
Color of Fixture: Satin Nickel
Dimension: 82x82x25mm
Cutting Size: 74mm
EAN: 3800157607209


Fitting-Round-G9



Box Qty.
24 Pcs

Model No: VT-858RD
SKU: 3694
Base: G9
Material: Gypsum
Shape: Round
Color of Fixture: White
Dimension: 70x90x95mm
Cutting Size: N/A
EAN: 3800157633536


Fitting-Square-G9



Box Qty.
24 Pcs

Model No **VT-858SQ**
SKU : **3695**
Base: **G9**
Material: **Gypsum**
Shape: **Square**
Color of Fixture: **White**
Dimension: **70x100x100mm**
Cutting Size: **N/A**
EAN : **3800157633543**

Fitting-Round-GU10



Box Qty.
40 Pcs

Model No **VT-859RD**
SKU : **3697**
Base: **GU10**
Material: **Gypsum**
Shape: **Round**
Color of Fixture: **White**
Dimension: **ø100x40mm**
Cutting Size: **ø103**
EAN : **3800157633567**


Fitting-Square-GU10



Box Qty.
40 Pcs

Model No **VT-859SQ**
SKU : **3696**
Base: **GU10**
Material: **Gypsum**
Shape: **Square**
Color of Fixture: **White**
Dimension: **100x100x40mm**
Cutting Size: **103x103mm**
EAN : **3800157633550**


Fitting-Suspended-GU10



Box Qty.
9 Pcs


Model No **VT-864-G**
SKU : **3111**
Base: **GU10**
Material: **Gypsum with metal**
Shape: **Round**
Color of Fixture: **White+Matt Rose Gold**
Dimension: **ø250x80mm**
Cutting Size: **N/A**
EAN : **3800157634366**

Fitting-Pendant Metal-1XGU10




Model No **VT-864-GBC**
 SKU : **3134**
 Base: **GU10**
 Material: **Gypsum with metal**
 Shape: **Round**
 Color of Fixture: **Grey+Gun Black**
 Dimension: **ø250x80mm**
 Cutting Size: **N/A**
 EAN : **3800157635332**

Fitting-Pendant Metal-1XGU10




Model No **VT-864-GB**
 SKU : **3112**
 Base: **GU10**
 Material: **Gypsum with metal**
 Shape: **Round**
 Color of Fixture: **White+Gun Black**
 Dimension: **ø250x80mm**
 Cutting Size: **N/A**
 EAN : **3800157634373**

Fitting-Pendant Metal-1XGU10




Model No **VT-864CHC**
 SKU : **3135**
 Base: **GU10**
 Material: **Gypsum with metal**
 Shape: **Round**
 Color of Fixture: **Grey+Chrome**
 Dimension: **ø250x80mm**
 Cutting Size: **N/A**
 EAN : **3800157635349**

Fitting-Pendant Metal-1XGU10




Model No **VT-864-CH**
 SKU : **3129**
 Base: **GU10**
 Material: **Gypsum with metal**
 Shape: **Round**
 Color of Fixture: **White+Chrome**
 Dimension: **ø250x80mm**
 Cutting Size: **N/A**
 EAN : **3800157634540**

Fitting-Pendant Metal-1XGU10

Box Qty.
9 pcs



Model No VT-864-MR
 SKU : 3130
 Base: GU10
 Material: Gypsum with metal
 Shape: Round
 Color of Fixture: Grey+Matt Rose Gold
 Dimension: ø250x80mm
 Cutting Size: N/A
 EAN : 3800157635325

Fitting-Surface Metal-1XGU10

Box Qty.
9 pcs



Model No VT-865-MRC
 SKU : 3137
 Base: GU10
 Material: Gypsum with metal
 Shape: Round
 Color of Fixture: Grey+Matt Rose Gold
 Dimension: ø200x80mm
 Cutting Size: N/A
 EAN : 3800157635363

Fitting-Surface Metal-1XGU10

Box Qty.
9 pcs


Model No VT-865-GBM
 SKU : 3136
 Base: GU10
 Material: Gypsum with metal
 Shape: Round
 Color of Fixture: White+Gun Black
 Dimension: ø200x80mm
 Cutting Size: N/A
 EAN : 3800157635356

Fitting-Surface Metal-1XGU10

Box Qty.
9 pcs

Model No VT-865CHC
 SKU : 3138
 Base: GU10
 Material: Gypsum with metal
 Shape: Round
 Color of Fixture: Grey+Chrome
 Dimension: ø200x80mm
 Cutting Size: N/A
 EAN : 3800157635370



Fitting-Surface Metal-1XGU10



Box Qty.
9 pcs

Model No **VT-865-GBC**
SKU : **3139**
Base: **GU10**
Material: **Gypsum with metal**
Shape: **Round**
Color of Fixture: **Grey+Gun Black**
Dimension: **ø200x80mm**
Cutting Size: **N/A**
EAN : **3800157635387**


Fitting-Surface Metal-1XGU10



Box Qty.
9 pcs

Model No **VT-865CHM**
SKU : **3114**
Base: **GU10**
Material: **Gypsum with metal**
Shape: **Round**
Color of Fixture: **White+Chrome**
Dimension: **ø200x80mm**
Cutting Size: **N/A**
EAN : **3800157634397**


Fitting-Surface Metal-1XGU10



Box Qty.
9 pcs

Model No **VT-865-MRM**
SKU : **3113**
Base: **GU10**
Material: **Gypsum with metal**
Shape: **Round**
Color of Fixture: **White+Matt Rose Gold**
Dimension: **ø200x80mm**
Cutting Size: **N/A**
EAN : **3800157634380**



Fitting-Square Metal-1XGU10



Box Qty.
12 pcs


Model No **VT-860-GB**
SKU : **3140**
Base: **GU10**
Material: **Gypsum with metal**
Shape: **Square**
Color of Fixture: **White+Gun Black**
Dimension: **100x100x130mm**
Cutting Size: **N/A**
EAN : **3800157635394**

Fitting-Square Metal-1XGU10

Box Qty.
12pcs


Model No VT-860-MRM
 SKU : 3141
 Base: GU10
 Material: Gypsum with metal
 Shape: Square
 Color of Fxture: Grey+Matt Rose Gold
 Dimension: 100x100x130mm
 Cutting Size: N/A
 EAN : 3800157635400

Fitting-Square Metal-1XGU10

Box Qty.
12pcs


Model No VT-860-GBM
 SKU : 3143
 Base: GU10
 Material: Gypsum with metal
 Shape: Square
 Color of Fxture: Grey+Gun Black
 Dimension: 100x100x130mm
 Cutting Size: N/A
 EAN : 3800157635424

Fitting-Square Metal-1XGU10

Box Qty.
12pcs


Model No VT-860-CHM
 SKU : 3142
 Base: GU10
 Material: Gypsum with metal
 Shape: Square
 Color of Fxture: Grey+Chrome
 Dimension: 100x100x130mm
 Cutting Size: N/A
 EAN : 3800157635417

Fitting-Square Metal-1XGU10

Box Qty.
12pcs

Model No VT-860-MR
 SKU : 3115
 Base: GU10
 Material: Gypsum with metal
 Shape: Square
 Color of Fxture: White+Matt Rose Gold
 Dimension: 100x100x130mm
 Cutting Size: N/A
 EAN : 3800157634403

Fitting-Square Metal-1XGU10



Box Qty.
12 pcs

Model No: VT-860-CH
SKU: 3116
Base: GU10
Material: Gypsum with metal
Shape: Square
Color of Fixture: White+Chrome
Dimension: 100x100x130mm
Cutting Size: N/A
EAN: 3800157634410

Fitting-Recessed-1XGU10



Box Qty.
24 pcs

Model No: VT-862-MRG
SKU: 3118
Base: GU10
Material: Gypsum with metal
Shape: Square
Color of Fixture: Grey+Matt Rose Gold
Dimension: 100x100x40mm
Cutting Size: ø80mm
EAN: 3800157634434

Fitting-Recessed-1XGU10



Box Qty.
24 pcs

Model No: VT-862-MRW
SKU: 3117
Base: GU10
Material: Gypsum with metal
Shape: Square
Color of Fixture: White+Matt Rose Gold
Dimension: 100x100x40mm
Cutting Size: ø80mm
EAN: 3800157634427

Fitting-Recessed-1XGU10



Box Qty.
24 pcs

Model No: VT-862-CHW
SKU: 3119
Base: GU10
Material: Gypsum with metal
Shape: Square
Color of Fixture: White+Chrome
Dimension: 100x100x40mm
Cutting Size: ø80mm
EAN: 3800157634441

Fitting-Recessed-1XGU10



Model No VT-862-CHG
 SKU : 3120
 Base: GU10
 Material: Gypsum with metal
 Shape: Square
 Color of Fixture: Grey+Chrome
 Dimension: 100x100x40mm
 Cutting Size: ø80mm
 EAN : 3800157634458

Fitting-Recessed-1XGU10



Model No VT-862-CHR
 SKU : 3122
 Base: GU10
 Material: Gypsum with metal
 Shape: Square
 Color of Fixture: Off White+Chrome
 Dimension: 100x100x40mm
 Cutting Size: ø80mm
 EAN : 3800157634472

Fitting-Recessed-1XGU10




Model No VT-862-MRR
 SKU : 3121
 Base: GU10
 Material: Gypsum with metal
 Shape: Square
 Color of Fixture: Off White+Matt Rose Gold
 Dimension: 100x100x40mm
 Cutting Size: ø80mm
 EAN : 3800157634465

Fitting-Recessed-1XGU10



Model No VT-862-MRP
 SKU : 3123
 Base: GU10
 Material: Gypsum with metal
 Shape: Round
 Color of Fixture: White+Matt Rose Gold
 Dimension: ø100x40mm
 Cutting Size: ø80mm
 EAN : 3800157634489

Fitting-Recessed-1XGU10



Box Qty.
24 pcs

Model No: VT-862-MGRD
SKU: 3124
Base: GU10
Material: Gypsum with metal
Shape: Round
Color of Fixture: Grey+Matt Rose Gold
Dimension: ø100x40mm
Cutting Size: ø80mm
EAN: 3800157634496

Fitting-Recessed-1XGU10



Box Qty.
24 pcs

Model No: VT-862-MRD
SKU: 3126
Base: GU10
Material: Gypsum with metal
Shape: Round
Color of Fixture: Off White+Chrome
Dimension: ø100x40mm
Cutting Size: ø80mm
EAN: 3800157634519

Fitting-Recessed-1XGU10



Box Qty.
24 pcs

Model No: VT-862-MRC
SKU: 3125
Base: GU10
Material: Gypsum with metal
Shape: Round
Color of Fixture: Off White+Matt Rose Gold
Dimension: ø100x40mm
Cutting Size: ø80mm
EAN: 3800157634502


Fitting-Recessed-1XGU10



Box Qty.
24 pcs

Model No: VT-862-CRD
SKU: 3127
Base: GU10
Material: Gypsum with metal
Shape: Round
Color of Fixture: White+Chrome
Dimension: ø100x40mm
Cutting Size: ø80mm
EAN: 3800157634526

Fitting-Recessed-1XGU10

Box Qty.
24 pcs


Model No VT-862-MG
SKU : 3128
Base: GU10
Material: Gypsum with metal
Shape: Round
Color of Fixture: Grey+Chrome
Dimension: $\varnothing 100 \times 40 \text{ mm}$
Cutting Size: $\varnothing 80 \text{ mm}$
EAN : 3800157634533

Fitting-Recessed-Black Metal-Round

Box Qty.
30 pcs

Model No VT-866-BRD
SKU : 3145
Base: GU10
Material: Gypsum with metal
Shape: Round
Color of Fixture: White+Black
Dimension: $\varnothing 100 \text{ mm}$
Cutting Size: $\varnothing 103 \text{ mm}$
EAN : 3800157635592

Fitting-Ceiling Metal-1XGU10

Box Qty.
12 pcs

Model No VT-863
SKU : 3144
Base: GU10
Material: Gypsum with metal
Shape: Square
Color of Fixture: White
Dimension: $200 \times 200 \text{ mm}$
Cutting Size: $206 \times 206 \text{ mm}$
EAN : 3800157634557

Fitting-Recessed-Chrome Metal-Round

Box Qty.
30 pcs

Model No VT-866-CRD
SKU : 3146
Base: GU10
Material: Gypsum with metal
Shape: Round
Color of Fixture: White+Chrome
Dimension: $\varnothing 100 \text{ mm}$
Cutting Size: $\varnothing 103 \text{ mm}$
EAN : 3800157635608

Fitting-Recessed-Matt Rose Gold Met-



Box Qty.
30 pcs

Model No: **VT-866-MRD**
SKU : **3147**
Base: **GU10**
Material: **Gypsum with metal**
Shape: **Round**
Color of Fixture: **White+Matt Rose Gold**
Dimension: **ø100mm**
Cutting Size: **ø103mm**
EAN : **3800157635615**

Fitting-Recessed-Chrome Metal-Square



Box Qty.
30 pcs

Model No: **VT-866-CSQ**
SKU : **3149**
Base: **GU10**
Material: **Gypsum with metal**
Shape: **Square**
Color of Fixture: **White+Chrome**
Dimension: **ø100x100mm**
Cutting Size: **103x103mm**
EAN : **3800157635639**

Fitting-Recessed-Black Metal-Square



Box Qty.
30 pcs

Model No: **VT-866-BSQ**
SKU : **3148**
Base: **GU10**
Material: **Gypsum with metal**
Shape: **Square**
Color of Fixture: **White+Black**
Dimension: **ø100x100mm**
Cutting Size: **103x103mm**
EAN : **3800157635622**


Fitting-Recessed-Matt Rose Gold-



Box Qty.
30 pcs

Model No: **VT-866-GSQ**
SKU : **3150**
Base: **GU10**
Material: **Gypsum with metal**
Shape: **Square**
Color of Fixture: **White+Matt Rose Gold**
Dimension: **ø100x100mm**
Cutting Size: **103x103mm**
EAN : **3800157635646**

Fitting-Recessed-Square

Box Qty.
24 Pcs

Model No VT-867-SQ
 SKU : 3151
 Base: GU10
 Material: Gypsum with metal
 Shape: Square
 Color of Fixture: White
 Dimension: $\phi 120 \times 120 \text{mm}$
 Cutting Size: $127 \times 127 \text{mm}$
 EAN : 3800157635653

Fitting-Recessed-Round

Box Qty.
24 Pcs

Model No VT-867-RD
 SKU : 3152
 Base: GU10
 Material: Gypsum with metal
 Shape: Round
 Color of Fixture: White
 Dimension: $\phi 120 \text{mm}$
 Cutting Size: $\phi 127 \text{mm}$
 EAN : 3800157635660

GU10-Holder-PVC Cable

Box Qty.
100 Pcs

Model No PVC Cable-5pc
 SKU : 34235
 Base: GU10
 Material: Ceramic
 Wire length: 150mm
 EAN : 3800157609982

GU10 Silicon Wire-5Pc Pack

Box Qty.
500 Pcs

Model No VT-791
 SKU : 36205
 Base: GU10
 Material: Aluminium Ceramic
 Color of Fixture: White
 Wire length: 158mm
 EAN : 3800157636063

Mr16-Lampholder-5Pc Pack

Box Qty.
100 Pcs

Model No VT-7889
 SKU : 36265
 Base: MR16
 Material: Ceramic
 Color of Fixture: White
 Wire length: 150mm
 EAN : 3800157609999

Gu10-Holder-PVC Cable



Box Qty.
500 Pcs

Model No	PVC Cable
SKU :	3423
Base:	GU10
Material:	Ceramic
Wire length:	150mm
EAN :	3800157607827

GU10 Silicon Wire



Box Qty.
500 Pcs

Model No	VT-791-W
SKU :	3620
Base:	GU10
Material:	Aluminium Ceramic
Color of Fxture:	White
Wire length:	158mm
EAN :	3800157607704



LED PAR Lamps & AR111

V-TAC's LED PAR Lamps offer great quality of light and work as a perfect replacement for Standard Halogen PAR Lamps. Boasting energy efficiency and an impressive lamp life.

Product Features

- Eco friendly and Power Saving alternative for Standard Halogen Par Lamps with a longer life.
- Exceptional Heat Radiation Efficiency
- Premium Quality Power Driver
- Creates better Lighting effect than the old halogen bulb
- Dimmable & Non Dimmable options available

Applications

Widely used in Showrooms, Exhibition Stands, Stores, Offices and Reception areas, Hotels, Bars and Commercial Lighting




AR111 Downlight 20W VT-1120-20

SKU: 1243 - 3000K Warm White
SKU: 1244 - 4500K Day White
SKU: 1245 - 6000K White

3800157606004
3800157606011
3800157606028



Box Qty.
50 Pcs



EQ. Watts: **100w**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **1800lm**
LED Type: **COB**
CRI: **>80**

PF: **>0.7**
Beam Angle: **20°**
Base: **N/A**
Body Type: **Die Cast Aluminium**
Dimension: **Ø111x53mm**




AR111 Downlight 20W VT-1120-40

SKU: 1246 - 3000K Warm White
SKU: 1247 - 4500K Day White
SKU: 1248 - 6000K White

3800157606035
3800157606042
3800157606059



Box Qty.
50 Pcs



EQ. Watts: **100w**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **1800lm**
LED Type: **COB**
CRI: **>80**

PF: **>0.7**
Beam Angle: **40°**
Base: **N/A**
Body Type: **Die Cast Aluminium**
Dimension: **Ø111x53mm**



AR111-G53



15w VT-1110-20

SKU: 4084 - 3000K Warm White
 SKU: 4062 - 4000K Day White
 SKU: 4061 - 6400K White

3800230620064
 3800230620057
 3800230620040



Box Qty.
60 Pcs



EQ. Watts: **75w**
 Voltage/Frequency: **AC/DC:12V,50Hz**
 Luminous Flux: **950lm**
 LED Type: **COB**
 CRI: **>80**

PF: **>0.9**
 Beam Angle: **20°**
 Base: **G53**
 Body Type: **Plastic Clad Aluminium**
 Dimension: **Ø111x86x63mm**



AR111-G53



15w VT-1110-40

SKU: 4257 - 3000K Warm White
 SKU: 4256 - 4000K Day White
 SKU: 4255 - 6400K White

3800230628664
 3800230628657
 3800230628640



Box Qty.
60 Pcs



EQ. Watts: **25w**
 Voltage/Frequency: **AC/DC:12V,50Hz**
 Luminous Flux: **950lm**
 LED Type: **COB**
 CRI: **>80**

PF: **>0.9**
 Beam Angle: **40°**
 Base: **G53**
 Body Type: **Plastic Clad Aluminium**
 Dimension: **Ø111x86x63mm**




AR111-GU10
12w VT-1112

SKU: 4224 - 2700K Warm White
SKU: 4223 - 4000K Day White
SKU: 4225 - 6400K White

3800230626257
3800230626219
3800230626264



EQ. Watts: **60w**
Voltage/Frequency: **AC:200-240V,50Hz**
Luminous Flux: **900lm**
LED Type: **COB**
CRI: **>80**




PF: **>0.9**
Beam Angle: **40°**
Base: **GU10**
Body Type: **Plastic Clad Aluminium**
Dimension: **Ø111x86mm**




AR111-GU10
12w VT-1112D

SKU: 7234 - 3000K Warm White
SKU: 7235 - 4500K Day White
SKU: 7236 - 6000K White

3800157620055
3800157620062
3800157620079



EQ. Watts: **60w**
Voltage/Frequency: **AC:200-240V,50Hz**
Luminous Flux: **900lm**
LED Type: **COB**
CRI: **>80**




PF: **>0.9**
Beam Angle: **40°**
Base: **GU10**
Body Type: **Plastic Clad Aluminium**
Dimension: **Ø111x86mm**

AR111-Accessories

Box Qty.
24 Pcs



Model No **VT-7221-W**
 SKU : **3575**
 Base: **1XAR111**
 Material: **Aluminium**
 Color of Fixture: **White**
 Dimension: **174x174 mm**
 Cutting Size: **168x155mm**
 EAN : **3800157604765**



AR111-Accessories

Box Qty.
12 Pcs



Model No **VT-7222-W**
 SKU : **3576**
 Base: **2XAR111**
 Material: **Aluminium**
 Color of Fixture: **White**
 Dimension: **325x174mm**
 Cutting Size: **306x162mm**
 EAN : **3800157604772**



AR111-Accessories

Box Qty.
12 Pcs


Model No **VT-7223-W**
 SKU : **3577**
 Base: **3XAR111**
 Material: **Aluminium**
 Color of Fixture: **White**
 Dimension: **475x174mm**
 Cutting Size: **455x168 mm**
 EAN : **3800157604789**



AR111-Accessories

Box Qty.
24 Pcs


Model No: **VT-7221-B**
SKU: **3581**
Base: **1XAR111**
Material: **Aluminium**
Color of Fixture: **Black**
Dimension: **174x174 mm**
Cutting Size: **168x155mm**
EAN: **3800157607063**



AR111-Accessories

Box Qty.
12 Pcs



Model No: **VT-7222-B**
SKU: **3582**
Base: **2XAR111**
Material: **Aluminium**
Color of Fixture: **Black**
Dimension: **325x174 mm**
Cutting Size: **306x162mm**
EAN: **3800157607070**



AR111-Accessories

Box Qty.
12 Pcs

Model No: **VT-7223-B**
SKU: **3583**
Base: **3XAR111**
Material: **Aluminium**
Color of Fixture: **Black**
Dimension: **475x174mm**
Cutting Size: **455x168 mm**
EAN: **3800157607087**





LED Floodlights

V-TAC's LED Floodlights are ideal for lighting Driveways, Gardens and Buildings. These energy efficient lights emit Bright, Vibrant Light and make an eco-friendly alternative for traditional Halogen Floodlights and Metal Halide fixtures.

Product Features

- Available from 10W up to 1000W
- Premium Quality Aluminium Alloy body
- Fascia glass sealed with SILICONE RUBBER ensuring superior waterproof / airtight performance
- High Power LED chip
- Built in constant current driver
- Built in Power supply, No external ballast required

Applications

Widely used for Lighting Driveways, Gardens & Buildings, Commercial Bill Boards & Hoardings, Sports Grounds & Parking Lots

Slimline-White Body-White Wire

50w VT-4955W

SKU: 5827 - 6400K White

3800157615013





Box Qty.
10 Pcs




IP65
RATING

Sensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50/60Hz
Luminous Flux: 4250lm
CRI: >70
PF: >0.9
Beam Angle: 100°
Color of Fixture: White
Body Type: Die Cast Aluminium
IP Rating: IP65
Dimension: 237x194x38mm

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The curves indicate the illuminated area and the average illumination when the luminaire is at an different distance.



Slimline-White Body-White Wire

100w VT-49100W

SKU: 5844 - 4000K Day White

3800157615181





Box Qty.
4 Pcs




IP65
RATING

Sensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50/60Hz
Luminous Flux: 8500lm
CRI: >70
PF: >0.9
Beam Angle: 100°
Color of Fixture: White
Body Type: Die Cast Aluminium
IP Rating: IP65
Dimension: 293x41x231mm

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The curves indicate the illuminated area and the average illumination when the luminaire is at an different distance.



Slimline-White Body-White Wire

100w VT-49101W

SKU: 5970 - 3000K Warm White

3800157626231

SKU: 5971 - 4000K Day White

3800157626248

SKU: 5972 - 6400K White

3800157626255

Box Qty.
4 Pcs**IP65**
RATING

Sensor Compatible: Yes

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 8500lm

CRI: >70

PF: >0.9



Beam Angle: 100°

Color of Fixture: White

Body Type: Die Cast Aluminium

IP Rating: IP65

Dimension: 291x240x30mm



Slimline-Black/Grey Body

150w VT-49150GB

SKU: 5858 - 3000K Warm White

3800157615327

Box Qty.
2 Pcs**IP65**
RATING

Sensor Compatible: Yes

Voltage/Frequency: AC:220-240V,50/60Hz

Luminous Flux: 12750lm

CRI: >70

PF: >0.9

Beam Angle: 100°



Color of Fixture: Black+Grey

Body Type: Die Cast Aluminium


IP Rating: IP65

Dimension: 411x313x51mm

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Notes: The curves indicate the illuminated area and the average illuminance with the beam angle of 100° indicated.



I Series-Black Body

10w VT-4611B

SKU: 5877 - 6000K White

3800157615990





Box Qty.
50 Pcs



IP65
RATING

Sensor Compatible: Yes
Voltage/Frequency: AC:200-240V,50Hz
Luminous Flux: 850lm
CRI: >70
PF: >0.9
Beam Angle: 110°
Color of Fixture: Black
Body Type: Aluminium
IP Rating: IP65
Dimension: 122x105x30mm



I Series-Black Body

50w VT-4651B

SKU: 5885 - 4500K Day White

3800157616072

SKU: 5886 - 6000K White

3800157616089





Box Qty.
10 Pcs



IP65
RATING

Sensor Compatible: Yes
Voltage/Frequency: AC:200-240V,50Hz
Luminous Flux: 4250lm
CRI: >70
PF: >0.9
Beam Angle: 110°
Color of Fixture: Black
Body Type: Aluminium
IP Rating: IP65
Dimension: 255x196x36mm



I Series-White Body

10w VT-4611W

SKU: 5899 - 4500K Day White 3800157619226
SKU: 5900 - 6000K White 3800157619233





Box Qty.
20 Pcs




IP65
RATING

Sensor Compatible: Yes
Voltage/Frequency: AC:200-240V,50Hz
Luminous Flux: 850lm
CRI: >70
PF: >0.9
Beam Angle: 110°
Color of Fixture: White
Body Type: Aluminium
IP Rating: IP65
Dimension: 122x105x30mm

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: This diagram indicates the standardized beam and the average illumination when the floodlight is at an oblique direction.



I Series-White Body

50w VT-4651W

SKU: 5905 - 4500K Day White 3800157619387
SKU: 5906 - 6000K White 3800157619394





Box Qty.
10 Pcs



IP65
RATING

Sensor Compatible: Yes
Voltage/Frequency: AC:200-240V,50Hz
Luminous Flux: 4250lm
CRI: >70
PF: >0.9
Beam Angle: 110°
Color of Fixture: White
Body Type: Aluminium
IP Rating: IP65
Dimension: 255x196x36mm



E Series-White Body



10w VT-4011W

SKU: 5943 - 3000K Warm White
SKU: 5944 - 4000K Day White
SKU: 5945 - 6500K White

3800157625364
3800157625371
3800157625388



Sensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 850lm
CRI: >70
PF: >0.9
Beam Angle: 110°
Color of Fixture: White
Body Type: Aluminium
IP Rating: IP65
Dimension: 110x112x22mm



E Series-White Body



20w VT-4021W

SKU: 5949 - 3000K Warm White
SKU: 5950 - 4000K Day White
SKU: 5951 - 6500K White

3800157625425
3800157625432
3800157625449



Sensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50/60Hz
Luminous Flux: 1700lm
CRI: >70
PF: >0.9
Beam Angle: 110°
Color of Fixture: White
Body Type: Aluminium
IP Rating: IP65
Dimension: 150x143x26mm



E Series-White Body

30w VT-4031W

SKU: 5955 - 3000K Warm White
 SKU: 5956 - 4000K Day White
 SKU: 5957 - 6500K White



3800157625487
 3800157625494
 3800157625500



Box Qty.
20 Pcs



Sensor Compatible: Yes
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 2550lm
 CRI: >70
 PF: >0.9
 Beam Angle: 110°
 Color of Fixture: White
 Body Type: Aluminium
 IP Rating: IP65
 Dimension: 185x163x26mm



E Series-White Body

50w VT-4051W

SKU: 5961 - 3000K Warm White
 SKU: 5962 - 4000K Day White
 SKU: 5963 - 6500K White



3800157625548
 3800157625555
 3800157625562



Box Qty.
10 Pcs



Sensor Compatible: Yes
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 4250lm
 CRI: >70
 PF: >0.9
 Beam Angle: 110°
 Color of Fixture: White
 Body Type: Aluminium
 IP Rating: IP65
 Dimension: 245x192x28mm





E Series-White Body

100w VT-40101W

SKU: 5967 - 3000K Warm White 3800157625609
SKU: 5968 - 4000K Day White 3800157625616
SKU: 5969 - 6500K White 3800157625623



Sensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50/60Hz
Luminous Flux: 8500lm
CRI: >70
PF: >0.9
Beam Angle: 110°
Color of Fixture: White
Body Type: Aluminium
IP Rating: IP65
Dimension: 330x271x33mm





E Series-White Body

10w VT-4011B

SKU: 5940 - 3000K Warm White 3800157625333
SKU: 5941 - 4000K Day White 3800157625340
SKU: 5942 - 6500K White 3800157625357



Sensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 850lm
CRI: >70
PF: >0.9
Beam Angle: 110°
Color of Fixture: Black
Body Type: Aluminium
IP Rating: IP65
Dimension: 110x112x22mm



E Series-White Body

20w VT-4021B

SKU: 5946 - 3000K Warm White
 SKU: 5947 - 4000K Day White
 SKU: 5948 - 6500K White

3800157625395
 3800157625401
 3800157625418





Box Qty.
20 Pcs



IP65
 RATING

Sensor Compatible: Yes
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 1700lm
 CRI: >70
 PF: >0.9
 Beam Angle: 110°
 Color of Fixture: Black
 Body Type: Aluminium
 IP Rating: IP65
 Dimension: 150x143x26mm



E Series-White Body

30w VT-4031B

SKU: 5952 - 3000K Warm White
 SKU: 5953 - 4000K Day White
 SKU: 5954 - 6500K White

3800157625456
 3800157625463
 3800157625470





Box Qty.
20 Pcs



IP65
 RATING

Sensor Compatible: Yes
 Voltage/Frequency: AC:220-240V,50Hz
 Luminous Flux: 2550lm
 CRI: >70
 PF: >0.9
 Beam Angle: 110°
 Color of Fixture: Black
 Body Type: Aluminium
 IP Rating: IP65
 Dimension: 185x163x26mm



E Series-White Body



50w VT-4051B

SKU: 5958 - 3000K Warm White
SKU: 5959 - 4000K Day White
SKU: 5960 - 6500K White

3800157625517
3800157625524
3800157625531



Sensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 4250lm
CRI: >70
PF: >0.9
Beam Angle: 110°
Color of Fixture: Black
Body Type: Aluminium
IP Rating: IP65
Dimension: 245x192x28mm



E Series-White Body



100w VT-40101B

SKU: 5964 - 3000K Warm White
SKU: 5965 - 4000K Day White
SKU: 5966 - 6500K White

3800157625579
3800157625586
3800157625593



Sensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 8500lm
CRI: >70
PF: >0.9
Beam Angle: 110°
Color of Fixture: Black
Body Type: Aluminium
IP Rating: IP65
Dimension: 330x271x33mm



Floodlight With Stand- EU Plug

30w VT-4230

SKU: 5927 - 4000K Day White 3800157622837
SKU: 5928 - 6400K White 3800157622844



Box Qty.
10 Pcs





Sensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 2550lm
CRI: >70
PF: >0.9
Beam Angle: 100°
Color of Fixture: Black
Body Type: Die Cast Aluminium
IP Rating: IP65
Dimension: 243x275x184mm

3 METER WIRE

EU PLUG



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Floodlight With Stand- EU Plug

50w VT-4250

SKU: 5929 - 4000K Day White 3800157622851
SKU: 5930 - 6400K White 3800157622868



Box Qty.
10 Pcs





Sensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 4250lm
CRI: >70
PF: >0.9
Beam Angle: 100°
Color of Fixture: Black
Body Type: Die Cast Aluminium
IP Rating: IP65
Dimension: 278x313x183mm

3 METER WIRE

EU PLUG



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Floodlight With Stand- EU Plug

100w VT-42100

SKU: 5931 - 4000K Day White 3800157622875
SKU: 5932 - 6400K White 3800157622882



Box Qty.
4 Pcs



IP65
RATING



Sensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 8500lm
CRI: >70
PF: >0.9
Beam Angle: 100°
Color of Fixture: Black
Body Type: Die Cast Aluminium
IP Rating: IP65
Dimension: 354x378x184mm

3 METER WIRE

EU PLUG



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



new!

Solar-Floodlight

10w VT-787-10

SKU: 8550 - 4000K Day White



Box Qty.
8Pcs

Sensor Compatible: 3.7V Lithium Battery,
Voltage/Frequency: 3000mAh
Luminous Flux: 1100lm
CRI: >70
PF: >0.9
Beam Angle: 90°
Color of Fixture: Black
Body Type: ABS+PC
IP Rating: IP65
Dimension: 184mm



High Lumen-Meanwell Driver

500w VT-49500

SKU: 5934 - 4500K Day White

3800157623605

SKU: 5935 - 6000K White

3800157623612

Box Qty.
1 PcIP65
RATING
5 V-TAC® PRO
YEAR WARRANTY
*Substrate for 10-12 hours daily usage of the product for 24 hours a day would void warranty
120 LUMENS
 + PER WATT
SUPER EFFICIENT


Sensor Compatible: Yes

Voltage/Frequency: AC:100-240V,50/60Hz

Luminous Flux: 60000lm

CRI: >70

PF: >0.9


Beam Angle: 100°

Color of Fixture: Grey


Body Type: Die Cast Aluminium

IP Rating: IP65

Dimension: 658x154x537mm



Luminous Intensity Distribution Curve(cd/klm)



High Lumen-Meanwell Driver

500w VT-49501

SKU: 5936 - 4000K Day White

3800157624985

SKU: 5937 - 6000K White

3800157624992

Box Qty.
1 PcIP65
RATING
5 V-TAC® PRO
YEAR WARRANTY
*Substrate for 10-12 hours daily usage of the product for 24 hours a day would void warranty
120 LUMENS
 + PER WATT
SUPER EFFICIENT


Sensor Compatible: Yes

Voltage/Frequency: AC:100-240V,50/60Hz

Luminous Flux: 60000lm

CRI: >70

PF: >0.9



Beam Angle: 120°

Color of Fixture: Black

Body Type: Die Cast Aluminium

IP Rating: IP65

Dimension: 658x154x537mm



High Lumen-Meanwell Driver 1000wVT-491001

SKU: 5938 - 4000K Day White
SKU: 5939 - 6000K White

3800157625005
3800157625012

5 V-TAC® PRO
YEAR WARRANTY

*Substrate for 10-12 hours daily usage of the product for 24 hours a day would void warranty



Box Qty.
1 Pc





IP65
RATING



120 LUMENS
+ PER WATT
SUPER EFFICIENT



Sensor Compatible: Yes
Voltage/Frequency: AC:100-240V,50/60Hz
Luminous Flux: 120000lm
CRI: >70
PF: >0.9
Beam Angle: 60°
Color of Fixture: Black
Body Type: Die Cast Aluminium
IP Rating: IP65
Dimension: 748x762x154mm



LED PIR Floodlights

V-TAC's LED Floodlights with PIR are sleek and durable, ideal for lighting Driveways, Gardens and Buildings. These high-performance lights emit a Bright and Vibrant Light making it a sustainable replacement for traditional Halogen Floodlights and Metal Halide fixtures.



The advanced motion sensor PIR detects movement within a range of 2 - 8 meter and can also be adjusted to 3 different functions.

Colour Temperatures



Salient Features

- Available in two refined body colour options (black and white)
- ⚡ Available from 10W up to 50W
- 📦 Premium Quality Aluminium Alloy body
- 🛡️ Corrosion Resistant
- ⚙️ High Power LED chip
- 🔧 Built in driver - no external power supply required
- 👤 High quality Fresnel lens for excellent coverage area
- 🔌 Integrated circuit designed for instant start-up on Detection

Elevated level of Energy saving with LED + PIR



100°
DETECTION ANGLE



PIR-Slimline-White Body

10w VT-4911PIRW

SKU: 5786 - 3000K Warm White
SKU: 5787 - 4500K Day White
SKU: 5788 - 6000K White


3800157614603
3800157614610
3800157614627

Box Qty.
20 Pcs


Detection Angle: **120°**
Detection Distance: **2-8m**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **800lm**
CRI: **>70**
PF: **>0.9**
Beam Angle: **100°**
Color of Fixture: **White**
Body Type: **Die Cast Aluminium**
IP Rating: **IP44**
Dimension: **113x178x47mm**



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curve indicate the illuminated area and the average illumination when the luminance is at different distance.



PIR-Slimline-White Body

20w VT-4922PIRW

SKU: 5804 - 3000K Warm White
SKU: 5806 - 6000K White


3800157614788
3800157614801

Box Qty.
20 Pcs


Detection Angle: **120°**
Detection Distance: **2-8m**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **1600lm**
CRI: **>70**
PF: **>0.9**
Beam Angle: **100°**
Color of Fixture: **White**
Body Type: **Die Cast Aluminium**
IP Rating: **IP44**
Dimension: **181x205x57mm**



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curve indicate the illuminated area and the average illumination when the luminance is at different distance.



PIR-Slimline-White Body

30w VT-4933PIRW



 SKU: 5822 - 3000K Warm White
 SKU: 5824 - 6400K White

 3800157614962
 3800157614986


 Box Qty.
20 Pcs

Detection Angle: **120°**
 Detection Distance: **2-8m**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **2550lm**
 CRI: **>70**
 PF: **>0.9**
 Beam Angle: **100°**
 Color of Fixture: **White**
 Body Type: **Die Cast Aluminium**
 IP Rating: **IP44**
 Dimension: **217x231x59mm**

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminaires is at different distance.



PIR-Slimline-White Body

50w VT-4955PIRW



 SKU: 5840 - 3000K Warm White
 SKU: 5841 - 4000K Day White
 SKU: 5842 - 6400K White

 3800157615143
 3800157615150
 3800157615167


 Box Qty.
10 Pcs

Detection Angle: **120°**
 Detection Distance: **2-8m**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **4250lm**
 CRI: **>70**
 PF: **>0.9**
 Beam Angle: **100°**
 Color of Fixture: **White**
 Body Type: **Die Cast Aluminium**
 IP Rating: **IP44**
 Dimension: **237x251x62mm**

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illuminated area and the average illumination when the luminaires is at different distance.



PIR-Slimline-Black Body



10w VT-4911PIRB

SKU: 5783 - 3000K Warm White 3800157614573


Box Qty.
20 Pcs

Detection Angle: 120°
Detection Distance: 2-8m
Voltage/Frequency: AC:220-240V,50/60Hz
Luminous Flux: 800lm
CRI: >70
PF: >0.9
Beam Angle: 100°
Color of Fixture: Black
Body Type: Die Cast Aluminium
IP Rating: IP44
Dimension: 113x178x47mm

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curve indicate the illuminated area and the average illumination when the luminance is at different distance.



PIR-Slimline-Black Body



30w VT-4933PIRB

SKU: 5819 - 3000K Warm White 3800157614931
SKU: 5821 - 6400K White 3800157614955


Box Qty.
20 Pcs

Detection Angle: 120°
Detection Distance: 2-8m
Voltage/Frequency: AC:220-240V,50/60Hz
Luminous Flux: 2550lm
CRI: >70
PF: >0.9
Beam Angle: 100°
Color of Fixture: Black
Body Type: Die Cast Aluminium
IP Rating: IP44
Dimension: 217x231x59mm

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curve indicate the illuminated area and the average illumination when the luminance is at different distance.



PIR-Slimline-Black Body

50w VT-4955PIRB



SKU: 5837 - 3000K Warm White

3800157615112


Box Qty.
10 Pcs

Detection Angle: 120°
 Detection Distance: 2-8m
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 4250lm
 CRI: >70
 PF: >0.9
 Beam Angle: 100°
 Color of Fixture: Black
 Body Type: Die Cast Aluminium
 IP Rating: IP44
 Dimension: 237x251x62mm

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves Indicate the Illuminated area and the average illumination when the luminaire is at different distances.



PIR-Slimline-White Body

10w VT-4810PIRB



SKU: 5747 - 4500K Day White

3800157608213

Box Qty.
20 Pcs

Detection Angle: 120°
 Detection Distance: 2-8m
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 800lm
 CRI: >70
 PF: >0.9
 Beam Angle: 100°
 Color of Fixture: White
 Body Type: Die Cast Aluminium
 IP Rating: IP44
 Dimension: 133x178x47mm

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



PIR-Slimline-White Body



20w VT-4820PIRW

SKU: 5756 - 3000K Warm White 3800157611688
SKU: 5750 - 6000K White 3800157608879

Box Qty.
15 Pcs

Detection Angle: **120°**
Detection Distance: **2-8m**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **1600lm**
CRI: **>70**
PF: **>0.9**
Beam Angle: **100°**
Color of Fixture: **White**
Body Type: **Die Cast Aluminium**
IP Rating: **IP44**
Dimension: **185x211x50mm**

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



PIR-Slimline-White Body



30w VT-4830PIRW

SKU: 5752 - 6000K White 3800157608893

Box Qty.
10 Pcs

Detection Angle: **120°**
Detection Distance: **2-8m**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **2400lm**
CRI: **>70**
PF: **>0.9**
Beam Angle: **100°**
Color of Fixture: **White**
Body Type: **Die Cast Aluminium**
IP Rating: **IP44**
Dimension: **217x231x51mm**

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



PIR-Slimline-White Body

50w VT-4850PIRW

SKU: 5758 - 3000K Warm White

3800157611701



SKU: 5754 - 6000K White

3800157608916


 Box Qty.
10 Pcs

Detection Angle:	120°
Detection Distance:	2-8m
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	4000lm
CRI:	>70
PF:	>0.9
Beam Angle:	100°
Color of Fixture:	White
Body Type:	Die Cast Aluminium
IP Rating:	IP44
Dimension:	237x255x51mm

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



PIR-Slimline-Black Body

20w VT-4820PIRB



SKU: 5697 - 3000K Warm White

3800157604338


 Box Qty.
15 Pcs

Detection Angle:	120°
Detection Distance:	2-8m
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1600lm
CRI:	>70
PF:	>0.9
Beam Angle:	100°
Color of Fixture:	Black
Body Type:	Die Cast Aluminium
IP Rating:	IP44
Dimension:	185x211x50mm

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



PIR-Slimline-Black Body

30w VT-4830PIRB



SKU: 5699 - 3000K Warm White
SKU: 5716 - 6000K White

3800157604352
3800157604956

Box Qty.
10 Pcs

Detection Angle: **120°**
Detection Distance: **2-8m**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **2400lm**
CRI: **>70**
PF: **>0.9**
Beam Angle: **100°**
Color of Fixture: **Black**
Body Type: **Die Cast Aluminium**
IP Rating: **IP44**
Dimension: **217x231x51mm**

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



PIR-Slimline-Black Body

50w VT-4850PIRB



SKU: 5701 - 3000K Warm White

3800157604376

Box Qty.
10 Pcs

Detection Angle: **120°**
Detection Distance: **2-8m**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **4000lm**
CRI: **>70**
PF: **>0.9**
Beam Angle: **100°**
Color of Fixture: **Black**
Body Type: **Die Cast Aluminium**
IP Rating: **IP44**
Dimension: **237x255x51mm**

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Floodlight-Infrared-RGB


10w VT-4711RF

SKU: 5894 - RGB

3800157617512

Box Qty.
20 Pcs

Sensor Compatible: Yes
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 800lm
 CRI: >80
 PF: >0.9
 Beam Angle: 100°
 Color of Fixture: White
 Body Type: Die Cast Aluminium
 IP Rating: IP65
 Dimension: 87X115X85mm



Floodlight-Infrared-RGB


10w VT-4711F

SKU: 5895 - RGB

3800157617529

Box Qty.
20 Pcs

Sensor Compatible: Yes
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 800lm
 CRI: >80
 PF: >0.9
 Beam Angle: 100°
 Color of Fixture: Grey
 Body Type: Die Cast Aluminium
 IP Rating: IP65
 Dimension: 87X115X85mm



Floodlight-Remote Control-RGB


30w VT-4732

SKU: 5755 - RGB

3800157609517



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V
Luminous Flux:	2400lm
CRI:	>80
PF:	>0.9
Beam Angle:	100°
Color of Fixture:	Grey
Body Type:	Die Cast Aluminium
IP Rating:	IP65
Dimension:	136x227x206mm



Floodlight-Remote Control-RGB


50w VT-4752

SKU: 5691 - RGB

3800157603508



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	4000lm
CRI:	>80
PF:	>0.9
Beam Angle:	120°
Color of Fixture:	Grey
Body Type:	Die Cast Aluminium
IP Rating:	IP65
Dimension:	136x227x206mm



Rechargeable-IP44

20w VT-4822

SKU: 5692 - 4000K Day White 3800157603515

SKU: 5735 - 6000K White 3800157606929

Box Qty.
10 Pcs

Sensor Compatible: No

Voltage/Frequency: AC:100-240V,50/60Hz

Luminous Flux: 1600lm

PF: >70

Beam Angle: 100°

Color of Fixture: Green

Body Type: Plastic+Aluminium

IP Rating: IP44

Dimension: 208x204x355mm

**RECHARGEABLE**

Battery Capacity: 3.7V,8800mAh

Charging Time: 5-6 Hours

Working Time: High Light 2-3 Hours/ Low Light 6Hours



PIR Sensor-WIFI-Camera

18w

VT-4818W


SKU: 5745 - 6000K White

3800157608268



Box Qty.
4 Pcs

Video Compression: H.264 / MJPEG dual video stream
Image Resolution: 1280*720
Image sensor: 1/4 " 1Megapixel CMOS
Pixels: 1 million pixels
Delay Time: 0-30S
Voltage/Frequency: AC:100-240V,50/60Hz
Luminous Flux: 600lm
CRI: >70
PF: >0.5
Beam Angle: 180°
Color of Fixture: White
Body Type: ABS+Aluminium
IP Rating: IP20
Dimension: 248x 162x 181mm



3-in-1 Floodlight



PIR Sensor-WIFI-Camera

18w

VT-4818B


SKU: 5917 - 6000K White

3800157620925



Box Qty.
4 Pcs

Video Compression: H.264 / MJPEG dual video stream
Image Resolution: 1280*720
Image sensor: 1/4 " 1Megapixel CMOS
Pixels: 1 million pixels
Delay Time: 0-30S
Voltage/Frequency: AC:100-240V,50/60Hz
Luminous Flux: 600lm
CRI: >70
PF: >0.5
Beam Angle: 180°
Color of Fixture: Black
Body Type: ABS+Aluminium
IP Rating: IP20
Dimension: 248x162x181mm



3-in-1 Floodlight



new!


Waterproof Box Terminal Block

VT-868

SKU: 5977 3800157636070

Box Qty.
1000

Voltage: 450V
 Material: Polycarbonate(PA66)
 Size: 75.8x26.7mm
 Wire range: 0.5~1.5mm²
 Cable Diameter: 8-12mm
 Fire Retardant Level: V2
 Ampere: 16A

**new!**


Waterproof Box Terminal Block

VT-869-B

SKU: 5978 3800157636087

Box Qty.
200

Voltage: 450V
 Material: Polycarbonate(PC)
 Size: 106.8x96x29mm
 Wire range: 0.5~4mm²
 Cable Diameter: 8-12mm
 Fire Retardant Level: V2
 Ampere: 24A

**new!**


Waterproof Box Terminal Block

VT-869-W

SKU: 5979 3800157636094

Box Qty.
200

Voltage: 450V
 Material: Polycarbonate(PC)
 Size: 106.8x96x29mm
 Wire range: 0.5~4mm²
 Cable Diameter: 8-12mm
 Fire Retardant Level: V2
 Ampere: 24A



new!

Waterproof Box Terminal Block

VT-870-B


SKU: 5980 3800157636100



Box Qty.
100



Voltage:	450V
Material:	Polycarbonate(PC)
Size:	126.8x93.3x35.3mm
Wire range:	0.5~4mm ²
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	24A



new!

Waterproof Box Terminal Block

VT-870-W


SKU: 5981 3800157636117



Box Qty.
100



Voltage:	450V
Material:	Polycarbonate(PC)
Size:	126.8x93.3x35.3mm
Wire range:	0.5~4mm ²
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	24A



new!


Waterproof Box Terminal Block

VT-871-B

SKU: 5982 3800157636124

Box Qty.
100

Voltage:	450V
Material:	Polycarbonate(PC)
Size:	112.6x93.3x35.3mm
Wire range:	0.5~4mm ²
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	24A

**new!**


Waterproof Box Terminal Block

VT-871-W

SKU: 5983 3800157636131

Box Qty.
100

Voltage:	450V
Material:	Polycarbonate(PC)
Size:	112.6x93.3x35.3mm
Wire range:	0.5~4mm ²
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	24A



Waterproof Box Terminal Block

VT-7224-B

SKU: 3578 3800157605335



Box Qty.
160 Pcs



Voltage: 250V Max
Material: Polypropylene (PP)
Size: 123x46x33mm
Wire range: 0.5-2.5mm²



Waterproof Box Terminal Block

VT-792-B

SKU: 3621 3800157607735



Box Qty.
500 Pcs



Voltage: AC:220V
Material: Flame Retardant PP
Size: Ø27x76mm
Wire range: 4-6.5mm



Waterproof Box Terminal Block

VT-7224-W

SKU: 5897 3800157619202



Box Qty.
240 Pcs



Voltage: 250V Max
Material: Polypropylene (PP)
Size: 123x46x33mm
Wire range: 0.5-2.5mm²



Waterproof Box Terminal Block

VT-792-W

SKU: 5896 3800157619196



Box Qty.
500 Pcs



Voltage: AC:220V
Material: Flame Retardant PP
Size: Ø27x76mm
Wire range: 4-6.5mm



Tripod Stand-Yellow

VT-41150Y

SKU: 9104 3800230626202

Size: 900x940~1800mm

Box Qty.
8 Pcs

Tripod Stand-Black

VT-41150B

SKU: 9546 3800157604925

Size: 900x940~1800mm

Box Qty.
8 Pcs

Billboard Stand

VT-793

SKU: 3622 3800157607803

Size: 870x200mm

Box Qty.
4 Pcs

87cm

Suitable For:

70w - 100w - 120w - 150w - 200w

Billboard Stand

VT-794

SKU: 3623 3800157607810

Size: 850x150mm

Box Qty.
4 Pcs

85cm

Suitable For:

10w - 20w - 30w - 50w

Floodlight spike

VT-854-G

SKU: 7533 3800157630467

Size: Ø35xH150mm



Box Qty.
200 Pcs



new!

Grey

Body Type: Aluminium



Floodlight spike

VT-854-W

SKU: 7534 3800157630474

Size: Ø35xH150mm



Box Qty.
200 Pcs



new!

White

Body Type: Aluminium



Floodlight spike

VT-854-B

SKU: 7535 3800157630481

Size: Ø35xH150mm



Box Qty.
200 Pcs



new!

Black

Body Type: Aluminium



Floodlight spike

VT-855-G

SKU: 7536 3800157630498

Size: Ø60xH265mm

Box Qty.
100 Pcs**new!**

Grey

Body Type: Aluminium



Floodlight spike

VT-855-W

SKU: 7537 3800157630504

Size: Ø60xH265mm

Box Qty.
100 Pcs**new!**

White

Body Type: Aluminium



Floodlight spike

VT-855-B

SKU: 7538 3800157630511

Size: Ø60xH265mm

Box Qty.
100 Pcs**new!**

Black

Body Type: Aluminium







LED Panels

Experience consistent illumination and zero hot or cold spots, introducing slim and sleek LED Panel Lighting from V-TAC.

Product Features

- Ultra Slim Design
- Contemporary & Elegant Design
- Higher Light Transmission Rate
- Exterior shell, cannot be easily damaged
- No infrared, does not attract flies
- Easy to install
- No Lead or Mercury content hence environment friendly
- Dimmable options available in selected models

Applications

Offices, Conference Room, Hospitals, Hotels, Shopping Malls, Showroom, Kitchen and Domestic Lighting etc.



Box Qty.
6 Pcs

5 **V-TAC**[®] **PRO**
YEAR
WARRANTY


*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

Big Panels-60x60

45w VT-6165

SKU: 6420 - 4000K Day White

3800157626828
3800157626835



Emergency Pack: **Available**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **3600lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium+PMMA**
Shape: **Square**
Dimension: **595x595x14mm**




Box Qty.

6 Pcs

Big Panels-60x60

45W VT-6060-6

SKU: 60286 - 3000K Warm White 3800230624482
 SKU: 60246 - 4000K Day White 3800230623652
 SKU: 60256 - 6400K White 3800230623584



Emergency Pack: **Available**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **3600lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**

Beam Angle: **120°**
 Body Type: **Aluminium+PMMA+PP**
 Shape: **Square**
 Dimension: **595x595x14mm**



Big Panels-UGR<19-60x60


45W VT-6068-6

SKU: 62206 - 3000K Warm White
SKU: 62186 - 4000K Day White
SKU: 62196 - 6400K White

3800157619516
3800157609265
3800157609272




LG7 Compliant
UGR < 19



Emergency Pack: **Available**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **3600lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium+PMMA+PP**
Shape: **Square**
Dimension: **595x595x14mm**



Big Panels-UGR<19-62x62


45W VT-6069

SKU: 6222 - 3000K Warm White
SKU: 6217 - 4000K Day White
SKU: 6221 - 6400K White

3800157604918
3800157604857
3800157604901



LG7 Compliant
UGR < 19



Emergency Pack: **Available**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **3600lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium+PMMA+PP**
Shape: **Square**
Dimension: **620x620x14mm**




Big Panels-High Lumen-60x60

29w VT-6129-6

SKU: 62406 - 3000K Warm White 3800157619608
 SKU: 62416 - 4000K Day White 3800157609289
 SKU: 62426 - 6400K White 3800157609296

Box Qty.
6 Pcs120+ LUMENS
PER WATT

SUPER EFFICIENT



Emergency Pack: Available
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 3600lm

LED Type: SMD
 CRI: >80
 PF: >0.9

Beam Angle: 120°
 Body Type: Aluminium+PMMA+PC
 Shape: Square
 Dimension: 595x595x13mm




Big Panels-High Lumen-60x60

45w VT-6145-6

SKU: 63776 - 3000K Warm White 3800157622158

Box Qty.
6 Pcs120+ LUMENS
PER WATT

SUPER EFFICIENT



Emergency Pack: Available
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 5400lm

LED Type: SMD
 CRI: >80
 PF: >0.9

Beam Angle: 120°
 Body Type: Aluminium+PMMA+PP
 Shape: Square
 Dimension: 595x595x13mm



Big Panels-High Lumen-60x60


36w VT-6136

SKU: 6376 - 3000K Warm White
SKU: 6238 - 4000K Day White
SKU: 6239 - 6400K White

3800157622141
3800157607636
3800157607643

Box Qty.
6 Pcs


**120+ LUMENS
PER WATT**
SUPER EFFICIENT



Emergency Pack: **Available**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **4320lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium+PMMA+PC**
Shape: **Square**
Dimension: **595x595x13mm**



Big Panels-High Lumen-62x62


36w VT-6137

SKU: 63786 - 3000K Warm White
SKU: 62436 - 4000K Day White
SKU: 63796 - 6400K White

3800157622165
3800157619622
3800157622172

Box Qty.
6 Pcs

**120+ LUMENS
PER WATT**
SUPER EFFICIENT



Emergency Pack: **Available**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **4320lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium+PMMA+PC**
Shape: **Square**
Dimension: **620x620x13mm**

Big Panels-Surfaced/Recessed-60x60

36w VT-6139


SKU: 6380 - 4000K Day White

3800157624008

SKU: 6381 - 6400K White

3800157624015

Box Qty.
4 Pcs


RECESSED OR SURFACE


Emergency Pack: Available
Voltage/Frequency: AC:200-240V,50/60Hz
Luminous Flux: 2880lm

LED Type: SMD
CRI: >80
PF: >0.9

Beam Angle: 120°
Body Type: Iron+PS
Shape: Square
Dimension: 595x595x19mm



new!




Surface Panel-60x60

40W VT-6142

SKU: 6451 - 4000K Day White
SKU: 6452 - 6000K White

3800157636438
3800157636421

Box Qty.
6 Pcs



Emergency Pack: **Available**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **4000lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **FE+PP**
Shape: **Square**
Dimension: **595x595x29mm**

new!




Surface Panel-60x60

70W VT-6170

SKU: 6453 - 4000K Day White
SKU: 6454 - 6000K White

3800157636452
3800157636445

Box Qty.
6 Pcs



Emergency Pack: **Available**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **5950lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **FE+PP**
Shape: **Square**
Dimension: **595x595x29mm**



Transparent Panel-120x30

40w VT-6144


SKU: 6458 - 4000K Day White

3800157638098

5 **V-TAC** **PRO**
YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

0-10V
DIMMABLE



Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 3200lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 140°

Body Type: Aluminium+PC

Shape: Rectangle

Dimension: 1210x319mm



Big Panels-High Lumen-120x30


29w VT-12031

SKU: 6256 - 3000K Warm White
SKU: 6257 - 4000K Day White
SKU: 6258 - 6400K White

3800157610414
3800157610421
3800157610438

Box Qty.
6 Pcs

**120+ LUMENS
PER WATT**
SUPER EFFICIENT



Emergency Pack: **Available**
Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **3400lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium+PMMA+PS**
Shape: **Rectangle**
Dimension: **1195x295x14mm**



Big Panel-High Lumen-120x30


45w VT-12046

SKU: 6384 - 4000K Day White
SKU: 6385 - 6000K White

3800157624770
3800157624787

Box Qty.
6 Pcs

**120+ LUMENS
PER WATT**
SUPER EFFICIENT



Emergency Pack: **Available**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **5400lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**


Beam Angle: **120°**
Body Type: **Aluminium+PMMA+PS**
Shape: **Rectangle**
Dimension: **1195x295x14mm**



Big Panels-120x30

45w VT-12030

SKU: 60696 - 3000K Warm White 3800157609326
 SKU: 60266 - 4000K Day White 3800230623638
 SKU: 60276 - 6400K White 3800157609319

Box Qty.
6 Pcs

Emergency Pack: Available
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 3600lm

LED Type: SMD
 CRI: >80
 PF: >0.9

Beam Angle: 120°
 Body Type: Aluminium+PMMA+PS
 Shape: Rectangle
 Dimension: 1195x295x14mm




Big Panels-UGR<19-120x30

45w VT-12032

SKU: 6329 - 4000K Day White 3800157619615

Box Qty.
6 Pcs

LG7 Compliant 
UGR < 19



Emergency Pack: Available
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 3600lm

LED Type: SMD
 CRI: >80
 PF: >0.9

Beam Angle: 120°
 Body Type: Aluminium+PMMA+PS
 Shape: Rectangle
 Dimension: 1195x295x14mm


Big Panels-High Lumen-120x60

45w VT-12045

SKU: 6332 - 4000K Day White 3800157620321
SKU: 6333 - 6400K White 3800157620338




120+ LUMENS
PER WATT
SUPER EFFICIENT



Emergency Pack: **Available**
Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **5400lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium+PMMA+PS**
Shape: **Rectangle**
Dimension: **1195x595x14mm**





Round-Suspended Panel

40w

VT-6141B

SKU: 6433 - 4000K Day White

3800157628129

 Box Qty.
1 Pcs

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **3200lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**

Beam Angle: **120°**
 Body Type: **Aluminium**
 Shape: **Round**
 Dimension: **Ø400mm**



Round-Suspended Panel

40w

VT-6141

SKU: 6432 - 4000K Day White

3800157628112

 Box Qty.
1 Pcs

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **3200lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**

Beam Angle: **120°**
 Body Type: **Aluminium**
 Shape: **Round**
 Dimension: **Ø400mm**



30w



Box Qty.
50 Pcs

SKU : 3110
Dimmable: No
Voltage: AC:200-240V,50/60Hz
EAN : 3800157622103



29w



Box Qty.
20 Pcs

SKU : 6268
Dimmable: Yes
Voltage: AC:200-240V,50/60Hz
EAN : 3800157614412



29w



Box Qty.
50 Pcs

SKU : 6271
Dimmable: No
Voltage: AC:200-240V,50/60Hz
EAN : 3800157614443

UP TO
5
YEAR
WARRANTY



TRIDONIC
▼enlightening your ideas

36w



Box Qty.
20 Pcs

SKU : 6436
Dimmable: No
Voltage: AC:200-240V,50/60Hz
EAN : 3800157629386

42w



Box Qty.
50 Pcs

SKU : 6029
Dimmable: No
Voltage: AC:220-240V,50/60Hz
EAN : 3800157608626



45w



Box Qty.
20 Pcs

SKU : 6437
Dimmable: Yes
Voltage: AC:100-277V,50/60Hz
EAN : 3800157630337



**120+ LUMENS
PER WATT**
SUPER EFFICIENT

45w

Box Qty.
50 Pcs

SKU : 6386
Dimmable: No
Voltage: AC:200-240V,50/60Hz
EAN : 3800157624886

45w

**120+ LUMENS
PER WATT**
SUPER EFFICIENT

Box Qty.
50 Pcs

SKU : 6427
Dimmable: No
Voltage: AC:200-240V,50/60Hz
EAN : 3800157626996

45w

**120+ LUMENS
PER WATT**
SUPER EFFICIENT

Box Qty.
50 Pcs

SKU : 6270
Dimmable: No
Voltage: AC:200-240V,50/60Hz
EAN : 3800157614436

UP TO
5
YEAR
WARRANTY

UP TO
5
YEAR
WARRANTY



70w

Box Qty.
50 Pcs

SKU : 6328
Dimmable: Yes
Voltage: AC:200-240V,50/60Hz
EAN : 3800157619592

UP TO
5
YEAR
WARRANTY



Suspended Mounting



Box Qty.
100 Pcs

SKU : **6018**
EAN : **3800230623669**

Adjustable height from 0.3 to 1m. This product can be used for all sizes of panels, that is

• 300 x 300 • 600 x 600 • 1200 x 300 • 1200 x 600



Surface Mounting-120x30



Box Qty.
6 Pcs

SKU : **9969**
EAN : **3800230623683**



Surface Mounting-120x60



Box Qty.
5 Pcs

SKU : **9989**
EAN : **3800230623614**



Extension Frame-60x60



Box Qty.
13 Pcs

SKU : **9968**
EAN : **3800230623706**



Surface Mounting-30x30



Box Qty.
5 Pcs

SKU : **9970**
EAN : **3800230623690**

Convert the recessed panel to surface panel
and install it easily on solid surfaces.



Surface Mounting-62x62



Box Qty.
5 Pcs

SKU : **9997**
EAN : **3800157633130**

Convert the recessed panel to surface panel
and install it easily on solid surfaces.



Surface Mounting-60x60



Box Qty.
5 Pcs

SKU : **9999**
EAN : **3800230623676**

Convert the recessed panel to surface panel
and install it easily on solid surfaces.



Surface Frame-60x60



Box Qty.
25 Pcs

SKU : **3678**
EAN : **3800157625272**

Easily fixable frame available in compact packing and
easy to install with user manual.

Foldable kit
DIY ✂
DO IT YOURSELF



Surface Frame-120x30




Box Qty.
12 Pcs

SKU : 3679
EAN : 3800157625289

Foldable kit
DIY
DO IT YOURSELF

Easily fixable frame available in compact packing and easy to install with user manual.



Waterproof Surface Kit



Box Qty.

SKU : 8119
EAN : 3800157624763



Surface Mounting-60x60



Box Qty.
20 Pcs

SKU : 6327
EAN : 3800157619424



Emergency Pack-6W to 24W

VT-525


SKU: 8275 3800157627474



Box Qty.
20 Pcs

Voltage: DC:20-80V
Led output power: AC:220-240V,50/60Hz
Charging time: 24 Hours
Working time: 3 hours

Battery: Ni-Cd 7.2V/2000mAh
Color of Fixture: Silver
Body Type: Aluminium
Size: 455x52x33mm
Emergency switch on time: < 1s



3Hr LED emergency lighting kit, designed to suit a wide range of LED types and circuits. The models have sealed Ni-Cd batteries able to guarantee high efficiency with high temperatures.



Emergency Pack-29W to 45W

VT-518


SKU: 60303 3800157617451



Box Qty.
12 Pcs

Voltage: DC:30-42V
Led output power: AC:220-240V,50/60Hz
Charging time: 24 Hours
Working time: 3 Hours

Battery: NI-CD, 7.2V, 4400 mAh
Color of Fixture: Silver
Body Type: Aluminium
Size: 465x52x33mm
Emergency switch on time: < 1s



3Hr LED emergency lighting kit, designed to suit a wide range of LED types and circuits. The models have sealed Ni-Cd batteries able to guarantee high efficiency with high temperatures.

The innovation of SMD lighting brought about the creation of the slim panels – a game changing answer to traditional downlight fixtures! Classy as it is, a mini panel fixture with built in LEDs also amounts to less than the old fittings.

Mini panels transform every setting into an ambiance with a modern touch to it with its systematic radiance and uniform lighting.

V-TAC offers the widest range in this product category. We also stock all three colour outputs from white to warm white and day light .They all come in retrofit cut out sizes from 4 inches, 6 inches and 8 inches.



Salient Features



Ultra Slim Design



Contemporary & Elegant Design



Higher Light Transmission Rate



Exterior robust shell



Easy to install - Plug and play version



Linear Lights

10w VT-10001

SKU: 6401 - 3000K Warm White

SKU: 6402 - 4000K Day White

SKU: 6403 - 6400K White

3800157626620

3800157626637

3800157626644



Box Qty.

20 Pcs

Emergency Pack:

Available

PF:

>0.5

Voltage/Frequency:

AC:85-265V,50/60Hz

Beam Angle:

120°

Luminous Flux:

750lm

Body Type:

Aluminium

LED Type:

SMD

Shape:

Rectangle

CRI:

>80

Dimension:

160x45x65mmCutting Size: **138x32mm**

Linear Lights

20w VT-20001

SKU: 6404 - 3000K Warm White

SKU: 6405 - 4000K Day White

SKU: 6406 - 6400K White

3800157626651

3800157626668

3800157626675



Box Qty.

20 Pcs

Emergency Pack:

Available

PF:

>0.5

Voltage/Frequency:

AC:85-265V,50/60Hz

Beam Angle:

120°

Luminous Flux:

1600lm

Body Type:

Aluminium

LED Type:

SMD

Shape:

Rectangle

CRI:

>80

Dimension:

290x45x65mmCutting Size: **170x32mm**

Linear Lights

30w VT-30001

SKU: 6407 - 3000K Warm White

SKU: 6408 - 4000K Day White

SKU: 6409 - 6400K White

3800157626682

3800157626699

3800157626705



Box Qty.

10 Pcs

Emergency Pack:

Available

PF:

>0.9

Voltage/Frequency:

AC:85-265V,50/60Hz

Beam Angle:

120°

Luminous Flux:

2400lm

Body Type:

Aluminium

LED Type:

SMD

Shape:

Rectangle

CRI:

>80

Dimension:

430x45x65mmCutting Size: **405x32mm**



Linear Lights

10w VT-10002

SKU: 6410 - 3000K Warm White

SKU: 6411 - 4000K Day White

SKU: 6412 - 6400K White

3800157626712

3800157626729

3800157626736



Box Qty.

20 Pcs

Emergency Pack:

Available

PF:

>0.5

Voltage/Frequency:

AC:85-265V,50/60Hz

Beam Angle:

120°

Luminous Flux:

700lm

Body Type:

Aluminium

LED Type:

SMD

Shape:

Rectangle

CRI:

>80

Dimension:

160x45x72mm

Cutting Size: 138x32mm



Linear Lights

20w VT-20002

SKU: 6413 - 3000K Warm White

SKU: 6414 - 4000K Day White

SKU: 6415 - 6400K White

3800157626743

3800157626750

3800157626767



Box Qty.

20 Pcs

Emergency Pack:

Available

PF:

>0.5

Voltage/Frequency:

AC:85-265V,50/60Hz

Beam Angle:

120°

Luminous Flux:

1400lm

Body Type:

Aluminium

LED Type:

SMD

Shape:

Rectangle

CRI:

>80

Dimension:

290x45x72mm

Cutting Size: 170x32mm



Linear Lights

30w VT-30002

SKU: 6416 - 3000K Warm White

SKU: 6417 - 4000K Day White

SKU: 6418 - 6400K White

3800157626774

3800157626781

3800157626798



Box Qty.

10 Pcs

Emergency Pack:

Available

PF:

>0.9

Voltage/Frequency:

AC:85-265V,50/60Hz

Beam Angle:

120°

Luminous Flux:

2100lm

Body Type:

Aluminium

LED Type:

SMD

Shape:

Rectangle

CRI:

>80

Dimension:

430x45x72mm

Cutting Size: 405x32mm



Premium Series-Round


3W VT-307RD

SKU: 6292 - 3000K Warm White
SKU: 6293 - 4000K Day White
SKU: 6294 - 6400K White

3800157616751
3800157616768
3800157616775



Box Qty.
40 Pcs



Cutting Size: **Ø73mm**

Emergency Pack:	Available	PF:	>0.5
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	210lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	Ø84x12mm



Premium Series-Round


6W VT-607RD

SKU: 4854 - 3000K Warm White
SKU: 4855 - 4000K Day White
SKU: 4856 - 6400K White

3800230629753
3800230629760
3800230629777



Box Qty.
40 Pcs



Cutting Size: **Ø110mm**

Emergency Pack:	Available	PF:	>0.5
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	420lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	Ø120x12mm



Premium Series-Round


12W VT-1207RD

SKU: 4857 - 3000K Warm White
SKU: 4858 - 4000K Day White
SKU: 4859 - 6400K White

3800230629784
3800230629791
3800230629807



Box Qty.
20 Pcs



Cutting Size: **Ø155mm**

Emergency Pack:	Available	PF:	>0.6
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	1000lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	Ø170x12mm



Premium Series-Round

18W VT-1807RD

SKU: 4860 - 3000K Warm White

SKU: 4861 - 4000K Day White

SKU: 4862 - 6400K White

3800230629814


3800230629821

3800230629838



Box Qty.

20 Pcs



Cutting Size: Ø210mm

Emergency Pack:

Available

Voltage/Frequency:

AC:85-265V,50/60Hz

Luminous Flux:

1500lm

LED Type:

SMD

CRI:

>80

PF:

>0.6

Beam Angle:

120°

Body Type:

Aluminium

Shape:

Round

Dimension:

Ø225x12mm



Premium Series-Round

22W VT-2207RD

SKU: 6422 - 3000K Warm White

SKU: 6423 - 4000K Day White

SKU: 6424 - 6400K White

3800157626941


3800157626958

3800157626965



Box Qty.

20 Pcs



Cutting Size: Ø220 mm

Emergency Pack:

Available

Voltage/Frequency:

AC:85-265V,50/60Hz

Luminous Flux:

1800lm

LED Type:

SMD

CRI:

>80

PF:

>0.9

Beam Angle:

120°

Body Type:

Aluminium

Shape:

Round

Dimension:

Ø240x12mm



Premium Series-Round

24W VT-2407RD

SKU: 4872 - 3000K Warm White

SKU: 4873 - 4000K Day White

SKU: 4874 - 6400K White

3800157601559


3800157601566

3800157601573



Box Qty.

10 Pcs



Cutting Size: Ø285mm

Emergency Pack:

Available

Voltage/Frequency:

AC:85-265V,50/60Hz

Luminous Flux:

2000lm

LED Type:

SMD

CRI:

>80

PF:

>0.9

Beam Angle:

120°

Body Type:

Aluminium

Shape:

Round

Dimension:

Ø300x12mm



Premium Series-Square


3W VT-3075Q

SKU: 6295 - 3000K Warm White
SKU: 6296 - 4000K Day White
SKU: 6297 - 6400K White

3800157616782
3800157616799
3800157616805



Box Qty.
40 Pcs



Cutting Size: **74x73mm**

Emergency Pack:	Available	PF:	>0.5
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	210lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Square
CRI:	>80	Dimension:	84x84x12mm



Premium Series-Square


6W VT-6075Q

SKU: 4863 - 3000K Warm White
SKU: 4864 - 4000K Day White
SKU: 4865 - 6400K White

3800230629845
3800230629852
3800230629869



Box Qty.
40 Pcs



Cutting Size: **110mm**

Emergency Pack:	Available	PF:	>0.7
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	420lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Square
CRI:	>80	Dimension:	120x120x12mm



Premium Series-Square


12W VT-12075Q

SKU: 4866 - 3000K Warm White
SKU: 4867 - 4000K Day White
SKU: 4868 - 6400K White

3800230629876
3800230629883
3800230629890



Box Qty.
20 Pcs



Cutting Size: **155x155mm**

Emergency Pack:	Available	PF:	>0.6
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	1000lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Square
CRI:	>80	Dimension:	170x170x12mm



Premium Series-Square

18w VT-1807SQ

SKU: 4869 - 3000K Warm White

3800230629906


SKU: 4870 - 4000K Day White

3800230629913

SKU: 4871 - 6400K White

3800230629920

Box Qty.
20 Pcs



Cutting Size: **205x205mm**

Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **1500lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.6**

Beam Angle: **120°**
Body Type: **Aluminium**
Shape: **Square**
Dimension: **225x225x12mm**



Premium Series-Square

24w VT-2407SQ

SKU: 4887 - 3000K Warm White

3800157602198


SKU: 4888 - 4000K Day White

3800157602204

SKU: 4889 - 6400K White

3800157602211

Box Qty.
10 Pcs



Cutting Size: **285x285mm**

Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **2000lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium**
Shape: **Square**
Dimension: **300x300x12mm**




Premium Series-Round

30w VT-3107RD

SKU: 6428 - 4000K Day White 3800157628075

SKU: 6429 - 6400K White 3800157628082


 Box Qty.
10 Pcs

 Cutting Size: **Ø280mm**

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **2400lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**

Beam Angle: **120°**
 Body Type: **Aluminium**
 Shape: **Round**
 Dimension: **Ø300x12mm**




Premium Series-Square

36w VT-3107SQ

SKU: 6430 - 4000K Day White 3800157628099

SKU: 6431 - 6400K White 3800157628105


 Box Qty.
10 Pcs

 Cutting Size: **280x280mm**

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **2400lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**

Beam Angle: **120°**
 Body Type: **Aluminium**
 Shape: **Square**
 Dimension: **300x300x12mm**




SG Series-Square

8W VT-800 SQ

SKU: 4818 - 6400K White

3800230622563

Box Qty.
20 Pcs



Cutting Size: 125x125mm

Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **800lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium(PKW)**
Shape: **Square**
Dimension: **145x145x20mm**




SG Series-Round

8W VT-800 RD

SKU: 4821 - 6400K White

3800230622587

Box Qty.
20 Pcs



Cutting Size: Ø105mm

Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **800lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium(PKW)**
Shape: **Round**
Dimension: **Ø120x20mm**



SG Series-Square

15w VT-1500 SQ


SKU: 4826 - 3000K Warm White

3800230622617

3800230624994

SKU: 4824 - 6400K White

3800230622600

Box Qty.
20 PcsCutting Size: **140x140mm**

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **1500lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**

Beam Angle: **120°**
 Body Type: **Aluminium(PKW)**
 Shape: **Square**
 Dimension: **160x160x20mm**




SG Series-Round

15w VT-1500 RD

SKU: 4827 - 6400K White

3800230622624

Box Qty.
20 PcsCutting Size: **Ø160mm**

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **1500lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**

Beam Angle: **120°**
 Body Type: **Aluminium(PKW)**
 Shape: **Round**
 Dimension: **Ø180x20mm**




SG Series-Round

22w VT-2200 RD

SKU: 4833 - 6400K White

3800230622662

Box Qty.
20 Pcs



Cutting Size: **Ø220mm**

Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **2200lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium(PKW)**
Shape: **Round**
Dimension: **Ø240x20mm**





Trimless Panel-Round


8W VT-888RD

SKU: 4931 - 3000K Warm White
 SKU: 4932 - 4000K Day White
 SKU: 4933 - 6400K White

3800157606479
 3800157606486
 3800157606493



Box Qty.
100 Pcs



Cutting Size: **Ø75mm**

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **800lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**

Beam Angle: **120°**
 Body Type: **Aluminium**
 Shape: **Round**
 Dimension: **Ø90x8mm**



Trimless Panel-Round


15W VT-1515RD

SKU: 4934 - 3000K Warm White
 SKU: 4935 - 4000K Day White
 SKU: 4936 - 6400K White

3800157606509
 3800157606516
 3800157606523



Box Qty.
40 Pcs



Cutting Size: **Ø130mm**

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **1500lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**

Beam Angle: **120°**
 Body Type: **Aluminium**
 Shape: **Round**
 Dimension: **Ø146x8mm**




Trimless Panel-Round

22W VT-2222RD

SKU: 4937 - 3000K Warm White
SKU: 4938 - 4000K Day White
SKU: 4939 - 6400K White

3800157606530
3800157606547
3800157606554

Box Qty.
40 Pcs



Cutting Size: **Ø155mm**

Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **2200lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium**
Shape: **Round**
Dimension: **Ø170x8mm**




Trimless Panel-Round

29W VT-2929RD

SKU: 4940 - 3000K Warm White
SKU: 4941 - 4000K Day White
SKU: 4942 - 6400K White

3800157606561
3800157606578
3800157606585

Box Qty.
40 Pcs



Cutting Size: **Ø195mm**

Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **2900lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium**
Shape: **Round**
Dimension: **Ø220x8mm**



Trimless Panel-Square

8W VT-888SQ

SKU: 4943 - 3000K Warm White


3800157606592

SKU: 4944 - 4000K Day White

3800157606608

SKU: 4945 - 6400K White

3800157606615

Box Qty.
100 Pcs

Cutting Size: 75x75mm

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **800lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**

Beam Angle: **120°**
 Body Type: **Aluminium**
 Shape: **Square**
 Dimension: **90x90x8mm**



Trimless Panel-Square

15W VT-1515SQ

SKU: 4946 - 3000K Warm White


3800157606622

SKU: 4947 - 4000K Day White

3800157606639

SKU: 4948 - 6400K White

3800157606646

Box Qty.
40 Pcs

Cutting Size: 130x130mm

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **1500lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**

Beam Angle: **120°**
 Body Type: **Aluminium**
 Shape: **Square**
 Dimension: **146x146x8mm**



Trimless Panel-Square

22w VT-2222SQ

SKU: 4949 - 3000K Warm White

SKU: 4797 - 4000K Day White


SKU: 4798 - 6400K White

3800157606653

3800157606660

3800157606677

Box Qty.
40 Pcs



Cutting Size: **155x155mm**

Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **2200lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium**
Shape: **Square**
Dimension: **170x170x8mm**



Trimless Panel-Square

29w VT-2929SQ

SKU: 5031 - 3000K Warm White

SKU: 5032 - 4000K Day White


SKU: 5033 - 6400K White

3800157606660

3800157606677

3800157606684

Box Qty.
40 Pcs



Cutting Size: **195x195mm**

Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **2900lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **Aluminium**
Shape: **Square**
Dimension: **220x220x8mm**



Slim Surface-Round

6W VT-605RD

SKU: 4904 - 3000K Warm White

SKU: 4905 - 4000K Day White

SKU: 4906 - 6400K White


3800157605380

3800157605397

3800157605403



Box Qty.

40 Pcs

Emergency Pack:

Available

PF:

>0.9

Voltage/Frequency:

AC:85-265V,50/60Hz

Beam Angle:

120°

Luminous Flux:

420lm

Body Type:

Aluminium

LED Type:

SMD

Shape:

Round

CRI:

>80

Dimension:

Ø90x24mm

Slim Surface-Round

12W VT-1205 RD

SKU: 4910 - 3000K Warm White

SKU: 4911 - 4000K Day White

SKU: 4912 - 6400K White


3800157605441

3800157605458

3800157605465



Box Qty.

40 Pcs

Emergency Pack:

Available

PF:

>0.9

Voltage/Frequency:

AC:85-265V,50/60Hz

Beam Angle:

120°

Luminous Flux:

900lm

Body Type:

Aluminium

LED Type:

SMD

Shape:

Round

CRI:

>80

Dimension:

Ø140x24mm

Slim Surface-Round

18W VT-1805RD

SKU: 4916 - 3000K Warm White

SKU: 4917 - 4000K Day White

SKU: 4918 - 6400K White


3800157605502

3800157605519

3800157605526



Box Qty.

20 Pcs

Emergency Pack:

Available

PF:

>0.9

Voltage/Frequency:

AC:85-265V,50/60Hz

Beam Angle:

120°

Luminous Flux:

1440lm

Body Type:

Aluminium

LED Type:

SMD

Shape:

Round

CRI:

>80

Dimension:

Ø190x24mm




Slim Surface-Square

6W VT-605SQ

SKU: 4907 - 3000K Warm White
SKU: 4908 - 4000K Day White
SKU: 4909 - 6400K White

3800157605410
3800157605427
3800157605434



Emergency Pack:	Available	PF:	>0.9
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	420lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Square
CRI:	>80	Dimension:	90x90x24mm




Slim Surface-Square

12W VT-1205 SQ

SKU: 4913 - 3000K Warm White
SKU: 4914 - 4000K Day White
SKU: 4915 - 6400K White

3800157605472
3800157605489
3800157605496



Emergency Pack:	Available	PF:	>0.9
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	900lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Square
CRI:	>80	Dimension:	140x140x24mm




Slim Surface-Square

18W VT-1805SQ

SKU: 4919 - 3000K Warm White
SKU: 4920 - 4000K Day White
SKU: 4921 - 6400K White

3800157605533
3800157605540
3800157605557



Emergency Pack:	Available	PF:	>0.9
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	1440lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Square
CRI:	>80	Dimension:	190x190x24mm



Surface Series-Round


8W VT-1408 RD

SKU: 4805 - 3000K Warm White
SKU: 4804 - 4000K Day White
SKU: 4803 - 6400K White

3800230622730
3800230622723
3800230622716



Box Qty.
20 Pcs



Emergency Pack:	Available	PF:	>0.9
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	800lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	Ø110x35mm



Surface Series-Round


15W VT-1415 RD

SKU: 4811 - 3000K Warm White
SKU: 4810 - 4000K Day White
SKU: 4809 - 6400K White

3800230622792
3800230622785
3800230622778



Box Qty.
20 Pcs



Emergency Pack:	Available	PF:	>0.9
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	1500lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	Ø160x35mm



Surface Series-Round


22W VT-1422 RD

SKU: 4817 - 3000K Warm White
SKU: 4816 - 4000K Day White
SKU: 4815 - 6400K White

3800230622853
3800230622846
3800230622839



Box Qty.
20 Pcs



Emergency Pack:	Available	PF:	>0.9
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	2200lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	Ø205x35mm



Surface Series-Square


8W VT-1408 SQ

SKU: 4802 - 3000K Warm White
SKU: 4801 - 4000K Day White
SKU: 4800 - 6400K White

3800230622709
3800230622693
3800230622686



Box Qty.
40 Pcs



Emergency Pack:	Available	PF:	>0.9
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	800lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Square
CRI:	>80	Dimension:	107x107x35mm



Surface Series-Square


15W VT-1415 SQ

SKU: 4808 - 3000K Warm White
SKU: 4807 - 4000K Day White
SKU: 4806 - 6400K White

3800230622761
3800230622754
3800230622747



Box Qty.
20 Pcs



Emergency Pack:	Available	PF:	>0.9
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	1500lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Square
CRI:	>80	Dimension:	155x155x35mm



Surface Series-Square


22W VT-1422 SQ

SKU: 4814 - 3000K Warm White
SKU: 4813 - 4000K Day White
SKU: 4812 - 6400K White

3800230622822
3800230622815
3800230622808



Box Qty.
20 Pcs




Emergency Pack:	Available	PF:	>0.9
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	2200lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Square
CRI:	>80	Dimension:	205x205x35mm



Slim Series-Chrome-Round

6W VT-607CH

SKU: 6334 - 3000K Warm White 3800157621182
 SKU: 6335 - 4000K Day White 3800157621199
 SKU: 6336 - 6400K White 3800157621205


 Box Qty.
40 Pcs

 Cutting Size: **Ø105mm**

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **420lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**


Beam Angle: **120°**
 Body Type: **Aluminium+Chrome**
 Shape: **Round**
 Dimension: **Ø120x25mm**



Slim Series-Chrome-Round

12W VT-1207CH

SKU: 6340 - 3000K Warm White 3800157621243
 SKU: 6341 - 4000K Day White 3800157621250
 SKU: 6342 - 6400K White 3800157621267


 Box Qty.
20 Pcs

 Cutting Size: **Ø155mm**

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **1000lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**

Beam Angle: **120°**
 Body Type: **Aluminium+Chrome**
 Shape: **Round**
 Dimension: **Ø170x25mm**




Slim Series-Chrome-Round

18W VT-1807CH

SKU: 6346 - 3000K Warm White
SKU: 6347 - 4000K Day White
SKU: 6348 - 6400K White

3800157621304
3800157621311
3800157621328

Box Qty.
20 Pcs



Cutting Size: **Ø205mm**

Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **1500lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Body Type: **Aluminium+Chrome**
Shape: **Round**
Dimension: **Ø225x25mm**




Slim Series-Chrome-Round

24W VT-2407CH

SKU: 6352 - 3000K Warm White
SKU: 6353 - 4000K Day White
SKU: 6354 - 6400K White

3800157621366
3800157621373
3800157621380

Box Qty.
10 Pcs



Cutting Size: **Ø285mm**

Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **2000lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.5**


Beam Angle: **120°**
Body Type: **Aluminium+Chrome**
Shape: **Round**
Dimension: **Ø300x25mm**



Slim Series-Satin Nickel-Round

6W VT-607SN

SKU: 6337 - 3000K Warm White 3800157621212
 SKU: 6338 - 4000K Day White 3800157621229
 SKU: 6339 - 6400K White 3800157621236

 Box Qty.
40 Pcs
Cutting Size: **Ø105mm**

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **420lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**


Beam Angle: **120°**
 Body Type: **Aluminium+Satin Nickel**
 Shape: **Round**
 Dimension: **Ø120x25mm**



Slim Series-Satin Nickel-Round

12W VT-1207SN

SKU: 6343 - 3000K Warm White 3800157621274
 SKU: 6344 - 4000K Day White 3800157621281
 SKU: 6345 - 6400K White 3800157621298

 Box Qty.
20 Pcs
Cutting Size: **Ø155mm**

Emergency Pack: **Available**
 Voltage/Frequency: **AC:85-265V,50/60Hz**
 Luminous Flux: **1000lm**

LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**

Beam Angle: **120°**
 Body Type: **Aluminium+Satin Nickel**
 Shape: **Round**
 Dimension: **Ø170x25mm**




Slim Series-Satin Nickel-Round

18w VT-1807SN

SKU: 6349 - 3000K Warm White
SKU: 6350 - 4000K Day White
SKU: 6351 - 6400K White

3800157621335
3800157621342
3800157621359

Box Qty.
20 Pcs



Cutting Size: **Ø205mm**

Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **1500lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Body Type: **Aluminium+Satin Nickel**
Shape: **Round**
Dimension: **Ø225x25mm**




Slim Series-Satin Nickel-Round

24w VT-2407SN

SKU: 6355 - 3000K Warm White
SKU: 6356 - 4000K Day White
SKU: 6357 - 6400K White

3800157621397
3800157621403
3800157621410

Box Qty.
10 Pcs



Cutting Size: **Ø285mm**

Emergency Pack: **Available**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **2000lm**

LED Type: **SMD**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Body Type: **Aluminium+Satin Nickel**
Shape: **Round**
Dimension: **Ø300x25mm**



Slim Surface-Chrome-Round


6W VT-605CH

SKU: 6358 - 3000K Warm White
SKU: 6359 - 4000K Day White
SKU: 6360 - 6400K White

3800157621427
3800157621434
3800157621441



Box Qty.
40 Pcs



Emergency Pack:	Available	PF:	>0.5
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	420lm	Body Type:	Aluminium+Chrome
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	Ø90x24mm



Slim Surface-Chrome-Round


12W VT-1205CH

SKU: 6364 - 3000K Warm White
SKU: 6365 - 4000K Day White
SKU: 6366 - 6400K White

3800157621489
3800157621496
3800157621502



Box Qty.
40 Pcs



Emergency Pack:	Available	PF:	>0.6
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	1000lm	Body Type:	Aluminium+Chrome
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	Ø140x24mm



Slim Surface-Chrome-Round


18W VT-1805CH

SKU: 6370 - 3000K Warm White
SKU: 6371 - 4000K Day White
SKU: 6372 - 6400K White

3800157621540
3800157621557
3800157621564



Box Qty.
20 Pcs



Emergency Pack:	Available	PF:	>0.6
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	1500lm	Body Type:	Aluminium+Chrome
LED Type:	SMD	Shape:	Round
CRI:	>80	Dimension:	Ø190x24mm




Slim Surface-Satin Nickel-Round

6W VT-605SN

SKU: 6361 - 3000K Warm White
 SKU: 6362 - 4000K Day White
 SKU: 6363 - 6400K White

3800157621458
 3800157621465
 3800157621472

Box Qty.
40 Pcs

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 420lm
 LED Type: SMD
 CRI: >80

PF: >0.5
 Beam Angle: 120°
 Body Type: Aluminium+Satin Nickel
 Shape: Round
 Dimension: Ø90x24mm




Slim Surface-Satin Nickel-Round

12w VT-1205SN

SKU: 6367 - 3000K Warm White
 SKU: 6368 - 4000K Day White
 SKU: 6369 - 6400K White

3800157621519
 3800157621526
 3800157621533

Box Qty.
40 Pcs

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 1000lm
 LED Type: SMD
 CRI: >80

PF: >0.6
 Beam Angle: 120°
 Body Type: Aluminium+Satin Nickel
 Shape: Round
 Dimension: Ø140x24mm




Slim Surface-Satin Nickel-Round

18w VT-1805SN

SKU: 6373 - 3000K Warm White
 SKU: 6374 - 4000K Day White
 SKU: 6375 - 6400K White

3800157621571
 3800157621588
 3800157621595

Box Qty.
20 Pcs

Emergency Pack: Available
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 1500lm
 LED Type: SMD
 CRI: >80

PF: >0.6
 Beam Angle: 120°
 Body Type: Aluminium+Satin Nickel
 Shape: Round
 Dimension: Ø190x24mm




Twin LED-Square

8W VT-809SQ

SKU: 4922 - 3000K Warm White
 SKU: 4923 - 4000K Day White
 SKU: 4924 - 6400K White

3800157605564
 3800157605571
 3800157605588



Emergency Pack:	Available	PF:	>0.9
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	800lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Square
CRI:	>80	Dimension:	142x142x40mm




Twin LED-Square

15W VT-1509SQ

SKU: 4925 - 3000K Warm White
 SKU: 4926 - 4000K Day White
 SKU: 4927 - 6400K White

3800157605595
 3800157605601
 3800157605618



Emergency Pack:	Available	PF:	>0.9
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	1500lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Square
CRI:	>80	Dimension:	192x192x40mm




Twin LED-Square

22W VT-2209SQ

SKU: 4928 - 3000K Warm White
 SKU: 4929 - 4000K Day White
 SKU: 4930 - 6400K White

3800157605625
 3800157605632
 3800157605649



Emergency Pack:	Available	PF:	>0.9
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°
Luminous Flux:	2200lm	Body Type:	Aluminium
LED Type:	SMD	Shape:	Square
CRI:	>80	Dimension:	240x240x40mm



Twin LED-Round

8W VT-809RD

SKU: 4890 - 3000K Warm White

SKU: 4891 - 4000K Day White

SKU: 4892 - 6400K White


3800157602594

3800157602600

3800157602617



Box Qty.

20 Pcs

Emergency Pack:

Available

PF:

>0.9

Voltage/Frequency:

AC:85-265V,50/60Hz

Beam Angle:

120°

Luminous Flux:

800lm

Body Type:

Aluminium

LED Type:

SMD

Shape:

Round

CRI:

>80

Dimension:

142x40mm

Twin LED-Round

15w VT-1509RD

SKU: 4893 - 3000K Warm

White

SKU: 4894 - 4000K Day White


3800157602624

3800157602631

3800157602648



Box Qty.

20 Pcs

Emergency Pack:

Available

PF:

>0.9

Voltage/Frequency:

AC:85-265V,50/60Hz

Beam Angle:

120°

Luminous Flux:

1500lm

Body Type:

Aluminium

LED Type:

SMD

Shape:

Round

CRI:

>80

Dimension:

192x40mm

Twin LED-Round

22w VT-2209RD

SKU: 4896 - 3000K Warm White

SKU: 4897 - 4000K Day White

SKU: 4898 - 6400K White


3800157602655

3800157602662

3800157602679



Box Qty.

20 Pcs

Emergency Pack:

Available

PF:

>0.9

Voltage/Frequency:

AC:85-265V,50/60Hz

Beam Angle:

120°

Luminous Flux:

2200lm

Body Type:

Aluminium

LED Type:

SMD

Shape:

Round

CRI:

>80

Dimension:

240x40mm



Glass Panel-Round

6W VT-602G RD

SKU: 4740 - 3000K Warm White

SKU: 6277 - 4000K Day White

SKU: 4739 - 6400K White


3800230622891

3800157615754

3800230622884



Box Qty.

40 PcsCutting Size: **Ø75mm**

Emergency Pack:

Available

Voltage/Frequency:

AC:100-240V,50/60Hz

Luminous Flux:

420lm

LED Type:

SMD

CRI:

>80

PF:

>0.9

Beam Angle:

120°

Body Type:

Aluminium+Glass

Shape:

Round

Dimension:

Ø100x40mm

Glass Panel-Round

12W VT-1202G RD

SKU: 4744 - 3000K Warm White

SKU: 6279 - 4000K Day White

SKU: 4743 - 6400K White


3800230622938

3800157615778

3800230622921



Box Qty.

20 PcsCutting Size: **Ø120mm**

Emergency Pack:

Available

Voltage/Frequency:

AC:100-240V,50/60Hz

Luminous Flux:

840lm

LED Type:

SMD

CRI:

>80

PF:

>0.9

Beam Angle:

120°

Body Type:

Aluminium+Glass

Shape:

Round

Dimension:

Ø160x40mm

Glass Panel-Round

18W VT-1881G RD

SKU: 4760 - 3000K Warm White

SKU: 6281 - 4000K Day White

SKU: 4759 - 6400K White


3800230622976

3800157615792

3800230622969



Box Qty.

20 PcsCutting Size: **Ø145mm**

Emergency Pack:

Available

Voltage/Frequency:

AC:100-240V,50/60Hz

Luminous Flux:

1260lm

LED Type:

SMD

CRI:

>80

PF:

>0.9

Beam Angle:

120°

Body Type:


Aluminium+Glass

Shape:

Round

Dimension:

Ø198x40mm




Glass Panel-Square

6W VT-602G SQ

SKU: 4738 - 3000K Warm White
SKU: 6276 - 4000K Day White
SKU: 4737 - 6400K White

3800230622877
3800157615747
3800230622860


Box Qty.
40 Pcs

Cutting Size: 75x75mm

Emergency Pack: Available
Voltage/Frequency: AC:100-240V,50/60Hz
Luminous Flux: 420lm
LED Type: SMD
CRI: >80

Available
AC:100-240V,50/60Hz
420lm
SMD
>80

PF: >0.9
Beam Angle: 120°
Body Type: Aluminium+Glass
Shape: Square
Dimension: 100x100x40mm




Glass Panel-Square

12w VT-1202G SQ

SKU: 4742 - 3000K Warm White
SKU: 6278 - 4000K Day White
SKU: 4741 - 6400K White

3800230622914
3800157615761
3800230622907


Box Qty.
20 Pcs

Cutting Size: 120x120mm

Emergency Pack: Available
Voltage/Frequency: AC:100-240V,50/60Hz
Luminous Flux: 840lm
LED Type: SMD
CRI: >80

Available
AC:100-240V,50/60Hz
840lm
SMD
>80

PF: >0.9
Beam Angle: 120°
Body Type: Aluminium+Glass
Shape: Square
Dimension: 160x160x40mm




Glass Panel-Square

18w VT-1881G SQ

SKU: 4746 - 3000K Warm White
SKU: 6280 - 4000K Day White
SKU: 4745 - 6400K White

3800230622952
3800157615785
3800230622945

Box Qty.
20 Pcs

Cutting Size: 145x145mm

Emergency Pack: Available
Voltage/Frequency: AC:100-240V,50/60Hz
Luminous Flux: 1260lm
LED Type: SMD
CRI: >80

Available
AC:100-240V,50/60Hz
1260lm
SMD
>80

PF: >0.9
Beam Angle: 120°
Body Type: Aluminium+Glass
Shape: Square
Dimension: 198x198x40mm



6w

 Box Qty.
200 Pcs

SKU : 8073
Dimmable: Yes
Voltage: AC:180-240V,50/60Hz
EAN : 3800157605823



12w

 Box Qty.
200 Pcs

SKU : 8074
Dimmable: Yes
Voltage: AC:180-240V,50/60Hz
EAN : 3800157605830



18w

 Box Qty.
200 Pcs

SKU : 8075
Dimmable: Yes
Voltage: AC:180-240V,50/60Hz
EAN : 3800157605847



18/24w

 Box Qty.
50 Pcs

SKU : 8070
Dimmable: Yes
Voltage: AC:180-240V,50/60Hz
EAN : 3800157616836



24w

 Box Qty.
200 Pcs

SKU : 8076
Dimmable: Yes
Voltage: AC:180-240V,50/60Hz
EAN : 3800157605946





LED Tube Lights

V-TAC's LED Tube Series fits perfectly into existing linear fixtures, providing better light quality and energy efficiency compared to linear fluorescent systems.

Product Features

- Cost effective, safe retrofit for T8 Tubes
- Perfectly matches with the traditional daylight tube fixture
- Easy Installation
- No Lead or Mercury content hence Environment friendly
- No Ultraviolet or Infrared rays
- Long Lifespan, Low maintenance and energy saving
- Available in 60 cm, 120 cm, 150 cm & 180 cm
- Ballast or Starter NOT REQUIRED - DIRECT AC POWER

Applications

Widely used for Domestic and Commercial Lighting, Offices, Supermarkets, Shops, Hotels & similar environment

T8-Nano Plastic-Rotatable-60cm

10w VT-6072-R

Box Qty.
25Pcs

SKU: 6229 - 3000K Warm White

SKU: 6230 - 4000K Day White

SKU: 6231 - 6400K White

3800157605212

3800157605229



3800157605236

**3YEAR
WARRANTY**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Dummy Starter
Included



EQ. Watts: **18w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **850lm**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **160°**
Body Type: **Nano Plastic**
Holder: **G13**
Instant start : **0-100% in < 1s**

On/Off: **>15,000**
Life span: **20,000 Hours**
Gross weight: **125g**
Dimension: **27.9x600mm**

T8-Nano Plastic-60cm

10w VT-6072-NR

Box Qty.
25Pcs

SKU: 6392 - 3000K Warm White

SKU: 6393 - 4000K Day White

SKU: 6394 - 6400K White

3800157625296

3800157625302



3800157625319

**3YEAR
WARRANTY**

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Dummy Starter
Included



EQ. Watts: **18w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **850lm**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **160°**
Body Type: **Nano Plastic**
Holder: **G13**
Instant start : **0-100% in < 1s**

On/Off: **>15,000**
Life span: **20,000 Hours**
Gross weight: **126.4g**
Dimension: **27.9x600mm**

T8-Nano Plastic-90cm



14w VT-9077

 SKU: 6272 - 4000K Day White
 SKU: 6262 - 6400K White

 Box Qty.
25Pcs

 3800157615419
 3800157612128

3 YEAR WARRANTY
*Suitable for 10-13 hours daily, usage of the product for 24 hours a day would void warranty

**Dummy Starter
Included**

 EQ. Watts: **25w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **1200lm**
 LED Type: **SMD**
 CRI: **>80**

 PF: **>0.5**
 Beam Angle: **160°**
 Body Type: **Nano Plastic**
 Holder: **G13**
 Instant start: **0-100% in < 1s**

 On/Off: **>15,000**
 Life span: **20,000 Hours**
 Gross weight: **145.6g**
 Dimension: **27.9x900mm**

T8-Nano Plastic-120cm



18w VT-1277

 SKU: 6263 - 3000K Warm White
 SKU: 6273 - 4000K Day White
 SKU: 6264 - 6400K White

 Box Qty.
25 Pcs

 3800157612135
 3800157615426
 3800157612142

3 YEAR WARRANTY
*Suitable for 10-13 hours daily, usage of the product for 24 hours a day would void warranty

**Dummy Starter
Included**

 EQ. Watts: **36w**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **1700lm**
 LED Type: **SMD**
 CRI: **>80**

 PF: **>0.5**
 Beam Angle: **160°**
 Body Type: **Nano Plastic**
 Holder: **G13**
 Instant start: **0-100% in < 1s**

 On/Off: **>15,000**
 Life span: **20,000 Hours**
 Gross weight: **200g**
 Dimension: **27.9x1200mm**

T8-Nano Plastic-150cm

22w VT-1577

Box Qty.
25 Pcs

SKU: 6265 - 3000K Warm White

SKU: 6309 - 4000K Day White

SKU: 6310 - 6400K White

3800157612159

3800157617437



3800157617444

3 YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Dummy Starter
Included



EQ. Watts: **58w**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **2000lm**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **160°**
Body Type: **Nano Plastic**
Holder: **G13**
Instant start : **0-100% in < 1s**

On/Off: **>15,000**
Life span: **30,000 Hours**
Gross weight: **283.4g**
Dimension: **27.9x1500mm**

T8-Nano Plastic-Rotatable-High Lu-

9w VT-6085

Box Qty.
25 Pcs

SKU: 6299 - 3000K Warm White

SKU: 6302 - 6400K White

3800157617345

3800157617369


5 YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Dummy Starter
Included

120+ LUMENS PER WATT
SUPER EFFICIENT



EQ. Watts: **25w**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **1100lm**
LED Type: **SMD**
CRI: **>80**

PF: **>0.5**
Beam Angle: **160°**
Body Type: **Nano Plastic**
Holder: **G13**
Instant start : **0-100% in < 1s**

On/Off: **>15,000**
Life span: **30,000 Hours**
Gross weight: **125g**
Dimension: **27.9x600mm**


T8-Nano Plastic-High Lumen-150cm

22w VT-1585

 Box Qty.
25 Pcs

SKU: 6306 - 3000K Warm White

3800157617406


*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty
120 LUMENS
+ PER WATT
SUPER EFFICIENT

**Dummy Starter
Included**


EQ. Watts:	75w	PF:	>0.5	On/Off:	>15,000
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	160°	Life span:	30,000 Hours
Luminous Flux:	3000lm	Body Type:	Nano Plastic	Gross weight:	1000g
LED Type:	SMD	Holder:	G13	Dimension:	27.9x1500mm
CRI:	>80	Instant start :	0-100% in < 1s		

T8-Nano Plastic-60cm

18w VT-6077


 Box Qty.
10 Pcs

SKU: 6313 - 4000K Day White

SKU: 6314 - 6400K White

3800157618656

3800157618663

120 LUMENS
+ PER WATT
SUPER EFFICIENT


EQ. Watts:	36w	PF:	>0.9	On/Off:	>15,000
Voltage/Frequency:	AC:200-240V,50Hz	Beam Angle:	160°	Life span:	20,000 Hours
Luminous Flux:	2500lm	Body Type:	Nano Plastic	Gross weight:	290g
LED Type:	SMD	Holder:	G13	Dimension:	18.5x549mm
CRI:	>80	Instant start :	0-100% in < 1s		

T5-Glass Plastic-60cm

8w VT-6005

Box Qty.
25 Pcs

SKU: 6318 - 4000K Day White 3800157619271
SKU: 6319 - 6500K White 3800157619288




EQ. Watts:	14w	PF:	>0.5	On/Off:	>15,000
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	160°	Life span:	20,000 Hours
Luminous Flux:	800lm	Body Type:	Glass with PET	Gross weight:	120g
LED Type:	SMD	Holder:	G5	Dimension:	18.4x549mm
CRI:	>80	Instant start :	0-100% in < 1s		

T5-Glass Plastic-120cm

16w VT-1225

Box Qty.
25 Pcs

SKU: 6320 - 4000K Day White 3800157619295
SKU: 6321 - 6500K White 3800157619301



EQ. Watts:	28w	PF:	>0.5	On/Off:	>15,000
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	160°	Life span:	20,000 Hours
Luminous Flux:	1600lm	Body Type:	Glass with PET	Gross weight:	208g
LED Type:	SMD	Holder:	G5	Dimension:	18.4x1149mm
CRI:	>80	Instant start :	0-100% in < 1s		

T8-Aluminium Plastic-180cm

40w VT-1840

Box Qty.
25 Pcs

SKU: 6251 - 4500K Day White 3800157607841
SKU: 6250 - 6000K White 3800157607834



EQ. Watts:	80w	PF:	>0.9	On/Off:	>15,000
Voltage/Frequency:	AC:85-265V,50/60Hz	Beam Angle:	120°	Life span:	20,000 Hours
Luminous Flux:	3800lm	Body Type:	Aluminium+PC	Gross weight:	800g
LED Type:	SMD	Holder:	G13	Dimension:	28x1800mm
CRI:	>80	Instant start :	0-100% in < 1s		



T8 Bread Tube-120cm

18w VT-1228-B

 Box Qty.
25 Pcs

SKU: 6322

3800157619318



EQ. Watts:	36w	PF:	>0.9	On/Off:	>15,000
Voltage/Frequency:	AC:180-240V,50Hz	Beam Angle:	160°	Life span:	20,000 Hours
Luminous Flux:	1530lm	Body Type:	Glass with PET	Gross weight:	320g
LED Type:	SMD	Holder:	G13	Dimension:	26x1200mm
CRI:	>95	Instant start :	0-100% in < 1s		



T8 Meat Tube-120cm

18w VT-1228-M

 Box Qty.
25 Pcs

SKU: 6323

3800157619325



EQ. Watts:	36w	PF:	>0.9	On/Off:	>15,000
Voltage/Frequency:	AC:180-240V,50/60Hz	Beam Angle:	160°	Life span:	20,000 Hours
Luminous Flux:	1530lm	Body Type:	Glass with PET	Gross weight:	320g
LED Type:	SMD	Holder:	G13	Dimension:	26x1200mm
CRI:	>95	Instant start :	0-100% in < 1s		

T8 Vegetable Tube-120cm

18w



VT-1228-V



Box Qty.
25 Pcs

SKU: 6324

3800157619332



EQ. Watts: **36w**
Voltage/Frequency: **AC:180-240V,50Hz**
Luminous Flux: **1530lm**
LED Type: **SMD**
CRI: **>95**

PF: **>0.9**
Beam Angle: **160°**
Body Type: **Glass with PET**
Holder: **G13**
Instant start: **0-100% in < 1s**

On/Off: **>15,000**
Life span: **20,000 Hours**
Gross weight: **320g**
Dimension: **26x1200mm**

T8 Seafood Tube-120cm

18w



VT-1228-S



Box Qty.
25 Pcs

SKU: 6325

3800157619349



EQ. Watts: **36w**
Voltage/Frequency: **AC:180-240V,50/60Hz**
Luminous Flux: **1530lm**
LED Type: **SMD**
CRI: **>95**

PF: **>0.9**
Beam Angle: **160°**
Body Type: **Glass with PET**
Holder: **G13**
Instant start: **0-100% in < 1s**

On/Off: **>15,000**
Life span: **20,000 Hours**
Gross weight: **320g**
Dimension: **26x1200mm**

T8 Plant Tube-120cm

18w



VT-1228-P



Box Qty.
25 Pcs

SKU: 6326

3800157619356



EQ. Watts: **36w**
Voltage/Frequency: **AC:180-240V,50Hz**
Luminous Flux: **860lm**
LED Type: **SMD**
CRI: **>95**

PF: **>0.9**
Beam Angle: **160°**
Body Type: **Glass with PET**
Holder: **G13**
Instant start: **0-100% in < 1s**

On/Off: **>15,000**
Life span: **20,000 Hours**
Gross weight: **320g**
Dimension: **26x1200mm**



Tube-Batten Fitting

VT-12020
 Box Qty.
20 Pcs

SKU : 6054
 Body Type: Aluminium
 Size: 1200mm
 EAN : 3800230624666



Tube-Batten Fitting

VT-12021
 Box Qty.
12 Pcs

SKU : 6055
 Body Type: Aluminium
 Size: 1200x2mm
 EAN : 3800230624673



Tube-Batten Fitting

VT-15020
 Box Qty.
20 Pcs

SKU : 6056
 Body Type: Aluminium
 Size: 1500mm
 EAN : 3800230624680



Tube-Batten Fitting

VT-15021
 Box Qty.
12 Pcs

SKU : 6057
 Body Type: Aluminium
 Size: 1500x2mm
 EAN : 3800230624697

Batten Fitting-Linkable

40w VT-80404

SKU: 6389 - 3000K Warm White
SKU: 6391 - 6400K White



Box Qty.
10 Pcs

3800157625104
3800157625128



Sensor Compatible: **Yes**

Voltage/Frequency: **AC:100-240V,50/60Hz**

Luminous Flux: **3200lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.9**

Beam Angle: **110°**

Body Type: **AL+PC**

On/Off: **>15,000**

Life span: **30,000 Hours**

Gross weight: **780g**

Dimension: **1200x75x26mm**

Prismatic Fitting-30cm


10w VT-8013

SKU: 4987 - 3000K Warm White



Box Qty.
10 Pcs

3800157601955



Sensor Compatible: **Yes**

Voltage/Frequency: **AC:200-240V,50Hz**

Luminous Flux: **900lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.5**

Beam Angle: **110°**

Body Type: **Aluminium+Plastic**

On/Off: **>10,000**

Life span: **20,000 Hours**

Gross weight: **260g**

Dimension: **300x75x25mm**

T5-With Fitting-30cm


4W VT-3033
 Box Qty.
50 Pcs

SKU: 6166 - 3000K Warm White

SKU: 6167 - 4500K Day White

3800230629159

3800230629166


Sensor Compatible: **Yes**CRI: **>80**On/Off: **>10,000**Voltage/Frequency: **AC:200-240V,50/60Hz**PF: **>0.5**Life span: **20,000 Hours**Luminous Flux: **360lm**Beam Angle: **120°**Gross weight: **140g**LED Type: **SMD**Body Type: **Plastic**Dimension: **300x22x33mm**

T5-With Fitting-60cm

7W VT-6073
 Box Qty.
50 Pcs

SKU: 6169 - 3000K Warm White

3800230629180

Sensor Compatible: **Yes**CRI: **>80**On/Off: **>10,000**Voltage/Frequency: **AC:200-240V,50/60Hz**PF: **>0.9**Life span: **20,000 Hours**Luminous Flux: **630lm**Beam Angle: **120°**Gross weight: **210g**LED Type: **SMD**Body Type: **Plastic**Dimension: **600x22x33mm**

T5-With Fitting-120cm

14W VT-1273
 Box Qty.
50 Pcs

SKU: 6172 - 3000K Warm White

SKU: 6173 - 4500K Day White

SKU: 6174 - 6000K White

3800230629210

3800230629227

3800230629234

Sensor Compatible: **Yes**CRI: **>80**On/Off: **>10,000**Voltage/Frequency: **AC:200-240V,50/60Hz**PF: **>0.9**Life span: **20,000 Hours**Luminous Flux: **1260lm**Beam Angle: **120°**Gross weight: **300g**LED Type: **SMD**Body Type: **Plastic**Dimension: **1200x22x33mm**

Cabinet Fitting

10w VT-8112

SKU: 5068 - 3000K Warm White
SKU: 5069 - 4500K Day White
SKU: 5070 - 6000K White

Box Qty.
12 Pcs
3800157606714
3800157606721
3800157606738




Sensor Compatible:	Yes	CRI:	>80	On/Off:	>10,000
Voltage/Frequency:	AC:220-240V,50/60Hz	PF:	>0.9	Life span:	20,000 Hours
Luminous Flux:	800lm	Beam Angle:	110°	Gross weight:	600g
LED Type:	SMD	Body Type:	Aluminium Body,	Dimension:	579x78x35mm

Wall Fitting-60cm

10w VT-8111

SKU: 5071 - 3000K Warm White
SKU: 5072 - 4500K Day White
SKU: 5073 - 6000K White

Box Qty.
25 Pcs
3800157606745
3800157606752
3800157606769




Sensor Compatible:	Yes	CRI:	>80	On/Off:	>10,000
Voltage/Frequency:	AC:85-265V,50/60Hz	PF:	>0.6	Life span:	20,000 Hours
Luminous Flux:	900lm	Beam Angle:	120°	Gross weight:	240g
LED Type:	SMD	Body Type:	Aluminium+PC	Dimension:	600x32x25mm

Wall Fitting-120cm

20w VT-8121

SKU: 5074 - 3000K Warm White
SKU: 5075 - 4500K Day White
SKU: 5076 - 6000K White

Box Qty.
25 Pcs
3800157606776
3800157606783
3800157606790



Sensor Compatible:	Yes	CRI:	>80	On/Off:	>10,000
Voltage/Frequency:	AC:85-265V,50/60Hz	PF:	>0.6	Life span:	20,000 Hours
Luminous Flux:	1800lm	Beam Angle:	120°	Gross weight:	370g
LED Type:	SMD	Body Type:	Aluminium+PC	Dimension:	1200x32x25mm



LED Waterproof Fittings

Introducing our complete Essentials range of IP65-rated waterproof tubes. Built with a tough, air-tight enclosure allowing it to resist jets of water and dust — an essential feature for outdoor lighting.

Product Features

- Easy to install
- IP65, free from water and dirt
- Direct wiring easily accessible when necessary
- Perfect replacement for the whole set of T8 fluorescent lighting fixture
- Save up to 80% in electricity consumption compared to fluorescent lighting fixture

Applications

Widely used for Domestic and Commercial Lighting, Offices, Supermarkets, Shops, Hotels & similar environment.

new!

Waterproof Fitting-Tubes

10w VT-6028

SKU: 6463 - 4000K Day White
SKU: 6464 - 6400K White



Box Qty.
16pcs

3800157639767
3800157639750



**LED TUBE
INCLUDED**



Voltage/Frequency: **AC:200-240V,50/60Hz**

Luminous Flux: **850lm**

CRI: **>80**

PF: **>0.5**

Beam Angle: **120°**

Body Type: **ABS+PC**

IP Rating: **IP65**

LED Type: **SMD**

On/Off: **>15,000**

Life span: **20,000 Hours**

Gross weight: **0.70 kg**

Dimension: **666x68x58mm**

new!

Waterproof Fitting-Tubes

2x10w VT-6029

SKU: 6465 - 4000K Day White
SKU: 6466 - 6400K White



Box Qty.
12pcs

3800157639781
3800157639774



**2 LED TUBES
INCLUDED**



Voltage/Frequency: **AC:200-240V,50/60Hz**

Luminous Flux: **1700lm**

CRI: **>80**

PF: **>0.5**

Beam Angle: **120°**

Body Type: **ABS+PC**

IP Rating: **IP65**

LED Type: **SMD**

On/Off: **>15,000**

Life span: **20,000 Hours**

Gross weight: **1 kg**


Dimension: **666x96x58mm**

new!

Waterproof Fitting-Tubes

18W VT-12028


 Box Qty.
16pcs

 3800157639729
 3800157639712

**LED TUBE
INCLUDED**
Voltage/Frequency: **AC:200-240V,50/60Hz**Luminous Flux: **1700lm**CRI: **>80**PF: **>0.5**Beam Angle: **120°**Body Type: **ABS+PC**IP Rating: **IP65**LED Type: **SMD**On/Off: **>15,000**Life span: **20,000 Hours**Gross weight: **1 kg**Dimension: **1276x68x58mm**
new!

Waterproof Fitting-Tubes

22W VT-15028

 Box Qty.
16pcs

 3800157639743
 3800157639736

**LED TUBE
INCLUDED**
Voltage/Frequency: **AC:200-240V,50/60Hz**Luminous Flux: **2000lm**CRI: **>80**PF: **>0.5**Beam Angle: **120°**Body Type: **ABS+PC**IP Rating: **IP65**LED Type: **SMD**On/Off: **>15,000**Life span: **20,000 Hours**Gross weight: **1.2 kg**Dimension: **1576x68x58mm**


Waterproof Fitting-Tubes

36w VT-12023



Box Qty.
10 Pcs

SKU: 6387 - 4000K Day White 3800157625036
SKU: 6399 - 6400K White 3800157626385



**2 LED TUBES
INCLUDED**

Voltage/Frequency: **AC:200-240V,50/60Hz**

Luminous Flux: **3400lm**

CRI: **>80**

PF: **>0.9**

Beam Angle: **120°**

Body Type: **ABS+PC**

IP Rating: **IP65**

LED Type: **SMD**

On/Off: **>10,000**

Life span: **30,000 Hours**

Gross weight: **1.33 kg**

Dimension: **1260x112x63mm**




Waterproof Fitting-Tubes

44w VT-15022



Box Qty.
10 Pcs

SKU: 6388 - 4000K Day White 3800157625043
SKU: 6400 - 6400K White 3800157626392



**2 LED TUBES
INCLUDED**

Voltage/Frequency: **AC:200-240V,50/60Hz**

Luminous Flux: **4000lm**

CRI: **>80**

PF: **>0.9**

Beam Angle: **120°**

Body Type: **ABS+PC**

IP Rating: **IP65**

LED Type: **SMD**

On/Off: **>10,000**

Life span: **30,000 Hours**

Gross weight: **1.65 kg**

Dimension: **1560x112x63mm**




Waterproof Fitting-G Series

18w VT-6076

Box Qty.
12 Pcs

SKU: 6283 - 4000K Day White 3800157616478

Voltage/Frequency: **AC:220-240V,50Hz**Luminous Flux: **1440lm**CRI: **>70**PF: **>0.5**Beam Angle: **120°**Body Type: **ABS+PC**IP Rating: **IP65**LED Type: **SMD**On/Off: **>10,000**Life span: **20,000 Hours**Gross weight: **0.60 kg**Dimension: **600x65x58mm**


Waterproof Fitting-G Series

36w VT-1249

Box Qty.
12 Pcs

SKU: 6285 - 4000K Day White 3800157616492

SKU: 6284 - 6400K White 3800157616485

Voltage/Frequency: **AC:220-240V,50Hz**Luminous Flux: **2880lm**CRI: **>70**PF: **>0.9**Beam Angle: **120°**Body Type: **ABS+PC**IP Rating: **IP65**LED Type: **SMD**On/Off: **>10,000**Life span: **20,000 Hours**Gross weight: **0.60 kg**Dimension: **1200x65x58mm**

Waterproof Fitting-G Series


48w VT-1574



Box Qty.
12 Pcs

SKU: 6287 - 4000K Day White
SKU: 6286 - 6000K White

3800157616515
3800157616508



Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **3840lm**

CRI: **>70**

PF: **>0.9**

Beam Angle: **120°**

Body Type: **ABS+PC**

IP Rating: **IP65**

LED Type: **SMD**

On/Off: **>10,000**

Life span: **20,000 Hours**

Gross weight: **1.1 kg**

Dimension: **1500x65x58mm**

Waterproof Fitting


18w VT-6048



Box Qty.
12 Pcs

SKU: 6198 - 4500K Day White
SKU: 6199 - 6000K White

3800157603256
3800157603263



Voltage/Frequency: **AC:200-240V,50Hz**

Luminous Flux: **1440lm**

CRI: **>70**

PF: **>0.9**

Beam Angle: **120°**

Body Type: **Plastic**

IP Rating: **IP65**

LED Type: **SMD**

On/Off: **>10,000**


Life span: **20,000 Hours**

Gross weight: **0.80 kg**

Dimension: **600x76x66mm**


Waterproof Fitting

36w VT-1248

Box Qty.
12 PcsSKU: 6200 - 4500K Day White
SKU: 6201 - 6000K White3800157603270
3800157603287Voltage/Frequency: **AC:200-240V,50Hz**Luminous Flux: **2880lm**CRI: **>70**PF: **>0.9**Beam Angle: **120°**Body Type: **Plastic**IP Rating: **IP65**LED Type: **SMD**On/Off: **>10,000**Life span: **20,000 Hours**Gross weight: **1.42 kg**Dimension: **1200x76x66mm**

Waterproof Fitting

48w VT-1548


Box Qty.
12 PcsSKU: 6184 - 4500K Day White
SKU: 6185 - 6000K White3800157602389
3800157602396Voltage/Frequency: **AC:200-240V,50/60Hz**Luminous Flux: **3920lm**CRI: **>70**PF: **>0.7**Beam Angle: **120°**Body Type: **Plastic**IP Rating: **IP65**LED Type: **SMD**On/Off: **>10,000**Life span: **20,000 Hours**Gross weight: **1.86 kg**Dimension: **1480x76x66mm**

Waterproof-Emergency Kit

36W VT-1250

Box Qty.
12 Pcs

SKU: 6448 - 4000K Day White 3800157632126
SKU: 6449 - 6500K White 3800157632133



**Waterproof
Emergency Kit**

Charging Time: 24 Hours
Emergency Operation Time: 3 Hours
Emergency Switch on time: <1 Second


Voltage/Frequency:	AC:220-240V,50/60Hz	PF:	>0.9	O/P Emmergency:	7W Max
Battery Type:	9.6V 2200mAh Ni-Cd	Beam Angle:	120°	Ambient Temp:	50 max
Luminous Flux:	2880lm	Body Type:	ABS+PC	Gross weight:	1.9 kg
LED Type:	SMD	IP Rating:	IP65	Dimension:	1200x76x66mm
CRI:	>70	Life span:	20,000 Hours		

Waterproof-Emergency Kit

48W VT-1550

Box Qty.
12 Pcs


SKU: 6446 - 4000K Day White 3800157632102
SKU: 6447 - 6500K White 3800157632119



**Waterproof
Emergency Kit**

Charging Time: 24 Hours
Emergency Operation Time: 3 Hours
Emergency Switch on time: <1 Second

Voltage/Frequency:	AC:220-240V,50/60Hz	PF:	>0.9	O/P Emmergency:	7W Max
Battery Type:	9.6V 2200mAh Ni-Cd	Beam Angle:	120°	Ambient Temp:	50 max
Luminous Flux:	3920lm	Body Type:	ABS+PC	Gross weight:	2.35 kg
LED Type:	SMD	IP Rating:	IP65	Dimension:	1500x76x66mm
CRI:	>70	Life span:	20,000 Hours		



Waterproof Fitting

70w VT-1573

SKU: 6266 - 4000K Day White
SKU: 6267 - 6000K White



Box Qty.
6 Pcs

3800157612586
3800157612593



120+ LUMENS PER WATT
SUPER EFFICIENT

Voltage/Frequency: **AC:200-240V,50/60Hz**

Luminous Flux: **8400lm**

CRI: **>70**

PF: **>0.9**

Beam Angle: **120°**

Body Type: **Aluminium**

IP Rating: **IP65**

LED Type: **SMD**


On/Off: **>10,000**

Life span: **20,000 Hours**

Gross weight: **2.75 kg**

Dimension: **1500x86x70mm**





LED Highbays

V-TAC's new UFO and Linear High bays are designed for widespread illumination, efficiency, and resistance to harsh conditions. The UFO high-bays are supported by Meanwell drivers to boost their performance, are IP65 rated and have a sturdy body to ensure endurance, and have two options of beam angle to choose from, for even light distribution.

Product Features

- Powerful LED light source with a unique design
- Extensive Options can replace all types of Standard MH Highbays
- Aluminium Diffuser with multiple Beam Angle's to choose from 45°D / 90°D / 120°D
- Shatter Proof Perspex Lens
- High Thermal Conductivity, Low Luminous Decay, Pure colours & No Heavy Shade
- The unique design of Radiator fuses with the Lamp Box perfectly hence diffuses the heat conduction efficiently which reduces the temperature of inside lamp

Applications

Perfect fit for Industrial Usage, Warehouse & Super Markets, Workshops, Factories, Warehouses, Highway, toll Stations, Gas Stations, Malls, Exhibition Halls, Stadiums & other vast areas.



UFO-High Lumen-Meanwell Driver

100w VT-9107


SKU: 5588 - 6400K White

3800157622301


Box Qty.
4 Pcs

5 **V-TAC®** **PRO**
YEAR WARRANTY

*Bulb for 15-12 hours daily, usage of the product for 24 hours a day would void warranty.



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	90°
Luminous Flux:	13000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	280x165mm



UFO-High Lumen-Meanwell Driver

100w VT-9117

SKU: 5586 - 6400K White


3800157622271

3800157622288


Box Qty.
4 Pcs

5 **V-TAC®** **PRO**
YEAR WARRANTY

*Bulb for 15-12 hours daily, usage of the product for 24 hours a day would void warranty.



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	13000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	280x165mm



UFO-High Lumen-Meanwell Driver




500w VT-9500

SKU: 5607 - 4000K Day White 3800157625050
 SKU: 5608 - 6400K White 3800157625067

 Box Qty.
1 Pcs

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty


Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:90-295V,50Hz	Beam Angle:	120°
Luminous Flux:	65000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>80	Dimension:	Ø360






UFO-Highbay-120°

50w VT-9053

SKU: 5554 - 4500K Day White 3800157620895

SKU: 5555 - 6400K White 3800157620901

Box Qty.
4 Pcs



120°
BEAM ANGLE

Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	120°
Luminous Flux:	4000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP44
CRI:	>70	Dimension:	Ø221x85mm



UFO-Highbay-120°

50w VT-9065-W


SKU: 5609 - 3000K Warm White 3800157626507

SKU: 5610 - 4000K Day White 3800157626514


SKU: 5611 - 6400K White 3800157626521

Box Qty.
8 Pcs

120°
BEAM ANGLE



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	120°
Luminous Flux:	4000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP44
CRI:	>70	Dimension:	220x114mm



UFO-Highbay-120°

100W VT-9115-W

SKU: 5612 - 3000K Warm White


3800157626538

SKU: 5613 - 4000K Day White


3800157626545

SKU: 5614 - 6400K White

3800157626552



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible: Yes

PF: >0.9

Voltage/Frequency: AC:220-240V,50Hz

Beam Angle: 120°

Luminous Flux: 8000lm

Body Type: Die Cast Aluminium

LED Type: SMD

IP Rating: IP44

CRI: >70

Dimension: 280x131mm



UFO-Highbay-120°


50W VT-9065

SKU: 5557 - 4000K Day White


3800157621946

SKU: 5558 - 6400K White

3800157621953



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible: Yes

PF: >0.9

Voltage/Frequency: AC:220-240V,50Hz

Beam Angle: 120°

Luminous Flux: 4000lm

Body Type: Die Cast Aluminium

LED Type: SMD

IP Rating: IP44

CRI: >70

Dimension: 220x114mm




UFO-Highbay-90°

50w VT-9055


SKU: 5559 - 4000K Day White 3800157621960
SKU: 5560 - 6400K White 3800157621977

Box Qty.
8 Pcs

90°
BEAM ANGLE



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **4000lm**
LED Type: **SMD**
CRI: **>70**

PF: **>0.9**
Beam Angle: **90°**
Body Type: **Die Cast Aluminium**
IP Rating: **IP44**
Dimension: **220x114mm**



UFO-Highbay-90°


100w VT-9105

SKU: 5576 - 6400K White


3800157622004
3800157622011

Box Qty.
4 Pcs

90°
BEAM ANGLE



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **8000lm**
LED Type: **SMD**
CRI: **>70**


PF: **>0.9**
Beam Angle: **90°**
Body Type: **Die Cast Aluminium**
IP Rating: **IP44**
Dimension: **280x131mm**




UFO-Highbay-90°
150w VT-9165

SKU: 5580 - 6400K White

3800157622059



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible: **Yes**

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: **12000lm**

LED Type:

CRI: >70

PF: >0.9

Beam Angle: 90°

Body Type: **Die Cast Aluminium**

IP Rating: IP44

Dimension: 340x138mm




UFO-Highbay-90°
200W VT-9205

SKU: 5583 - 4000K Day White


3800157622080

SKU: 5584 - 6400K White

3800157622097



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible: **Yes**

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 16000lm

LED Type:

CRI: >70

PF: >0.9

Beam Angle: 90°

Body Type: **Die Cast Aluminium**

IP Rating: IP44

Dimension: 400x115mm

Emergency Kit-Highbay

100w VT-599

SKU:8384

3800157639309



Box Qty.
6 Pcs



Voltage/Frequency:	AC:220-240V,50/60Hz
IP Rating:	IP44
Load Voltage:	DC:40-50V
Emergency Duration:	180mins
Battery:	DC:11.1V 6600mAh, Li-ion
Charging Time:	24 Hours
LED Driver Output Current:	2A Max
Output Emergency Power:	20W
Tc Max:	65
Ambient Temperature:	-5 to +40



Luminous Intensity Distribution Curve


 Box Qty.
1 Pcs

Linear Highbay-120°



100w VT-9108

SKU: 5599 - 4000K Day White 3800157624909
 SKU: 5600 - 6000K White 3800157624916

120°
BEAM ANGLE

Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	10000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP20
CRI:	>70	Dimension:	625x110x115mm

Luminous Intensity Distribution Curve


 Box Qty.
1 Pcs


Linear Highbay-120°

150w VT-9159

SKU: 56011 - 4000K Day White 3800157624923
 SKU: 56021 - 6000K White 3800157624930

120°
BEAM ANGLE

Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50Hz	Beam Angle:	100°
Luminous Flux:	13500lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP54
CRI:	>70	Dimension:	790X103.5X73.5mm



Box Qty.
1 Pcs

Linear Highbay-120°

200w VT-9209

SKU: 56031 - 4000K Day

White

SKU: 56041 - 6000K White

3800157624947

3800157624954

120°
BEAM ANGLE

Sensor Compatible: **Yes**

Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **18000lm**

LED Type: **SMD**

CRI: **>70**



PF: **>0.9**

Beam Angle: **100°**

Body Type: **Die Cast Aluminium**

IP Rating: **IP54**

Dimension: **1045x103.5x73.5mm**



Box Qty.
1 Pcs

Linear Highbay-120°

300w VT-9308

SKU: 5605 - 4000K Day White

SKU: 5606 - 6000K White

3800157624961

3800157624978

120°
BEAM ANGLE

Sensor Compatible: **Yes**

Voltage/Frequency: **AC:220-240V,50/60Hz**

Luminous Flux: **30000lm**

LED Type: **SMD**

CRI: **>70**


PF: **>0.9**


Beam Angle: **120°**

Body Type: **Die Cast Aluminium**

IP Rating: **IP20**

Dimension: **1717x110x115mm**





LED Street Lights

Light the path to the future with LED Street Lights. This state of the art LED Technology provides uniform Brightness and Illumination. Featuring V-TAC's eco-friendly street lights.

Product Features

- Perfect replacement for traditional lights
- Saves 80% Electricity cost, Better Efficiency and Longer Life Span
- Dedicated IP65 Sealed Optical Cavities
- Optically Optimized Glass Lenses
- Uniformity in Light Distribution - Maximizes Efficiency
- Fully Operational in Extreme Weather up to -25° Celsius
- Low maintenance & Low Power consumption
- Reduced CO² emissions

Applications

Out Door Applications like Streets, Projects, Cross Roads, Tunnels, Car Parks, Industrial Facilities etc.





Streetlight

30w VT-15030ST

SKU: 5487 - 4000K Day White 3800157623469
SKU: 5488 - 6400K White 3800157623476

Box Qty.
1 Pcs

IP65
RATING



Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:190-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	2400lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	175x373x52mm





Streetlight-Photo Cell Sensor

30w VT-15031ST

SKU: 5489 - 4000K Day White 3800157623483
SKU: 5490 - 6400K White 3800157623490

Box Qty.
1 Pcs

IP65
RATING



PHOTOCELL SENSOR
Auto Turns On At Night
Auto Turns Off At Day Time

Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:190-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	2400lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	175x373x52mm




Streetlight

50w VT-15051ST


SKU: 5491 - 4000K Day White 3800157623506
SKU: 5492 - 6400K White 3800157623513

Box Qty.
1 Pcs

IP65
RATING



Luminous Intensity Distribution Curve



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:190-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	4000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	213.5x460x62mm




Streetlight-Photo Cell Sensor

50w VT-15052ST


SKU: 5493 - 4000K Day White 3800157623520
SKU: 5494 - 6400K White 3800157623537

Box Qty.
1 Pcs

IP65
RATING



Luminous Intensity Distribution Curve

**PHOTOCELL SENSOR**

Auto Turns On At Night
Auto Turns Off At Day Time

Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:190-240V,50/60Hz	Beam Angle:	100°
Luminous Flux:	4000lm	Body Type:	Die Cast Aluminium
LED Type:	SMD	IP Rating:	IP65
CRI:	>70	Dimension:	213.5x460x62mm





Streetlight

100w VT-15101ST

SKU: 5495 - 4000K Day White 3800157623544

Box Qty.
1 Pcs

IP65
RATING



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:190-240V,50/60Hz**
Luminous Flux: **8000lm**
LED Type: **SMD**
CRI: **>70**

PF: **>0.9**
Beam Angle: **100°**
Body Type: **Die Cast Aluminium**
IP Rating: **IP65**
Dimension: **264x538x68mm**



Streetlight-High Lumen



30w VT-15131ST

SKU: 5472 - 4500K Day White 3800157608749

SKU: 5473 - 6000K White 3800157608756


Box Qty.
1 Pcs

IP65
RATING



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **3720lm**
LED Type: **SMD**
CRI: **>75**

PF: **>0.95**
Beam Angle: **100°**
Body Type: **Die Cast Aluminium**
IP Rating: **IP65**
Dimension: **400x180x55mm**




Streetlight-High Lumen

50w VT-15151ST

SKU: 5475 - 4500K Day White 3800157608770


SKU: 5476 - 6000K White 3800157608787

 Box Qty.
1 Pcs

 **IP65**
RATING


Sensor Compatible: Yes
 Voltage/Frequency: AC:100-240V,50Hz
 Luminous Flux: 6200lm
 LED Type: SMD
 CRI: >75

PF: >0.95
 Beam Angle: 100°
 Body Type: Die Cast Aluminium
 IP Rating: IP65
 Dimension: 477x216x55mm


new!

Streetlight

50w VT-15050ST

SKU: 9757 - 6000K White

 Box Qty.
1 Pcs

 **IP65**
RATING


Sensor Compatible: Yes
 Voltage/Frequency: AC:85-265V,50/60Hz
 Luminous Flux: 4250lm
 LED Type: SMD
 CRI: >70

PF: >0.9
 Beam Angle: 100°
 Body Type: Die Cast Aluminium
 IP Rating: IP65
 Dimension: 495x210x55mm

new!





Streetlight-High Lumen 100w VT-15105ST

SKU: 5501 - 3000K Warm White

3800157634595

Box Qty.
1 Pcs

IP65
RATING



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **12400lm**
LED Type: **SMD**
CRI: **>70**

PF: **>0.90**
Beam Angle: **100°**
Body Type: **Die Cast Aluminium**
IP Rating: **IP65**
Dimension: **566x268x62mm**




Adapter

VT-795

SKU: 3624

3800157608152

Box Qty.
10 Pcs



Compatible with 100W,120W and 150W models, this adapter allows the angle of the streetlight to be adjusted as per client's requirements.



Adapter

VT-795-1

SKU: 3668

3800157625029

Box Qty.
12 Pcs



Compatible with 30W and 50W models, this adapter allows the angle of the streetlight to be adjusted as per client's requirements.



LED Strip Lights


Add an extensive array of lights and colors to any setting or interior, rejuvenate and transform the ambience of any environment at the flick of a switch with V-TAC's LED Strip Light Series. Easy installation with minimal space requirement makes this the right choice for Restaurants, Auditoriums, Meeting Rooms etc.

Product Features

- Flexible & easy installation
- Exceptionally low power consumption
- Multiple visual effects in unending colours and shades

Applications

Outdoor applications like Streets, Projects, Cross Roads, Tunnels, Car Parks, Industrial Facilities etc.



new!

IP20
RATING

Strip-2835 60 LEDs


4w VT-2835 60

SKU: 2559 - 3000K Warm White
SKU: 2560 - 4000K Day White
SKU: 2561 - 6400K White

Box Qty.
400 Meters

3800157637244
3800157637251
3800157637268

Watts: **4w**
Voltage: **DC:12V**
LED/M: **60**
Strips length: **6mm**



Strip-2835-Sensor

2.4w VT-8082

SKU: 2573 - 2700K Warm White
SKU: 2574 - 4000K Day White

Box Qty.
50 Pcs

3800157639330
3800157639347

new!

IP65
RATING

Watts: **2.4w**
Voltage: **DC:6V**
lm/M: **200lm**
Roll: **1 Meter**
Sensor Type: **Motion Sensor**
Detection Range: **2-5 M**
Battery Type: **4xAAA(Not Included)**


Blister Pack

Bed Lights-PIR Sensor
3W
VT-8067

 Box Qty.
25 Pcs

SKU: 2548 - 3000K Warm White

SKU: 2549 - 4500K Day White

3800157628433

3800157628440

Watts:

3w

Voltage:

DC:12V

LED/M:

30

Strips length:

1.2 m x1

Sensor Distance:

2-5m

Delay time:

30sec, 130sec, 380sec

Blister Pack

Bed Lights-PIR Sensor
6W
VT-8068

 Box Qty.
18 Pcs

SKU: 2550 - 3000K Warm White

SKU: 2551 - 4500K Day White

3800157628457

3800157628464

Watts:

6w

Voltage:

DC:12V

LED/M:

30

Strips length:

1.2 m x2

Sensor Distance:

2-5 m

Delay time:

30sec, 130sec, 380sec

Strip Sets-5050 60 LEDs

10w VT-5050 60 IP20-Set

SKU: 2545 - 3000K Warm White 3800157626804
 SKU: 2546 - 6000K White 3800157626811
 SKU: 2544 - RGB 3800157625975



LED Type:	SMD	lm/M:	1000lm
Watt/M:	10w	lm/LED:	9-11lm
Current/M:	1.5A	Beam Angle:	120°
Voltage:	AC:100-265V,50/60Hz	IP Rating:	IP20
LED Qty	60	Width:	8mm



BS PLUG



Strip Sets-5050 60 LEDs

10w VT-5050 60 IP20-RGB Set

SKU: 2558-RGB 3800157634144



LED Type:	SMD	lm/M:	1000lm
Watt/M:	10w	lm/LED:	9-11lm
Current/M:	1.5A	Beam Angle:	120°
Voltage:	AC:100-265V,50/60Hz	IP Rating:	IP20
LED Qty	60	Width:	8mm



EU PLUG



LED strips-2835 240 LEDs-High Lumen

18w

VT-2835 240-H

SKU: 2164 - 3000K Warm White 3800157610117
 SKU: 2165 - 4500K Day White 3800157610124
 SKU: 2166 - 6000K White 3800157610131



LED Type:	SMD	lm/M:	3000lm
Watt/M:	18w	lm/LED:	20-22lm
Current/M:	1.5A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP20
LED Qty	240	Width:	10mm

3000 LUMENS
PER METER
SUPER EFFICIENT

LED strips-2835 204 LEDs

18w

VT-2835 204

SKU: 2461 - 3000K Warm White 3800157612234
 SKU: 2462 - 4500K Day White 3800157612241
 SKU: 2463 - 6000K White 3800157612258



LED Type:	SMD	lm/M:	1700lm
Watt/M:	18w	lm/LED:	9-11lm
Current/M:	1.5A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP20
LED Qty	204	Width:	10mm

LED strips-5730 120 LEDs-High Lumen

18w VT-5730 120

SKU: 2162 - 3000K Warm White 3800157610094
SKU: 2161 - 6000K White 3800157610087



Box Qty.
400 Meters

LED Type:	SMD	lm/M:	3000lm
Watt/M:	18w	lm/LED:	20-22lm
Current/M:	1.5A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP20
LED Qty	120	Width:	8mm

CRI >95

3000 LUMENS
PER METER
SUPER EFFICIENT

LED strips-5050 30 LEDs

4.8w VT-5050 30-IP20

SKU: 2135 - 3000K Warm White 3800230621405
SKU: 2133 - 6000K White 3800230621382
SKU: 2124 - RGB 3800230621535



Box Qty.
400 Meters

LED Type:	SMD	lm/M:	500lm
Watt/M:	4.8w	lm/LED:	14 -16lm
Current/M:	0.4A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP20
LED Qty	30	Width:	10mm

LED strips-5050 30 LEDs

4.8w VT-5050 30-IP65

SKU: 2145 - 3000K Warm White	3800230621412
SKU: 2460 - 4500K Day White	3800157612166
SKU: 2144 - 6000K White	3800230621399
SKU: 2118 - RGB	3800230621528



LED Type:	SMD	lm/M:	500lm
Watt/M:	4.8w	lm/LED:	14 -16lm
Current/M:	0.4A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP65
LED Qty	30	Width:	10mm

LED strips-5050 60 LEDs

10.8w VT-5050 60-IP20

SKU: 2122 - 3000K Warm White	3800230621504
SKU: 2143 - 4500K Day White	3800230621467
SKU: 2126 - 6000K White	3800230621481
SKU: 2120 - RGB	3800230621542
SKU: 2128 - Red	3800230624468
SKU: 2137 - Blue	3800230621429
SKU: 2138 - Green	3800230621443
SKU: 2156 - Yellow	3800230628824



LED Type:	SMD	lm/M:	1000lm
Watt/M:	10.8w	lm/LED:	14 -16lm
Current/M:	0.9A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP20
LED Qty	60	Width:	10mm

LED strips-5050 60 LEDs

10.8w VT-5050 60-IP65

SKU: 2149 - 3000K Warm White	3800230621511
SKU: 2150 - 4500K Day White	3800230621474
SKU: 2148 - 6000K White	3800230621498
SKU: 2155 - RGB	3800230621559



LED Type:	SMD	lm/M:	1000lm
Watt/M:	10.8w	lm/LED:	14 -16lm
Current/M:	0.9A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP65
LED Qty	60	Width:	10mm

LED strips-3528 60 LEDs

3.6w VT-3528 60-IP20

SKU: 2016 - 3000K Warm White	3800230621160
SKU: 2041 - 4500K Day White	3800230621184
SKU: 2005 - 6000K White	3800230621153
SKU: 2015 - Red	3800230621269
SKU: 2013 - Blue	3800230621252
SKU: 2011 - Green	3800230621221
SKU: 2009 - Yellow	3800230621214



LED Type:	SMD	lm/M:	400lm
Watt/M:	3.6w	lm/LED:	5-6lm
Current/M:	0.3A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP20
LED Qty	60	Width:	8mm

LED strips-3528 60 LEDs

3.6W VT-3528 60-IP65

SKU: 2032 - 3000K Warm White	3800230621177
SKU: 2043 - 4500K Day White	3800230621191
SKU: 2031 - 6000K White	3800230621146
SKU: 2036 - Red	3800230621276
SKU: 2035 - Blue	3800230621245
SKU: 2034 - Green	3800230621238



LED Type:	SMD	lm/M:	400lm
Watt/M:	3.6w	lm/LED:	5-6lm
Current/M:	0.3A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP65
LED Qty	60	Width:	8mm

LED strips-3528 120 LEDs

7.2W VT-3528 120-IP20

SKU: 2025 - 3000K Warm White	3800230621306
SKU: 2042 - 4500K Day White	3800230621320
SKU: 2002 - 6000K White	3800230621283



LED Type:	SMD	lm/M:	600lm
Watt/M:	7.2w	lm/LED:	5-6lm
Current/M:	0.6A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP20
LED Qty	120	Width:	8mm

LED strips-3528 120 LEDs

7.2w VT-3528 120-IP65

SKU: 2038 - 3000K Warm White

SKU: 2044 - 4500K Day White

SKU: 2037 - 6000K White

3800230621313

3800230621337

3800230621290



LED Type:

SMD

lm/M:

600lm

Watt/M:

7.2w

lm/LED:

5-6lm

Current/M:

0.6A

Beam Angle:

120°

Voltage:

DC:12V

IP Rating:

IP65

LED Qty

120

Width:

8mm

LED strips-5050 60 LEDs

10.8w VT-5050 60RGBW

SKU: 2159 - RGB+White

SKU: 2552 - RGB+Day White

SKU: 2553 - RGB+Warm White

3800230629623

3800157630306

3800157630313



LED Type:

SMD

lm/M:

900lm

Watt/M:

10.8w

lm/LED:

15lm

Current/M:

1.2A

Beam Angle:

120°

Voltage:

DC:12V

IP Rating:

IP20

LED Qty

60

Width:

10mm

LED strips-3014 204 LEDs

18w VT-3014 204

SKU: 2404 - 3000K Warm White 3800230628060
 SKU: 2405 - 4500K Day White 3800157600309
 SKU: 2403 - 6000K White 3800230628053



LED Type:	SMD	lm/M:	1700lm
Watt/M:	18w	lm/LED:	9-11lm
Current/M:	1.5A	Beam Angle:	120°
Voltage:	DC:12V	IP Rating:	IP20
LED Qty	204	Width:	10mm

LED strips-5050 60 LEDs

9w VT-5050 60-24V

SKU: 2431 - 3000K Warm White 3800230621573
 SKU: 2459 - 4500K Day White 3800157612036
 SKU: 2430 - 6000K White 3800230621566



LED Type:	SMD	lm/M:	600lm
Watt/M:	9w	lm/LED:	14-16lm
Current/M:	0.3A	Beam Angle:	120°
Voltage:	DC:24V	IP Rating:	IP20
LED Qty	60	Width:	10mm

Tape-5050 60 LEDs

9w

VT-5050 60-24V-IP65

SKU: 2562 - 3000K Warm White

SKU: 2563 - 4000K Day White

SKU: 2564 - 6400K White

3800157637534

3800157637541

3800157637558



Box Qty.
200 Meters

LED Type:

SMD

lm/M:

500lm

Watt/M:

9w

lm/LED:

14-16lm

Current/M:

0.375A

Beam Angle:

120°

Voltage:

DC:24V

IP Rating:

IP65

LED Qty

60

Width:

10mm

Plug-Pin



SKU : **2565**

EAN : **3800157637565**

Fixing Clip



SKU : **2566**

EAN : **3800157637572**

End Cup



SKU : **2567**

EAN : **3800157637589**

LED NEON LIGHTS



Neon Flex-White

8W

VT-555W

Box Qty.
5 Packets

SKU: 2512 - 6000K White
EAN: 3800157605656
Voltage: DC:24V
Lumen lm/M: 320±5%
FPC Width MM: 7.5
Power W/M: 8w
Jacket Dia: 9 x16.5 mm
Beam Angle: 160°



Neon Flex-Warm White

8W

VT-555WW

Box Qty.
5 Packets

SKU: 2513 - 3000K Warm White
EAN: 3800157605663
Voltage: DC:24V
Lumen lm/M: 320±5%
FPC Width MM: 7.5
Power W/M: 8w
Jacket Dia: 9 x16.5 mm
Beam Angle: 160°



Neon Flex-Day White

8W

VT-555DW

Box Qty.
5 Packets

SKU: 2514 - 4500K Day White
EAN: 3800157605670
Voltage: DC:24V
Lumen lm/M: 320±5%
FPC Width MM: 7.5
Power W/M: 8w
Jacket Dia: 9 x16.5 mm
Beam Angle: 160°



Neon Flex-Blue

8W

VT-555B

Box Qty.
5 Packets

SKU: 2515 - Blue
 EAN: 3800157605687
 Voltage: DC:24V
 Lumen lm/M: 320±5%
 FPC Width MM: 7.5
 Power W/M: 8w
 Jacket Dia: 9 x16.5 mm
 Beam Angle: 160°



Neon Flex-Red

8W

VT-555R

Box Qty.
5 Packets

SKU: 2516 - Red
 EAN: 3800157605694
 Voltage: DC:24V
 Lumen lm/M: 320±5%
 FPC Width MM: 7.5
 Power W/M: 8w
 Jacket Dia: 9 x16.5 mm
 Beam Angle: 160°




Neon Flex-Green

8W

VT-555G

Box Qty.
5 Packets

SKU: 2517 - Green
 EAN: 3800157605700
 Voltage: DC:24V
 Lumen lm/M: 320±5%
 FPC Width MM: 7.5
 Power W/M: 8w
 Jacket Dia: 9 x16.5 mm
 Beam Angle: 160°



Neon Flex-Yellow

8W

VT-555Y

Box Qty.
5 Packets

SKU: 2518 - Yellow
EAN: 3800157605717
Voltage: DC:24V
Lumen lm/M: 320±5%
FPC Width MM: 7.5
Power W/M: 8w
Jacket Dia: 9 x16.5 mm
Beam Angle: 160°



Neon Flex-Pink

8W

VT-555P

Box Qty.
5 Packets

SKU: 2529 - Pink
EAN: 3800157619523
Voltage: DC:24V
Lumen lm/M: 320±5%
FPC Width MM: 7.5
Power W/M: 8w
Jacket Dia: 9 x16.5 mm
Beam Angle: 160°



Neon Flex-Violet

8W

VT-555V

Box Qty.
5 Packets

SKU: 2531 - Violet
EAN: 3800157619547
Voltage: DC:24V
Lumen lm/M: 320±5%
FPC Width MM: 7.5
Power W/M: 8w
Jacket Dia: 9 x16.5 mm
Beam Angle: 160°



Backlite Silicon Neon Flex

13w VT-559

2570 - 5000K White
 2568 - 3000K Warm White
 2569 - 4000K Day White

3800157637657
 3800157637633
 3800157637640

 Box Qty.
200 Meters


LED Type: SMD
 Watt/M: 13w
 Voltage: DC:24V
 lm/M: 1000

CRI: >80
 Beam Angle: 120°
 IP Rating: IP65
 Width: 8mm



Aluminium Profiles

 Box Qty.
2200Pcs


SKU : 2527
 EAN : 3800157608404

Neon Power Cord

 Box Qty.
500 Pcs


SKU : 3331
 EAN : 3800157616829

Neon Connector

 Box Qty.
3000 Pcs


SKU : 3333
 EAN : 3800157607889

Neon End Safe Cap

 Box Qty.
2 Pcs


SKU : 3334
 EAN : 3800157607896

Plastic Profile



SKU : 2571
 EAN : 3800157637664

LED Strip Set -PLUG AND PLAY

LED STRIP LIGHT set is a complete kit where we provide you with 5 meters of LED STRIP LIGHT, along with the POWER SUPPLY and CONNECTOR and REMOTE CONTROL (optional), to make it a complete kit. Available and made in different colour options as per requirement.

- LED Strip
- Remote control (included)
- Driver (included)
- Packing: Blister Pack, 5 meters roll



SKU	Description:	EAN Code:	BOX Qty:
2351	LED Strip Set SMD3528 60 LEDs 4500K IP20	3800230621634	48 Pcs
2350	LED Strip Set SMD5050 30 LEDs RGB IP20	3800230621641	48 Pcs
2352	LED Strip Set SMD5050 30 LEDs RGB IP65	3800230621658	50 Pcs
2353	LED Strip Set SMD5050 60 LEDs RGB IP20	3800230621665	50 Pcs
2354	LED Strip Set SMD5050 60 LEDs RGB IP65	3800230621672	48 Pcs
2355	LED Strip Set SMD5050 60 LEDs White IP20	3800230621689	48 Pcs
2356	LED Strip Set SMD5050 60 LEDs White IP65	3800230621696	48 Pcs

Strip Connectors



SKU	Description:	EAN Code:	BOX Qty:
3500	Flexible Connector - LED Strip 3528	3800230622051	100 Pcs
3501	Flexible Connector - LED Strip 5050	3800230622068	100 Pcs
3502	Flexible Connector - LED Strip 5050 RGB	3800230622075	100 Pcs
3503	Connector - LED Strip 3528	3800230622082	100 Pcs
3504	Connector - LED Strip 5050	3800230622099	1000 Pcs
3505	Connector - LED Strip 5050 RGB	3800230622105	1000 Pcs
3507	Flexible Connector - LED Strip 3528 DC Female	3800230622112	100 Pcs
3508	Flexible Connector - LED Strip 5050 DC Female	3800157608466	100 Pcs
3509	Connector - LED Strip 3528 Cross Type	3800157608473	100 Pcs
3510	Connector - LED Strip 5050 Cross Type	3800157608480	200 Pcs
3511	Connector - LED Strip 5050 L Type	3800157608497	250 Pcs
3512	Connector - LED Strip DC Female	3800230622112	100 Pcs

Bar 4014 144 LEDs

18w

VT-4014 144-2Pc

SKU: 2535 - 3000K Warm White
 SKU: 2536 - 4000K Day White
 SKU: 2537 - 6400K White

3800157625883
 3800157625890
 3800157625906

Current: 1.5A
 Voltage: DC:12V
 Lumens/LED: 20-24lm
 LM/M: 1700lm
 Size: 1M
 LED Type: SMD
 IP Rating: IP20



Box Qty.
125 Pcs



Bar 4014 144 LEDs

18w

VT-4014 144-10Pc


SKU: 2538 - 3000K Warm White
 SKU: 2539 - 4000K Day White
 SKU: 2540 - 6400K White

3800157625913
 3800157625920
 3800157625937

Current: 1.5A
 Voltage: DC:12V
 Lumens/LED: 20-24lm
 LM/M: 1700lm
 Size: 1M
 LED Type: SMD
 IP Rating: IP20



Box Qty.
50 Pcs



Bar 4014 144 LEDs

18w

VT-4014 144-P



SKU: 2541 - 3000K Warm White
 SKU: 2542 - 4500K Day White
 SKU: 2543 - 6400K White

3800157625944
 3800157625951
 3800157625968

Current: 1.5A
 Voltage: DC:12V
 Lumens/LED: 20-24lm
 LM/M: 1700lm
 Size: 1M
 LED Type: SMD
 IP Rating: IP20

Box Qty.
100 Pcs





new!





Box Qty.
180 Pcs

Aluminium Profiles-Milky

Model No: **VT-8106**
SKU: **3350**
Dimension: **2000x24.7x7mm**
Color of Fixture: **Milky**
EAN: **3800157636780**

Aluminium Profiles-White Housing

Model No: **VT-8106-W**
SKU: **3368**
Dimension: **2000x24.7x7mm**
Color of Fixture: **White**
EAN: **3800157640183**





Aluminium Profiles-Milky



Box Qty.
120 Pcs

new!

Model No: **VT-8107**
SKU Code: **3351**
Dimension: **2000x23x15.5mm**
Color of Fixture: **Milky**
EAN Code: **3800157636797**



new!





Box Qty.
120 Pcs

Aluminium Profiles-Milky

Model No: **VT-8108**
SKU: **3352**
Dimension: **2000x23.5x10mm**
Color of Fixture: **Milky**
EAN: **3800157636803**

Aluminium Profiles-White Housing

Model No: **VT-8108-W**
SKU: **3367**
Dimension: **2000x23.5x10mm**
Color of Fixture: **White**
EAN: **3800157640176**


new!



 Box Qty.
160 Pcs

Aluminium Profiles-Milky

Model No: VT-8109
 SKU: 3353
 Dimension: 2000x15.8x15.8mm
 Color of Fixture: Milky
 EAN: 3800157636810

Aluminium Profiles-White Housing

Model No: VT-8109-W
 SKU: 3369
 Dimension: 2000x15.8x15.8mm
 Color of Fixture: White
 EAN: 3800157640190


new!



 Box Qty.
120 Pcs

Aluminium Profiles-Milky

Model No: VT-8110
 SKU: 3354
 Dimension: 2000x17.2x15.5mm
 Color of Fixture: Milky
 EAN: 3800157636827

Aluminium Profiles-White Housing

Model No: VT-8110-W
 SKU: 3366
 Dimension: 2000x17.2x15.5mm
 Color of Fixture: White
 EAN: 3800157640169


new!


 Box Qty.
180 Pcs

Aluminium Profiles-Milky

Model No: VT-8113
 SKU: 3355
 Dimension: 2000x17.4x7mm
 Color of Fixture: Milky
 EAN: 3800157636834

Aluminium Profiles-White Housing

Model No: VT-8113-W
 SKU: 3365
 Dimension: 2000x17.4x7mm
 Color of Fixture: White
 EAN: 3800157640152



new!




Box Qty.
120 Pcs

Aluminium Profiles-Milky

Model No: **VT-8114**
SKU: **3356**
Dimension: **2000x19x19mm**
Color of Fixture: **Milky**
EAN: **3800157636841**

Aluminium Profiles-White Housing

Model No: **VT-8114-W**
SKU: **3364**
Dimension: **2000x19x19mm**
Color of Fixture: **White**
EAN: **3800157640145**




Aluminium Profiles-Milky



Box Qty.
120 Pcs

new!

Model No: **VT-8115**
SKU Code: **3357**
Dimension: **2000x24.5x12.2mm**
Color of Fixture: **Milky**
EAN Code: **3800157636858**





Aluminium Profiles-Milky



Box Qty.
120 Pcs

new!

Model No: **VT-8116**
SKU Code: **3358**
Dimension: **2000x17.4x12.1mm**
Color of Fixture: **Milky**
EAN Code: **3800157636855**





Aluminium Profiles-Milky-Set

Box Qty.
30 Pcs

new!

Model No: **VT-8101**
SKU Code: **3359**
Dimension: **2000mm**
Color of Fixture: **Milky**
EAN Code: **3800157636995**





Aluminium Profiles-Milky-Set

Box Qty.
50 pcs

new!

Model No: **VT-8102**
SKU Code: **3360**
Dimension: **2000mm**
Color of Fixture: **Milky**
EAN Code: **3800157637008**





Aluminium Profiles-Milky-Set

Box Qty.
40 Pcs

new!

Model No: **VT-8103**
SKU Code: **3361**
Dimension: **2000mm**
Color of Fixture: **Milky**
EAN Code: **3800157637015**




Aluminium Profiles-Milky-Set

Box Qty.
30 Pcs

new!

Model No: **VT-8104**
SKU Code: **3362**
Dimension: **2000mm**
Color of Fixture: **Milky**
EAN Code: **3800157637022**



Aluminium Profiles-Milky-Set

Box Qty.
30 Pcs


new!

Model No: **VT-8105**
SKU Code: **3363**
Dimension: **2000mm**
Color of Fixture: **Milky**
EAN Code: **3800157637039**



Aluminium Profile-Transparent


Box Qty.
100 Pcs



Model No: **VT-7101-T**
SKU: **9981**
Dimension: **16.76x10.3x1000mm**
Color of Fixture: **Transparent**
EAN: **3800230622129**



Aluminium Profile-Matt




 Box Qty.
100 Pcs

Model No: **VT-7101-M**
 SKU: **9982**
 Dimension: **16.76x10.3x1000mm**
 Color of Fixture: **Matt**
 EAN: **3800230622136**



Aluminium Profile-Transparent




 Box Qty.
140 Pcs

Model No: **VT-7102-T**
 SKU: **9983**
 Dimension: **16.9x12.48x1000mm**
 Color of Fixture: **Transparent**
 EAN: **3800230622143**



Aluminium Profile-Matt




 Box Qty.
140 Pcs

Model No: **VT-7102-M**
 SKU: **9984**
 Dimension: **16.9x12.48x1000mm**
 Color of Fixture: **Matt**
 EAN: **3800230622150**



Aluminium Profile-Transparent




 Box Qty.
90 Pcs

Model No: **VT-7103-T**
 SKU: **9985**
 Dimension: **26.5x9x1000mm**
 Color of Fixture: **Transparent**
 EAN: **3800230622150**



Aluminium Profile-Matt




Model No: VT-7103-M
SKU: 9986
Dimension: 26.5x9x1000mm
Color of Fixture: Matt
EAN: 3800230622174

Box Qty.
90 Pcs



Aluminium Profile-Matt




Model No: VT-7104-M
SKU: 9987
Dimension: 19x19x1000mm
Color of Fixture: Matt
EAN: 3800230622181

Box Qty.
80 Pcs



Aluminium Profile-2 Meters




Model No: VT-7104
SKU: 9956
Dimension: 19x19x2000mm
Color of Fixture: Milky
EAN: 3800157635509

Box Qty.
40 Pcs



Aluminium Profile-2 Meters




Model No: VT-7109-2Pc
SKU: 9957
Dimension: 22x17x2000mm
Color of Fixture: Milky
EAN: 3800157617208

Box Qty.
150 Pcs




Aluminium Profile-Milky




Box Qty.
150 Pcs

Model No: **VT-7109**
 SKU: **9947**
 Dimension: **22x17x1000mm**
 Color of Fixture: **Milky**
 EAN: **3800157617208**



Aluminium Profile-Milky




Box Qty.
150 Pcs

Model No: **VT-7105**
 SKU: **9990**
 Dimension: **24.6x7.85x1000mm**
 Color of Fixture: **Milky**
 EAN: **3800230628077**



Aluminium Profile-2 Meters




Box Qty.
50 Pcs

Model No: **VT-7105-M**
 SKU: **9991**
 Dimension: **24.6x7.85x2000mm**
 Color of Fixture: **Milky**
 EAN: **3800230628794**



Aluminium Profile-2 Meters




Box Qty.
150 Pcs

Model No: **VT-7106-1**
 SKU: **9992**
 Dimension: **17.5x7.8x1000/2000mm**
 Color of Fixture: **Milky**
 EAN: **3800230628800**




Aluminium Profile-2 Meters




Model No:	VT-7106-2
SKU:	9993
Dimension:	17.5x7.8x1000/2000mm
Color of Fixture:	Milky
EAN:	3800230628817

Box Qty.
70 Pcs



Aluminium Profile-Milky




Model No:	VT-7107
SKU:	9994
Dimension:	60x35.1x1000mm
Color of Fixture:	Milky
EAN:	3800157601399

Box Qty.
16 Pcs



Aluminium Profile-Milky



Model No:	VT-7108
SKU:	9995
Dimension:	20.54x1000mm
Color of Fixture:	Milky
EAN:	3800157601405

Box Qty.
56 Pcs



Strip-Controller-Dimmer

VT-2402



Dimmer for LED Strip with
Remote Control

SKU: 3300
Max Current /Watt: 8A, 96W
Input Voltage: DC:12/24V
EAN: 3800230622198



Strip-Controller-Radio

VT-2404



Radio Controller with Remote
Control 4 Buttons

SKU: 3303
Max Current /Watt: 12A, 144W
Input Voltage: DC:12/24V
EAN: 3800230622204



Strip-Controller-DMX 512

VT-DM X 512



SKU: 3307
Max Current /Watt: 4A x3, 360W
Input Voltage: DC:12V
EAN: 3800230622266



Strip-Controller-Radio

VT-2405



Radio Controller with Touch
Remote Control

SKU: 3312
Max Current /Watt: 3A x4, 144W
Input Voltage: DC:12/24V
EAN: 3800230622273



Strip-Controller-Radio

VT-2406



Radio Controller with Remote
Control

SKU: 3318
Max Current /Watt: 500W
Input Voltage: DC:12/24V
EAN: 3800230622235



Strip-Controller-RF

3320



Box Qty.
500 Pcs

Mini RF Controller

SKU: 3320
Input Voltage: DC:12V
EAN: 3800230628022



Strip-Controller-Infrared

VT-2472



Box Qty.
100 Pcs

Infrared Controller with
Remote Control 24 Buttons

SKU: 3625
Max Current /Watt: 72w
Input Voltage: DC:12/24V
EAN: 3800230629630



Strip-Amplifier-5050

3009



Box Qty.
100 Pcs

5050 RGB Strip Amplifier

SKU: 3009
Max Current /Watt: 6A, 72W
Input Voltage: DC:12V
EAN: 3800230622259



Strip-Amplifier-5050

3018



Box Qty.
1000 Pcs

5050 RGB Strip Mini-Amplifier

SKU: 3018
Input Voltage: DC:12V
EAN: 3800230622242



Strip-Controller

3319



Box Qty.
500 Pcs

24B Mini Controller

SKU: 3319
Input Voltage: DC:12V
EAN: 3800230628015



Strip-Controller-Wifi

3321

Box Qty.
50 Pcs

Wi-Fi Single Controller

SKU:	3321
Input Voltage:	DC:12V
EAN:	3800230628039



Strip-Controller-Wifi RGB

3322

Box Qty.
50 Pcs

Wi-Fi RGB Controller

SKU:	3322
Input Voltage:	DC:12V
EAN:	3800230628046



Strip-Controller-5050

3326

Box Qty.
100 Pcs5050 60 RGB+W/WW with LED
Controller

SKU:	3326
Input Voltage:	DC:12V
EAN:	3800230629630



Strip-Amplifier

VT-2408

Box Qty.
100 Pcs

RGB+W Amplifier

SKU:	3327
Input Voltage:	DC:12V
EAN:	3800157601047



Strip-Amplifier

VT-2407

Box Qty.
100Pcs

RGB Amplifier

SKU:	3309
Input Voltage:	DC:12V
EAN:	3800157620819



Bed Light-Sensor VT-8069

Box Qty.
400Pcs

SKU: 2554
Input voltage: DC:12V
Sensing Distance: 2-5m
DeLay Time: 3s-6min
EAN: 3800157632690




Bed Light-Touch Sensor VT-8071

Box Qty.
100Pcs

Touch Switch & Dimmer

SKU: 2556
Input voltage: DC:12V
EAN: 3800157632713



Bed Light-Hand Wave Sensor VT-8072

Box Qty.
100Pcs

SKU: 2557
Input voltage: DC:12V
EAN: 3800157632720



Strip-Controller-Dimmer VT-2411

Box Qty.

Touch Switch & Dimmer

SKU: 3341
Input voltage: DC:12V
EAN: 3800157636148



Bed Light-Connector Terminal VT-8070

Box Qty.
400Pcs

SKU: 2555
EAN: 3800157632706



Strip-Controller-Dimmer

VT-2410

Box Qty.
100 Pcs

RF Controller+Dimmer

SKU: 3663
 Max Current /Watt: 6A 216W/432W
 Input Voltage: DC:12V
 EAN: 3800157619509



LED Sync Controller- Dimmer

VT-2414

Box Qty.
50Pcs

SKU: 3337
 Input Voltage: DC:12/24V
 EAN: 3800157634601



LED Sync Controller- RGBW/WW

VT-2424

Box Qty.
60Pcs

SKU: 3338
 Input Voltage: DC:12/24V
 EAN: 3800157634618



LED Sync Controller- RGB

VT-2420

Box Qty.
60Pcs

SKU: 3339
 Input Voltage: DC:12/24V
 EAN: 3800157634625



LED Sync Controller- RGB

VT-2421

Box Qty.
100Pcs

SKU: 3340
 Input Voltage: DC:12/24V
 EAN: 3800157634632

Modules-3 SMD-IP67

0.72w VT-50303

SKU: 5116 - 6000K White
SKU: 5117 - Red
SKU: 5118 - Blue
SKU: 5119 - Green

3800157610209
3800157610216
3800157610223
3800157610230

Voltage/Frequency: **DC:12V**
Luminous Flux: **66lm**
LED Type: **SMD**
CRI: **>75**
Beam Angle: **160°**
Dimension: **67x15x8.5mm**
IP Rating: **IP67**



Box Qty.
2000 Pcs

IP67
RATING

Modules-3 SMD-IP67

1w VT-28353

SKU: 5120 - 6000K White
SKU: 5121 - Red
SKU: 5123 - Green

3800157610247
3800157610254
3800157610261
3800157610278

Voltage/Frequency: **DC:12V**
Luminous Flux: **100lm**
LED Type: **SMD**
CRI: **>75**
Beam Angle: **120°**
Dimension: **53x12x4.6mm**
IP Rating: **IP67**



Box Qty.
200 Pcs

IP67
RATING

Modules-3 SMD-IP67

1.5w VT-28356

SKU: 5124 - 3000K Warm White
SKU: 5127 - Blue
SKU: 5128 - Green

3800157621687
3800157621694
3800157621700
3800157621717
3800157621724

Voltage/Frequency: **DC:12V**
Luminous Flux: **120-150lm**
LED Type: **SMD**
CRI: **>75**
Beam Angle: **120°**
Dimension: **87x15x10mm**
IP Rating: **IP67**



Box Qty.
2000 Pcs

IP67
RATING

Modules-4 SMD-IP68

1.44w **VT-28358**

SKU: 5129 - 3000K Warm White
 SKU: 5130 - 6000K White
 SKU: 5131 - Red
 SKU: 5132 - Blue
 SKU: 5133 - Green

3800157621731
 3800157621748
 3800157621755
 3800157621762
 3800157621779

Voltage/Frequency: **DC:12V**
 Luminous Flux: **120-135lm**
 LED Type: **SMD**
 CRI: **>75**
 Beam Angle: **160°**
 Dimension: **37x37x6.8mm**
 IP Rating: **IP68**


 Box Qty.
100Pcs
 **IP68**
 RATING

Modules-3 SMD-IP67

0.72w **VT-50506**

SKU: 5134 - RGB

3800157621786

Voltage/Frequency: **DC:12V**
 Luminous Flux: **20lm**
 LED Type: **SMD**
 CRI: **>75**
 Beam Angle: **120°**
 Dimension: **68x19.5x5.7mm**
 IP Rating: **IP67**


 Box Qty.
100 Pcs
 **IP67**
 RATING

Modules-SMD-IP68

0.24w **VT-50501**


SKU: 5135 - 3000K Warm white
 SKU: 5136 - 6000K White
 SKU: 5137 - Red
 SKU: 5139 - Blue
 SKU: 5140 - Green
 SKU: 5138 - Yellow


3800157621793
 3800157621809
 3800157621816
 3800157621830
 3800157621847
 3800157621823

Voltage/Frequency: **DC:12V**
 Luminous Flux: **20lm**
 LED Type: **SMD**
 CRI: **>75**
 Beam Angle: **120°**
 Dimension: **12x22mm**
 IP Rating: **IP68**


 Box Qty.
320 Pcs
 **IP68**
 RATING

Power Supply For **LED** Strip Lights






Slim Power Supply

VT-20062

Box Qty.
36 Pcs

SKU :	3246
Watts:	60w
Current Capacity:	5A
Input Power:	AC:85-265V,50/60Hz
Output:	DC:12V
Unit Size:	130x50x31mm
EAN:	3800157628549




Slim Power Supply

VT-20077

Box Qty.
60 Pcs

With short circuit protection,
over load protection, stable
output voltage

SKU :	3247
Watts:	75w
Current Capacity:	6A
Input Power:	AC:85-265V,50/60Hz
Output:	DC:12V
Unit Size:	130x50x31mm
EAN:	3800157628556



Slim Power Supply

VT-20122

Box Qty.
80 Pcs

Built in EMI Filter

SKU :	3243
Watts:	120w
Current Capacity:	10A
Input Power:	AC:85-265V,50/60Hz
Output:	DC:12V
Unit Size:	190x50x31mm
EAN:	3800157628525



Slim Power Supply

VT-20152

Box Qty.
60 Pcs

High efficiency, low
temperature

SKU :	3244
Watts:	150w
Current Capacity:	12.5A
Input Power:	AC:85-265V,50/60Hz
Output:	DC:12V
Unit Size:	200x62x31mm
EAN:	3800157628532

new!

Slim Power Supply

VT-20352



Box Qty.

SKU : 3259
Watts: 350w
Current Capacity: 5A
Input Power: AC:200-240V,50/60 Hz
Output: DC:12V
Unit Size:
EAN: 3800157636766

Power Supply-Metal

VT-20026



Box Qty.

100 Pcs

100% load tested

SKU : 3228
Watts: 25w
Current Capacity: 2.1A
Input Power: AC:85-265V,50/60Hz
Output: DC:12V
Unit Size: 140x33x27mm
EAN: 3800157622929

Power Supply-Metal

VT-20350



Box Qty.

20 Pcs

SKU : 3057
Watts: 350w
Current Capacity: 30A
Input Power: AC:110-220V,50/60Hz
Output: DC:12V
Unit Size: 215x115x50mm
EAN: 3800230621795

Power Supply-Metal

VT-20061


 Box Qty.
100 Pcs

SKU :	3229
Watts:	60w
Current Capacity:	5A
Input Power:	AC:85-265V,50/60Hz
Output:	DC:12V
Unit Size:	160x40x32mm
EAN:	3800157622936

Power Supply-Metal

VT-20076


 Box Qty.
60 Pcs

SKU :	3230
Watts:	75w
Current Capacity:	6A
Input Power:	AC:85-265V,50/60Hz
Output:	DC:12V
Unit Size:	188x47x35mm
EAN:	3800157622943

Power Supply-Metal

VT-20121


 Box Qty.
36 Pcs

SKU :	3226
Watts:	120w
Current Capacity:	10A
Input Power:	AC:85-265V,50/60Hz
Output:	DC:12V
Unit Size:	188x47x35mm
EAN:	3800157622905

Power Supply-Metal

VT-20151




Box Qty.
50 Pcs

SKU : 3227
Watts: 150w
Current Capacity: 12.5A
Input Power: AC:85-265V,50/60Hz
Output: DC:12V
Unit Size: 200x58x40mm
EAN: 3800157622912

Power Supply-Metal

VT-20153



Box Qty.
50 Pcs

SKU : 3253
Watts: 150w
Current Capacity: 6.5A
Input Power: AC:85-265V,50/60Hz
Output: DC:24V
Unit Size: 253x72x45mm
EAN: 3800157635233

Power Supply-Metal

VT-20027



Box Qty.
100 Pcs

SKU : 3254
Watts: 25w
Current Capacity: 2A
Input Power: AC:85-265V,50/60Hz
Output: DC:12V
Unit Size: 140x33x27mm
EAN: 3800157635264

LED Power Supply-TRIAC Dimmable

VT-20101D

Box Qty.
50 Pcs

SKU :	3256
Watts:	100w
Current Capacity:	8.5A
Input Power:	AC:200-240V,50/60 Hz
Output:	DC:12V
Unit Size:	199x98x42mm
EAN:	3800157635523

LED Power Supply-TRIAC Dimmable

VT-20154D

Box Qty.
50 Pcs

SKU :	3257
Watts:	150w
Current Capacity:	12.5A
Input Power:	AC:200-240V,50/60 Hz
Output:	DC:12V
Unit Size:	199x98x42mm
EAN:	3800157635530

LED Power Supply-TRIAC Dimmable

VT-20155D

Box Qty.
50 Pcs

SKU :	3258
Watts:	150w
Current Capacity:	6.25A
Input Power:	AC:200-240V,50/60 Hz
Output:	DC:24V
Unit Size:	199x98x42mm
EAN:	3800157635547



LED Power Supply-Rainproof-IP45

VT-21151

IP45
RATING

Box Qty.
40 Pcs

SKU : 3231
Watts: 150w
Current Capacity: 12.5A
Input Power: AC: 100-264V,50/60Hz
Output: DC:12V
Unit Size: 207x74x42mm
EAN: 3800157627979



LED Power Supply-Rainproof-IP45

VT-21251

IP45
RATING

Box Qty.
25 Pcs

SKU : 3232
Watts: 250w
Current Capacity: 20A
Input Power: AC: 100-264V,50/60Hz
Output: DC:12V
Unit Size: 218x95x50mm
EAN: 3800157627986



LED Power Supply-Rainproof-IP45

VT-21401

IP45
RATING

Box Qty.
20 Pcs

SKU : 3233
Watts: 400w
Current Capacity: 33A
Input Power: AC: 100-264V,50/60Hz
Output: DC:12V
Unit Size: 223x118x50mm
EAN: 3800157627993



Power Supply-Waterproof-IP65

VT-22101Box Qty.
20 Pcs

SKU :	3101
Watts:	100w
Current Capacity:	4.2A
Input Power:	AC: 100-264V,50/60Hz
Output:	DC:24V
Unit Size:	201x30.5x20mm
EAN:	3800157605991



Power Supply-Waterproof-IP67

VT-22061Box Qty.
40 Pcs

SKU :	3234
Watts:	60w
Current Capacity:	5A
Input Power:	AC: 100-264V,50/60Hz
Output:	DC:12V
Unit Size:	166x43x33mm
EAN:	3800157628006



Power Supply-Waterproof-IP67

VT-22075Box Qty.
40 Pcs

SKU :	3235
Watts:	75w
Current Capacity:	6A
Input Power:	AC: 100-264V,50/60Hz
Output:	DC:12V
Unit Size:	166x43x33mm
EAN:	3800157628013



Power Supply-Waterproof-IP67

VT-22153Box Qty.
15 Pcs

SKU :	3248
Watts:	150w
Current Capacity:	6A
Input Power:	AC: 100-264V,50/60Hz
Output:	DC:12V
Unit Size:	192x52x37mm
EAN:	3800157629362



Power Supply-Waterproof-IP67



VT-22155

SKU : 3250
Watts: 150w
Current Capacity: 12.5A
Input Power: AC: 100-264V,50/60Hz
Output: DC:12V
Unit Size: 192x52x37mm
EAN: 3800157630436



Box Qty.
20 Pcs

5 **V-TAC®** **PRO**
— YEAR —
WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Power Supply-Waterproof-IP67



VT-22105

SKU : 3251
Watts: 100w
Current Capacity: 8.3A
Input Power: AC: 100-264V,50/60Hz
Output: DC:12V
Unit Size: 192x52x37mm
EAN: 3800157630443



Box Qty.
25 Pcs

5 **V-TAC®** **PRO**
— YEAR —
WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Power Supply-Waterproof-IP67



VT-22065

SKU : 3252
Watts: 60w
Current Capacity: 5A
Input Power: AC: 100-264V,50/60Hz
Output: DC:12V
Unit Size: 166x43x33mm
EAN: 3800157630450



Box Qty.
40 Pcs

5 **V-TAC®** **PRO**
— YEAR —
WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty





Power Supply-Plastic-IP44

VT-23019

 Box Qty.
120 Pcs

SKU :	3237
Watts:	18w
Current Capacity:	1.5A
Input Power:	AC: 100-264V,50/60Hz
Output:	DC:12V
Unit Size:	73x27x43mm
EAN:	3800157628037




LED Power Supply-Plastic

VT-23005

 Box Qty.
120 Pcs

SKU :	3260
Watts:	5w
Current Capacity:	1A
Input Power:	AC:100-265V 50/60 Hz
Output:	DC:+5V
Unit Size:	73x27x43mm
EAN:	3800157637992



Power Supply-Plastic-IP44

VT-23031

 Box Qty.
50 Pcs

SKU :	3238
Watts:	30w
Current Capacity:	2.5A
Input Power:	AC: 100-264V,50/60Hz
Output:	DC:12V
Unit Size:	119x52x32mm
EAN:	3800157628044



Power Supply-Plastic-IP44

VT-23061



Box Qty.
50 Pcs

SKU : 3239
Watts: 60w
Current Capacity: 5A
Input Power: AC: 100-264V,50/60Hz
Output: DC:12V
Unit Size: 119x52x32mm
EAN: 3800157628051



Power Supply-Plastic-IP44

VT-23079



Box Qty.
50 Pcs

SKU : 3240
Watts: 78w
Current Capacity: 6.5A
Input Power: AC: 100-264V,50/60Hz
Output: DC:12V
Unit Size: 119x52x32mm
EAN: 3800157628068



Power Supply-Plastic-IP44

VT-23043



Box Qty.
50 Pcs

SKU : 3249
Watts: 42w
Current Capacity: 3.5A
Input Power: AC:100-265V 50/60 Hz
Output: DC:12V
Unit Size: 119x52x32mm
EAN: 3800157629379




Power Supply-Plastic

VT-23060



Box Qty.
50 Pcs

SKU : 3035
Watts: 60w
Current Capacity: 5A
Input Power: AC:100-265V 50/60 Hz
Output: DC:12V
Unit Size: 130x90x45mm
EAN: 3800157601085





LED LINEAR LIGHTS

V-TAC's new Linear Trunking Light is a set of highly efficient, continuous linear light fixtures with a staggering 160 lm/w rating & a plug-and-play system. It provides an efficient, linkable modular system which means that each unit can be easily connected to the Linear Master Trunking through L, T, and X node connectors. 90°, 120°, and double asymmetric lenses are available for maximum adaptability on any space. Perfect suspended lighting for supermarkets, warehouse, service centers, and gymnasiums. No warm-up time, instant start-up. Sustained color temperature throughout long periods of usage.

High lumen output

output: 160 lm/W to meet different requirements

V-TAC PERFORMANCE
160
LUMENS/WATT


Flexible Beam angle


90°, 120°, double-asymmetric



Modular system

Continuous row system, seamless connection, max 3500W /row






LED Linear Master Trunking

SKU: 1360 - 4000K Day White


3800157625647



LED Linear Master Trunking

SKU: 1361 - 4000K Day White


3800157625654



LED Linear Master Trunking

SKU: 1362 - 4000K Day White

3800157625661



50w

VT-4551D

Box Qty.
2 Pcs

Sensor Compatible: Yes
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 8000lm
 LED Type: SMD
 CRI: >80
 PF: >0.9

5 **V-TAC** **PRO**
YEAR
WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

Color of Fixture: White
 Body Type: Steel
 Dimension: 1500mm
 ON/OFF Time: >15000
 Life Span: 50,000 Hours




V-TAC PERFORMANCE
160
 LUMENS/WATT




LED Linear Follow Trunking

SKU: 1363 - 4000K Day White
3800157625678




LED Linear Follow Trunking

SKU: 1364 - 4000K Day White
3800157625685



LED Linear Follow Trunking

SKU: 1365 - 4000K Day White
3800157625692



50w VT-4550D

Box Qty.
2 Pcs

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **8000lm**
LED Type: **SMD**
CRI: **>80**
PF: **>0.9**

5 **V-TAC®** **PRO**
— YEAR —
WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

Color of Fixture: **White**
Body Type: **Steel**
Dimension: **1500mm**
ON/OFF Time: **>15000**
Life Span: **50,000 Hours**



V-TAC PERFORMANCE
160
LUMENS/WATT



Linear Track Module



SKU : 1382
EAN : 3800157626415



End Cap-Linear Light Accessory



SKU : 1366
EAN : 3800157625708



Suspended Cord-Linear Light



SKU : 1367
EAN : 3800157625715



8 Wire-Feed In Male Connector



SKU : 1368
EAN : 3800157625722



L Node Connector-Linear



SKU : 1383
EAN : 3800157626422



T Node Connector-Linear



SKU : 1384
EAN : 3800157626439



X Node Connector-Linear



SKU : 1385
EAN : 3800157626446



S Line-Follow Trunking Rail



SKU : 1451
EAN : 3800157635240



S Line-PC Blank Cover



SKU : 1452
EAN : 3800157635257



LED Track Lights

V-TAC's extensive range of modern LED track lights are the perfect ecological alternative to old, inefficient Halogen lights. Delivering high performance, excellent durability and remarkable light output to serve the general Commercial and Retail market.

Product Features

- Saves 80% energy
- No Ultraviolet or Infrared Rays
- Totally flexible, compact & adjustable design
- No Lead or Mercury content hence environment-friendly
- Provides uniform radiance & enhances appeal of retail environment
- Enhances measurable levels of performance as compared to older versions of high wattage Halogen & HID light sources in retail & commercial lighting applications

Applications


Perfect choice for Exhibition Stands, Hotels, Bars, Commercial & Residential Lighting.

new!


Tracklights-Smart Color Changing 15W VT-7715-W

SKU: 1456 - 3 IN 1

3800157637909

Box Qty.
20 Pcs**CCT AND DIMMING
VIA SMART PHONE APP****CCT Adjustable
2800K/4000K/6000K**


Voltage/Frequency:	AC:220-240V,50/60Hz	PF:	>0.5
Luminous Flux:	1500	Beam Angle:	18°-48°
LED Type:	COB	Color of Fixture:	White
CRI:	>80	Body Type:	Aluminium
		Life span:	30,000 Hours
		Dimension:	250x141x60mm

**new!**


Tracklights-Smart Color Changing 15W VT-7715-B

SKU: 1457 - 3 IN 1

3800157637916

Box Qty.
20 Pcs**CCT AND DIMMING
VIA SMART PHONE APP****CCT Adjustable
2800K/4000K/6000K**

Voltage/Frequency:	AC:220-240V,50/60Hz	PF:	>0.5
Luminous Flux:	1500	Beam Angle:	18°-48°
LED Type:	COB	Color of Fixture:	Black
CRI:	>80	Body Type:	Aluminium
		Life span:	30,000 Hours
		Dimension:	250x141x60mm



new!



Tracklights-Smart Color Changing 35W VT-7735-W

SKU: 1458 - 3 IN 1

3800157637923




Box Qty.
20 Pcs



**CCT AND DIMMING
VIA SMART PHONE APP**



**CCT Adjustable
2800K/4000K/6000K**



Voltage/Frequency: **AC:220-240V,50/60Hz**

PF: **>0.9**

Luminous Flux: **3500**

Beam Angle: **16°-53°**

LED Type: **COB**


Color of Fixture: **White**

CRI: **>80**

Body Type: **Aluminium**

Life span: **30,000 Hours**

Dimension: **250x183x93mm**



new!



Tracklights-Smart Color Changing 35W VT-7735-B

SKU: 1459 - 3 IN 1

3800157637930




Box Qty.
20 Pcs



**CCT AND DIMMING
VIA SMART PHONE APP**



**CCT Adjustable
2800K/4000K/6000K**



Voltage/Frequency: **AC:220-240V,50/60Hz**

PF: **>0.9**

Luminous Flux: **3500**

Beam Angle: **16°-53°**

LED Type: **COB**


Color of Fixture: **Black**

CRI: **>80**

Body Type: **Aluminium**

Life span: **30,000 Hours**

Dimension: **250x183x93mm**





15° to 60°
Beam Angle
Adjustable by Rotating



Tracklights-CREE COB-15° to 60° 35W VT-4735

SKU: 1357 - 3000K Warm White

3800157625074

SKU: 1358 - 4000K Day White


3800157625081

SKU: 1359 - 6400K White

3800157625098




Box Qty.
8 Pcs



5  **PRO**
YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **2800lm**
LED Type: **COB(CREE)**
CRI: **>80**

PF: **>0.9**
Beam Angle: **15°-60° (Adjustable)**
Color of Fixture: **White**
Body Type: **Aluminium**
Life span: **30,000 Hours**
Dimension: **178.4x197.7x95mm**



Tracklights-Color Changing 18w VT-4718-W

SKU: 1410 - 3 IN 1

3800157629324



Box Qty.
20 Pcs



CCT Adjustable
2800K/4000K/6000K



Lens Angle Adjustable
20°~60°



Triac Dimmable

Sensor Compatible: Yes

Voltage/Frequency: AC:220-240V,50/60Hz

Luminous Flux: 1450lm

LED Type: COB

CRI: >95

PF: >0.9

Beam Angle: 20° ~ 60° (Adjustable)

Color of Fixture: White

Body Type: Aluminium

Life span: 30,000 Hours

Dimension: Ø93x93.5x203mm

5 YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Tracklights-Color Changing 18w VT-4718-B

SKU: 1411 - 3 IN 1

3800157629331



Box Qty.
20 Pcs



CCT Adjustable
2800K/4000K/6000K



Lens Angle Adjustable
20°~60°



Triac Dimmable

Sensor Compatible: Yes

Voltage/Frequency: AC:220-240V,50/60Hz

Luminous Flux: 1450lm

LED Type: COB

CRI: >95

PF: >0.9

Beam Angle: 20° ~ 60° (Adjustable)

Color of Fixture: Black



Body Type: Aluminium

Life span: 30,000 Hours

Dimension: Ø93x93.5x203mm

5 YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty





Tracklights-Color Changing

35W VT-4745-W

SKU: 1412 - 3 IN 1

3800157629348

Box Qty.
8 PcsCCT Adjustable
2800K/4000K/6000KLens Angle Adjustable
20°~60°

Triac Dimmable

Sensor Compatible: Yes

PF: >0.9

Voltage/Frequency: AC:220-240V,50/60Hz

Beam Angle: 20° ~ 60° (Adjustable)

Luminous Flux: 3000lm

Color of Fixture: White

LED Type: COB

Body Type: Aluminium


CRI: >95

Life span: 30,000 Hours

Dimension: Ø100x196x262mm

5 V-TAC® PRO
YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Tracklights-Color Changing

35W VT-4745-B

SKU: 1413 - 3 IN 1

3800157629355

Box Qty.
8 PcsCCT Adjustable
2800K/4000K/6000KLens Angle Adjustable
20°~60°

Triac Dimmable

Sensor Compatible: Yes

PF: >0.9

Voltage/Frequency: AC:220-240V,50/60Hz

Beam Angle: 20° ~ 60° (Adjustable)

Luminous Flux: 3000lm

Color of Fixture: Black

LED Type: COB

Body Type: Aluminium


CRI: >95

Life span: 30,000 Hours

Dimension: Ø100x196x262mm

5 V-TAC® PRO
YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty





Tracklights-Black-White Body


10w VT-4512

SKU: 1332 - 3000K Warm White
SKU: 1333 - 4000K Day White
SKU: 1334 - 6000K White

3800157620604
3800157620611
3800157620628




Box Qty.
40 Pcs



5 YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-264V,50/60Hz	Beam Angle:	24°
Luminous Flux:	800lm	Color of Fixture:	Black+White
LED Type:	COB	Body Type:	Aluminium
CRI:	>80	Life span:	30,000 Hours
		Dimension:	209x65x163mm



Tracklights-Black-White Body


25w VT-4528

SKU: 1335 - 3000K Warm White
SKU: 1336 - 4000K Day White
SKU: 1337 - 6000K White

3800157620635
3800157620642
3800157620659




Box Qty.
20 Pcs



5 YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	24°
Luminous Flux:	2100lm	Color of Fixture:	Black+White
LED Type:	COB	Body Type:	Aluminium
CRI:	>80	Life span:	30,000 Hours
		Dimension:	209x85x187mm


Tracklights-Black-White Body
35w VT-4537

SKU: 1338 - 3000K Warm White



SKU: 1339 - 4000K Day White

SKU: 1340 - 6000K White

3800157620666

3800157620673

3800157620680


 Box Qty.
10 Pcs

5 **V-TAC®** **PRO**
YEAR WARRANTY
*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

 Sensor Compatible: **Yes**

 Voltage/Frequency: **AC:220-240V,50/60Hz**

 Luminous Flux: **2850lm**

 LED Type: **COB**

 CRI: **>80**

 PF: **>0.9**

 Beam Angle: **24°**

 Color of Fixture: **Black+White**

 Body Type: **Aluminium**

 Life span: **30,000 Hours**

 Dimension: **224x100x215mm**





Tracklights-White Body-5 Years

15W VT-4615W

SKU: 1298 - 3000K Warm White
SKU: 1299 - 4000K Day White
SKU: 1300 - 6400K White

3800157619851
3800157619868
3800157619875




Box Qty.
20 Pcs

5 YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

Experience The
True Colors with
CRI95 TRACKS

CRI >95



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	24°
Luminous Flux:	1350lm	Color of Fixture:	White
LED Type:	COB	Body Type:	Aluminium
CRI:	>95	Life span:	30,000 Hours
		Dimension:	Ø180x97x155mm




Tracklights-Black Body-5 Years

15W VT-4615B

SKU: 1301 - 3000K Warm White
SKU: 1302 - 4000K Day White
SKU: 1303 - 6400K White

3800157619882
3800157619899
3800157619905




Box Qty.
20 Pcs

5 YEAR WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

Experience The
True Colors with
CRI95 TRACKS

CRI >95



Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	24°
Luminous Flux:	1350lm	Color of Fixture:	Black
LED Type:	COB	Body Type:	Aluminium
CRI:	>95	Life span:	30,000 Hours
		Dimension:	180x97x155mm



Tracklights-White Body-5 Years

30w VT-4635W

SKU: 1292 - 3000K Warm White


3800157619790

SKU: 1293 - 4000K Day White

3800157619806

SKU: 1294 - 6400K White

3800157619813

Box Qty.
20 Pcs

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Sensor Compatible: Yes
Voltage/Frequency: AC:220-264V,50/60Hz
Luminous Flux: 2700lm
LED Type: COB
CRI: >95

PF: >0.9
Beam Angle: 24°
Color of Fixture: White
Body Type: Aluminium
Life span: 30,000 Hours
Dimension: 180x140x215mm



Tracklights-Black Body-5 Years

30w VT-4635B

SKU: 1295 - 3000K Warm White


3800157619820

SKU: 1296 - 4000K Day White

3800157619837

SKU: 1297 - 6400K White

3800157619844

Box Qty.
20 Pcs

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty



Sensor Compatible: Yes
Voltage/Frequency: AC:220-264V,50/60Hz
Luminous Flux: 2700lm
LED Type: COB
CRI: >95

PF: >0.9
Beam Angle: 24°
Color of Fixture: Black
Body Type: Aluminium
Life span: 30,000 Hours
Dimension: 180x140x215mm

Tracklights-Black Body


33W VT-4535

SKU: 1233 - 3000K Warm White
SKU: 1234 - 4000K Day White
SKU: 1235 - 5000K White


3800157603720
3800157603737
3800157603744



Box Qty.
8 Pcs



LUMINOUS INTENSITY DISTRIBUTION



Experience The
True Colors with
CRI95 TRACKS

CRI
>95

Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	25°
Luminous Flux:	1800lm	Color of Fixture:	Black
LED Type:	COB	Body Type:	Die Cast Aluminium
CRI:	>95	Life span:	20,000 Hours
		Dimension:	112x165x205mm

Tracklights-Black Body


45W VT-4545

SKU: 1236 - 3000K Warm White
SKU: 1237 - 4000K Day White
SKU: 1238 - 5000K White


3800157603751
3800157603768
3800157603775



Box Qty.
8 Pcs



LUMINOUS INTENSITY DISTRIBUTION



Experience The
True Colors with
CRI95 TRACKS

CRI
>95

Sensor Compatible:	Yes	PF:	>0.9
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	25°
Luminous Flux:	2300lm	Color of Fixture:	Black
LED Type:	COB	Body Type:	Die Cast Aluminium
CRI:	>95	Life span:	20,000 Hours
		Dimension:	123x165x218mm




Tracklights-Black Body 20w VT-4521T

SKU: 1202 - 5000K Day White 3800157600187



Box Qty.
8 Pcs



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **1500lm**
LED Type: **COB**
CRI: **>80**

PF: **>0.9**
Beam Angle: **46°**
Color of Fixture: **Black**
Body Type: **Die Cast Aluminium**
Life span: **20,000 Hours**
Dimension: **Ø80x185mm**




Tracklights-Black Body 40w VT-4540T

SKU: 1191 - 3000K Warm White
SKU: 1192 - 5000K Day White

3800230629548
3800230629555



Box Qty.
8 Pcs



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **2600lm**
LED Type: **COB**
CRI: **>70**

PF: **>0.9**
Beam Angle: **22°**
Color of Fixture: **Black**
Body Type: **Aluminium**
Life span: **20,000 Hours**
Dimension: **225x185x138mm**



Tracklights-White Body

33W VT-4534W

SKU: 1241 - 3000K Warm White

SKU: 1229 - 4000K Day White

SKU: 1230 - 5000K White


3800157603997

3800157602501


3800157602518



Box Qty.
8 Pcs



LUMINOUS INTENSITY DISTRIBUTION



Sensor Compatible: **Yes**

Voltage/Frequency: **AC:220-240V,50/60Hz**

Luminous Flux: **2300lm**

LED Type: **COB**

CRI: **>80**

PF: **>0.9**

Beam Angle: **22°**

Color of Fixture: **White**

Body Type: **Die Cast Aluminium**

Life span: **20,000 Hours**

Dimension: **106x208x206mm**



Tracklights-Black Body

33W VT-4534B

SKU: 1242 - 3000K Warm White

SKU: 1231 - 4000K Day White

SKU: 1232 - 5000K White


3800157604000

3800157602525


3800157602532



Box Qty.
8 Pcs



LUMINOUS INTENSITY DISTRIBUTION



Sensor Compatible: **Yes**

Voltage/Frequency: **AC:220-240V,50/60Hz**

Luminous Flux: **2300lm**

LED Type: **COB**

CRI: **>80**

PF: **>0.9**

Beam Angle: **22°**

Color of Fixture: **Black**

Body Type: **Die Cast Aluminium**

Life span: **20,000 Hours**

Dimension: **106x208x206mm**




Tracklights-White Body 35w VT-4536W


SKU: 1255 - 3000K Warm White
SKU: 1256 - 4500K Day White
SKU: 1257 - 6000K White

Box Qty.
20 Pcs

3800157607551
3800157607568
3800157607575



LMINOUS INTENSITY DISTRIBUTION



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-264V,50/60Hz**
Luminous Flux: **3500lm**
LED Type: **COB**
CRI: **>80**

PF: **>0.9**
Beam Angle: **24°**
Color of Fixture: **White**
Body Type: **Aluminium**
Life span: **20,000 Hours**
Dimension: **92x165x192mm**




Tracklights-Black Body 35w VT-4536B


SKU: 1285 - 3000K Warm White
SKU: 1286 - 4000K Day White
SKU: 1287 - 6000K White

Box Qty.
20 Pcs

3800157618694
3800157618700
3800157618717



LMINOUS INTENSITY DISTRIBUTION



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-264V,50/60Hz**
Luminous Flux: **3500lm**
LED Type: **COB**
CRI: **>80**

PF: **>0.9**
Beam Angle: **24°**
Color of Fixture: **Black**
Body Type: **Aluminium**
Life span: **20,000 Hours**
Dimension: **92x165x192mm**



Track Fittings-4Line-PAR20

4 Line White

Box Qty.
18 Pcs VT-7112-4W

SKU Code: 3554

EAN Code: 3800230628398



Track Fittings-2Line-PAR20

2 Line White

Box Qty.
18 Pcs VT-7112-2W

SKU Code: 3556

EAN Code: 3800230628411



Track Fittings-4Line-PAR20

4 Line Black

Box Qty.
18 Pcs VT-7112-4B

SKU Code: 3553

EAN Code: 3800230628381



Track Fittings-4Line-PAR38

4 Line White

Box Qty.
18 Pcs VT-7116-4W

SKU Code: 3570

EAN Code: 3800157604252



Track-Connectors-4I

Box Qty.
50 Pcs

SKU Code: 3522

EAN Code: 3800230623232



Track-Connectors-4I

Box Qty.
50 Pcs

SKU Code: 3523

EAN Code: 3800230623195



Track-Connectors-4T

Box Qty.
25 Pcs

SKU Code: 3524

EAN Code: 3800230623201



Track-Connectors-4T

Box Qty.
25 Pcs

SKU Code: 3525

EAN Code: 3800230623249



Track-Connectors-4X

Box Qty.
10 Pcs

SKU Code: 3526

EAN Code: 3800230623218



4 Wired Y Series-Connectors

 Box Qty.
100 Pcs

SKU Code: 3655

EAN Code: 3800157619103



4 Wired Y Series-Connectors

 Box Qty.
100 Pcs

SKU Code: 3656

EAN Code: 3800157619110



4 Wired Y Series-Connectors

 Box Qty.
200 Pcs

SKU Code: 3657

EAN Code: 3800157619127



4 Wired Y Series-Connectors

 Box Qty.
200 Pcs

SKU Code: 3658

EAN Code: 3800157619134



4 Wired Y Series-Adaptor

 Box Qty.
50 Pcs

SKU Code: 3659

EAN Code: 3800157619141



4 Wired Y Series-Adaptor

 Box Qty.
50 Pcs

SKU Code: 3660

EAN Code: 3800157619158



Track-Connectors-4X

 Box Qty.
10 Pcs

SKU Code: 3527

EAN Code: 3800230623256



Track-Connectors-4L

 Box Qty.
25 Pcs

SKU Code: 3528

EAN Code: 3800230623225



Track-Connectors-4L

 Box Qty.
25 Pcs

SKU Code: 3529

EAN Code: 3800230623263



Flexible Joint-4 Line

Box Qty.
20 Pcs

SKU Code: **3560**
EAN Code: **3800230628459**



Hanging Trackline Kit-1 Meter

Box Qty.
100 Pcs

SKU Code: **3565**
EAN Code: **3800157600019**



Hanging Trackline Kit-1 Meter

Box Qty.
100 Pcs

SKU Code: **3566**
EAN Code: **3800157600026**



4 Core Track-1 Meter

Box Qty.
10 Pcs

SKU Code: **9944**
EAN Code: **3800230623133**



4 Core Track-1 Meter

Box Qty.
10 Pcs

SKU Code: **9945**
EAN Code: **3800230623164**



4 Core Track-1.5 Meter

Box Qty.
10 Pcs

SKU Code: **9952**
EAN Code: **3800230623140**



4 Core Track-1.5 Meter

Box Qty.
10 Pcs

SKU Code: **9953**
EAN Code: **3800230623171**



4 Core Track-2 Meter

Box Qty.
10 Pcs

SKU Code: **9954**
EAN Code: **3800230623157**



4 Core Track-2 Meter

Box Qty.
10 Pcs

SKU Code: **9955**
EAN Code: **3800230623188**



Track Fitting-Gu10



Box Qty.

20 Pcs VT-788SKU Code: **3617**EAN Code: **3800157607469**

Track Fitting-Gu10



Box Qty.

20 Pcs VT-789SKU Code: **3618**EAN Code: **3800157607476**

Track Fitting-Gu10



Box Qty.

10 Pcs VT-790SKU Code: **3619**EAN Code: **3800157607483**



LED Downlights

Swap outdated CFL Lights with high quality LED Down Lights for long lasting and energy efficient lighting. Choose from a wide range of 3w to 4w variations.

Product Features

- Innumerable styles & elegant appearance
- Non - Flickering
- Premium quality power driver with lowest power factor saver & high RA
- Easy Installation
- Varied finishes with strong die cast aluminium body
- Low maintenance
- All down lights come with premium quality power

Applications

Residences, Showrooms, Hotels & Boutiques etc.



Reflector Series - High Lumen

10w VT-26101

 Box Qty.
27 Pcs

SKU: 1270 - 3000K Warm White 3800157611923
 SKU: 1271 - 4000K Day White 3800157611930
 SKU: 1272 - 6400K White 3800157611947

120+ LUMENS PER WATT
SUPER EFFICIENT

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:100-277V,50/60Hz	Body Type:	PKW
Luminous Flux:	1200lm	Color of Fixture:	White
LED Type:	COB	Shape:	Round
CRI:	>80	Dimension:	Ø135x71mm
PF	>0.5	Cutting Size:	Ø120mm



Reflector Series - High Lumen

20w VT-26201

 Box Qty.
18 Pcs

SKU: 1273 - 3000K Warm White 3800157611954
 SKU: 1274 - 4000K Day White 3800157611961
 SKU: 1275 - 6400K White 3800157611978

120+ LUMENS PER WATT
SUPER EFFICIENT

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:100-277V,50/60Hz	Body Type:	PKW
Luminous Flux:	2400lm	Color of Fixture:	White
LED Type:	COB	Shape:	Round
CRI:	>80	Dimension:	Ø180x83mm
PF	>0.5	Cutting Size:	Ø167mm



Reflector Series - High Lumen

30w VT-26301

 Box Qty.
12 Pcs

SKU: 1276 - 3000K Warm White 3800157611985
 SKU: 1277 - 4000K Day White 3800157611992
 SKU: 1278 - 6400K White 3800157612005

120+ LUMENS PER WATT
SUPER EFFICIENT

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:100-277V,50/60Hz	Body Type:	PKW
Luminous Flux:	3600lm	Color of Fixture:	White
LED Type:	COB	Shape:	Round
CRI:	>80	Dimension:	Ø220x103mm
PF	>0.9	Cutting Size:	Ø207mm



Reflector Series - High Lumen

40W VT-26451

Box Qty.
12 Pcs

SKU: 1453 - 3000K Warm White

3800157635561

SKU: 1279 - 4500K Day White

3800157612012

120+ LUMENS PER WATT

SUPER EFFICIENT

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-270V,50/60Hz**
Luminous Flux: **4800lm**
LED Type: **COB**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Body Type: **PKW**
Color of Fixture: **PKW**
Shape: **Round**
Dimension: **Ø220x103mm**
Cutting Size: **Ø207mm**



Reflector Series

10W VT-2610

Box Qty.
27 Pcs

SKU: 1100 - 6000K White

3800230622372

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **730lm**
LED Type: **COB**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Body Type: **PKW**
Color of Fixture: **PKW**
Shape: **Round**
Dimension: **Ø135x71mm**
Cutting Size: **Ø105mm**



Reflector Series

20W VT-2620

Box Qty.
18 Pcs

SKU: 1103 - 6000K White

3800230622402

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **1500lm**
LED Type: **COB**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Body Type: **PKW**
Color of Fixture: **PKW**
Shape: **Round**
Dimension: **Ø182x90mm**
Cutting Size: **Ø160mm**



Downlight-Moving Head-Square

3W VT-1133SQ
 Box Qty.
100 Pcs

SKU: 5096 - 4000K Day White

3800157609371

SKU: 5097 - 6400K White

3800157609388

3800157609395

Sensor Compatible: **Yes**Voltage/Frequency: **AC:220-240V,50/60Hz**Luminous Flux: **200lm**LED Type: **COB**CRI: **>80**PF **>0.5**Beam Angle: **60°**Body Type: **Aluminium**Color of Fixture: **White**Shape: **Square**Dimension: **55x55x42mm**Cutting Size: **45 x 45mm**

Downlight-Fixed Type-Square

3W VT-1123SQ
 Box Qty.
100 Pcs

SKU: 5110 - 6400K White

3800157609456


Sensor Compatible: **Yes**Voltage/Frequency: **AC:85-265V,50/60Hz**Luminous Flux: **200lm**LED Type: **COB**CRI: **>80**PF **>0.5**Beam Angle: **60°**Body Type: **Aluminium**Color of Fixture: **White**Shape: **Square**Dimension: **45x45x35mm**Cutting Size: **36 x 36 mm**

Step Light With Sensor

3W VT-8035
 Box Qty.
100 Pcs

SKU: 5570 - 4000K Day White

3800157617291

Sensor Compatible: **Sensor Included**Voltage/Frequency: **AC:100-240V, 50/60Hz**Luminous Flux: **100lm**LED Type: **SMD**CRI: **>80**PF **>0.5**Beam Angle: **45°**Body Type: **Die cast Aluminum**Color of Fixture: **White**Shape: **Square**Dimension: **85x85x42mm**Cutting Size: **85x85mm**

Zoom Series - Rectangle


30w VT-2930

Box Qty.
20 Pcs



SKU: 1306 - 3000K Warm White
SKU: 1307 - 4000K Day White

3800157619936
3800157619943
3800157619646



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **2450lm**
LED Type: **COB**
CRI: **>80**
PF: **>0.9**

Beam Angle: **99°**
Body Type: **Die Cast Aluminum**
Color of Fixture: **White**
Shape: **Rectangle**
Dimension: **235x146x139mm**
Cutting Size: **220 x 132mm**

Zoom Series - Round


33w VT-2933

Box Qty.
20 Pcs



SKU: 1304 - 3000K Warm White
SKU: 1305 - 4500K Day White

3800157619912
3800157619929
3800157619639



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **2650lm**
LED Type: **COB**
CRI: **>80**
PF: **>0.9**

Beam Angle: **24°**
Body Type: **Die Cast Aluminum**
Color of Fixture: **White**
Shape: **Round**
Dimension: **Ø165x140mm**
Cutting Size: **Ø 155**

Step Light-Rectangle-IP65

3W VT-1162-W
 Box Qty.
50 Pcs
 **IP65**
 RATING


 SKU: 1327 - 3000K Warm White
 SKU: 1326 - 4000K Day White

 3800157620550
 3800157620543

 Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **110lm**
 LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**

 Beam Angle: **55°**
 Body Type: **PC**
 Color of Fixture: **White**
 Shape: **Rectangle**
 Dimension: **230x80x28mm**

Step Light-Rectangle-IP65


3W VT-1162-B
 Box Qty.
50 Pcs
 **IP65**
 RATING

 SKU: 1329 - 3000K Warm White
 SKU: 1328 - 4000K Day White

 3800157620574
 3800157620567

 Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **110lm**
 LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**

 Beam Angle: **55°**
 Body Type: **PC**
 Color of Fixture: **Black**
 Shape: **Rectangle**
 Dimension: **230x80x28mm**

Step Light-Rectangle-IP65

3W VT-1162-G
 Box Qty.
50 Pcs
 **IP65**
 RATING

 SKU: 1331 - 3000K Warm White
 SKU: 1330 - 4000K Day White

 3800157620598
 3800157620581

 Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **110lm**
 LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**

 Beam Angle: **55°**
 Body Type: **PC**
 Color of Fixture: **Grey**
 Shape: **Rectangle**
 Dimension: **230x80x28mm**



Step Light-Round-IP65

2W VT-1142-W

SKU: 1315 - 3000K Warm White

SKU: 1314 - 4000K Day White




Box Qty.
50 Pcs



IP65
RATING

3800157620437

3800157620420



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **60lm**
LED Type: **SMD**
CRI: **>80**
PF: **>0.5**

Beam Angle: **55°**
Body Type: **PC**
Color of Fixture: **White**
Shape: **Round**
Dimension: **150x27mm**



Step Light-Round-IP65

2W VT-1142-B

SKU: 1317 - 3000K Warm White

SKU: 1316 - 4000K Day White




Box Qty.
50 Pcs



IP65
RATING

3800157620451

3800157620444



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **60lm**
LED Type: **SMD**
CRI: **>80**
PF: **>0.5**

Beam Angle: **55°**
Body Type: **PC**
Color of Fixture: **Black**
Shape: **Round**
Dimension: **150x27mm**



Step Light-Round-IP65

2W VT-1142-G

SKU: 1319 - 3000K Warm White

SKU: 1318 - 4000K Day White




Box Qty.
50 Pcs



IP65
RATING

3800157620475

3800157620468



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **60lm**
LED Type: **SMD**
CRI: **>80**
PF: **>0.5**

Beam Angle: **55°**
Body Type: **PC**
Color of Fixture: **Grey**
Shape: **Round**
Dimension: **150x27mm**



Step Light-Square-IP65

2W VT-1152-W


SKU: 1321 - 3000K Warm White

SKU: 1320 - 4000K Day White

Box Qty.
50 Pcs**IP65**
RATING

3800157620499

3800157620482

Sensor Compatible: **Yes**Voltage/Frequency: **AC:100-240V,50/60Hz**Luminous Flux: **60lm**LED Type: **SMD**CRI: **>80**PF **>0.5**Beam Angle: **55°**Body Type: **PC**Color of Fixture: **White**Shape: **Square**Dimension: **124x124x27mm**

Step Light-Square-IP65

2W VT-1152-B



SKU: 1323 - 3000K Warm White

SKU: 1322 - 4000K Day White

Box Qty.
50 Pcs**IP65**
RATING

3800157620512

3800157620505

Sensor Compatible: **Yes**Voltage/Frequency: **AC:100-240V,50/60Hz**Luminous Flux: **60lm**LED Type: **SMD**CRI: **>80**PF **>0.5**Beam Angle: **55°**Body Type: **PC**Color of Fixture: **Black**Shape: **Square**Dimension: **124x124x27mm**

Step Light-Square-IP65

2W VT-1152-G


SKU: 1325 - 3000K Warm White

SKU: 1324 - 4000K Day White

Box Qty.
50 Pcs**IP65**
RATING

3800157620536

3800157620529

Sensor Compatible: **Yes**Voltage/Frequency: **AC:100-240V,50/60Hz**Luminous Flux: **60lm**LED Type: **SMD**CRI: **>80**PF **>0.5**Beam Angle: **55°**Body Type: **PC**Color of Fixture: **Grey**Shape: **Square**Dimension: **124x124x27mm**



Step Light - IP65
3W VT-1172-B

SKU: 1398 - 3000K Warm White
SKU: 1399 - 4000K Day White



Box Qty.
20 Pcs



IP65
RATING

3800157628310
3800157628327

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **210lm**
LED Type: **SMD**
CRI: **>80**
PF: **>0.5**

Beam Angle: **90°**
Body Type: **PC**
Color of Fixture: **Black**
Shape: **Square**
Dimension: **151x72x154mm**



Step Light - IP65
3W VT-1172-G

SKU: 1400 - 3000K Warm White
SKU: 1401 - 4000K Day White



Box Qty.
20 Pcs



IP65
RATING

3800157628334
3800157628341

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **210lm**
LED Type: **SMD**
CRI: **>80**
PF: **>0.5**

Beam Angle: **90°**
Body Type: **PC**
Color of Fixture: **Grey**
Shape: **Square**
Dimension: **151x72x154mm**



Step Light - IP65
3W VT-1172-W

SKU: 1402 - 3000K Warm White
SKU: 1403 - 4000K Day White



Box Qty.
20 Pcs



IP65
RATING

3800157628358
3800157628365

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **210lm**
LED Type: **SMD**
CRI: **>80**
PF: **>0.5**

Beam Angle: **90°**
Body Type: **PC**
Color of Fixture: **White**
Shape: **Square**
Dimension: **151x72x154mm**



Step Light-Round-IP65

3W VT-1182-B

 SKU: 1404 - 3000K Warm White
 SKU: 1405 - 4000K Day White

 Box Qty.
20 Pcs

IP65
 RATING

 3800157628372
 3800157628389

 Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **210lm**
 LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**

 Beam Angle: **90°**
 Body Type: **PC**
 Color of Fixture: **Black**
 Shape: **Round**
 Dimension: **Ø166x94mm**


Step Light-Round-IP65

3W VT-1182-G

 SKU: 1406 - 3000K Warm White
 SKU: 1407 - 4000K Day White

 Box Qty.
20 Pcs

IP65
 RATING

 3800157628396
 3800157628402

 Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **210lm**
 LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**

 Beam Angle: **90°**
 Body Type: **PC**
 Color of Fixture: **Grey**
 Shape: **Round**
 Dimension: **Ø166x94mm**


Step Light-Round-IP65

3W VT-1182-W

 SKU: 1408 - 3000K Warm White
 SKU: 1409 - 4000K Day White

 Box Qty.
20 Pcs

IP65
 RATING

 3800157628419
 3800157628426

 Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **210lm**
 LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**

 Beam Angle: **90°**
 Body Type: **PC**
 Color of Fixture: **White**
 Shape: **Round**
 Dimension: **Ø166x94mm**
 :



Steplight-Square

3W VT-1109

SKU: 1209 - 3000K Warm White


SKU: 1210 - 4200K Day White



Box Qty.
100 Pcs

3800157600255

3800157600262



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **120lm**
LED Type: **COB**
CRI: **>80**
PF: **>0.5**

Beam Angle: **15°**
Body Type: **Aluminium**
Color of Fixture: **White**
Shape: **Square**
Dimension: **80x80x51mm**
Cutting Size: **62x62mm**



Steplight-Round

3W VT-1109RD

SKU: 1207 - 3000K Warm White


SKU: 1208 - 4200K Day White



Box Qty.
100 Pcs

3800157600231

3800157600248



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **120lm**
LED Type: **COB**
CRI: **>80**
PF: **>0.5**

Beam Angle: **15°**
Body Type: **Aluminium**
Color of Fixture: **White**
Shape: **Round**
Dimension: **Ø80x51mm**
Cutting Size: **Ø62mm**



Steplight-Square


3W VT-1143

SKU: 1284 - 4000K Day White



Box Qty.
100 Pcs

3800157617307



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:85-265V,50/60Hz**
Luminous Flux: **100lm**
LED Type: **SMD**
CRI: **>80**
PF: **>0.5**

Beam Angle: **83°**
Body Type: **Die Cast Aluminium**
Color of Fixture: **White**
Shape: **Square**
Dimension: **84x84x43mm**
Cutting Size: **72x72mm**

new!

Steplight-Rectangle
6W VT-856-B

 SKU: 8348 - 3000K Warm White
 SKU: 8349 - 4000K Day White

 Box Qty.
50 Pcs

 3800157633383
 3800157633390

 Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **240lm**
 LED Type: **SMD**
 CRI: **>70**
 PF: **>0.6**

 Beam Angle: **120°**
 Body Type: **Aluminium**
 Color of Fixture: **Black**
 Shape: **Rectangle**
 Dimension: **210x65x60mm**
 Cutting Size: **195x46mm**
new!

Steplight-Rectangle
6W VT-856-G

 SKU: 8350 - 3000K Warm White
 SKU: 8351 - 4000K Day White

 Box Qty.
50 Pcs

 3800157633406
 3800157633413

 Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **240lm**
 LED Type: **SMD**
 CRI: **>70**
 PF: **>0.6**

 Beam Angle: **120°**
 Body Type: **Aluminium**
 Color of Fixture: **Grey**
 Shape: **Rectangle**
 Dimension: **210x65x60mm**
 Cutting Size: **195x46mm**
new!

Steplight-Rectangle
6W VT-856-W

 SKU: 8352 - 3000K Warm White
 SKU: 8353 - 4000K Day White

 Box Qty.
50 Pcs

 3800157633420
 3800157633437

 Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **240lm**
 LED Type: **SMD**
 CRI: **>70**
 PF: **>0.6**

 Beam Angle: **120°**
 Body Type: **Aluminium**
 Color of Fixture: **White**
 Shape: **Rectangle**
 Dimension: **210x65x60mm**
 Cutting Size: **195x46mm**



LED Dome Lights

Create a better ambience in any environment with V-TAC's LED Dome Lights. These compact and easy to install lights make a perfect replacement for traditional dome lights.

Product Features

- Non – Flickering
- No UV Radiation
- Easy Installation
- Premium Quality LED Chip
- Premium Quality Power Driver
- Instant start 0-100% in 0.01 seconds
- Extreme Weather toleration (-20 to + 45 Degrees Centigrade)

Applications

Mostly used in Parking Lots, Passage's in big areas, Exterior Walls of Prestigious Buildings for ambience, Airports, Ports and Malls.

new!



Domelight-Remote Control-CCT Changeable

60w

VT-8555

Box Qty.
6 Pcs


SKU:1455- 3IN1

3800157637701

COLOR
CHANGING
WITH REMOTE

Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V**
 Luminous Flux: **4900lm**
 IP Rating: **IP20**
 CRI: **>80**
 PF: **>0.9**

Beam Angle: **120°**
 Color of Fixture: **White**
 Body Type: **Iron+PMMA**
 Shape: **Round**
 Dimension: **Ø55x75mm**



Ceiling Lights - Round

14w VT-8073RD

SKU: 1428 - 3000K Warm White
SKU: 1429 - 4000K Day White
SKU: 1430 - 6400K White


Box Qty.
20 Pcs

3800157633147
3800157633154
3800157633161



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **1000lm**
IP Rating: **IP20**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Iron+PMMA**
Shape: **Round**
Dimension: **257x65mm**



Ceiling Lights - Round

20w VT-8074RD

SKU: 1431 - 3000K Warm White
SKU: 1432 - 4000K Day White
SKU: 1433 - 6400K White

Box Qty.
10 Pcs

3800157633178
3800157633185
3800157633192



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **1500lm**
IP Rating: **IP20**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Iron+PMMA**
Shape: **Round**
Dimension: **290x65mm**



Ceiling Lights - Square


20w VT-8074SQ

 Box Qty.
10 Pcs

 SKU: 1434 - 3000K Warm White
 SKU: 1435 - 4000K Day White
 SKU: 1436 - 6400K White

 3800157633208
 3800157633215
 3800157633222

 Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **1500lm**
 IP Rating: **IP20**
 CRI: **>80**
 PF: **>0.5**

 Beam Angle: **120°**
 Color of Fixture: **White**
 Body Type: **Iron+PMMA**
 Shape: **Square**
 Dimension: **280x280x60mm**


Ceiling Lights - Round

24w VT-8075RD

 Box Qty.
10 Pcs

 SKU: 1437 - 3000K Warm White
 SKU: 1438 - 4000K Day White
 SKU: 1439 - 6400K White

 3800157633239
 3800157633246
 3800157633253

 Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **1800lm**
 IP Rating: **IP20**
 CRI: **>80**
 PF: **>0.5**

 Beam Angle: **120°**
 Color of Fixture: **White**
 Body Type: **Iron+PMMA**
 Shape: **Round**
 Dimension: **340x65mm**


Ceiling Lights - Square

32w VT-8076SQ

Box Qty.
10 Pcs

SKU: 1443 - 3000K Warm White
SKU: 1444 - 4000K Day White
SKU: 1445 - 6400K White


3800157633291
3800157633307
3800157633314



FLAT
DIFFUSER

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **2600lm**
IP Rating: **IP20**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Iron+PMMA**
Shape: **Square**
Dimension: **330x330x65mm**



Ceiling Lights - Round

32w VT-8076RD

Box Qty.
10 Pcs

SKU: 1440 - 3000K Warm White
SKU: 1441 - 4000K Day White
SKU: 1442 - 6400K White


3800157633260
3800157633277
3800157633284



FLAT
DIFFUSER

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **2800lm**
IP Rating: **IP20**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Iron+PMMA**
Shape: **Round**
Dimension: **Ø390x65mm**



Ceiling Lights - Square

15w VT-8033SQ

 Box Qty.
20 Pcs


 SKU: 1390 - 3000K Warm White
 SKU: 5567 - 4000K Day White
 SKU: 1391 - 6400K White

 3800157626477
 3800157610360
 3800157626484


TRIMLESS

Luxurious Finish

SURFACE MOUNTED

Sensor Compatible: **Yes**Voltage/Frequency: **AC:100-240V,50/60Hz**Luminous Flux: **1250lm**IP Rating: **IP44**CRI: **>80**PF: **>0.6**Beam Angle: **110°**Color of Fixture: **White**Body Type: **PC**Shape: **Square**Dimension: **200x200x47.5**

Ceiling Lights - Round

15w VT-8033RD

 Box Qty.
20 Pcs


 SKU: 1388 - 3000K Warm White
 SKU: 5566 - 4000K Day White
 SKU: 1389 - 6400K White

 3800157626453
 3800157610353
 3800157626460


TRIMLESS

Luxurious Finish

SURFACE MOUNTED

Sensor Compatible: **Yes**Voltage/Frequency: **AC:100-240V,50/60Hz**Luminous Flux: **1250lm**IP Rating: **IP44**CRI: **>80**PF: **>0.6**Beam Angle: **110°**Color of Fixture: **White**Body Type: **PC**Shape: **Round**Dimension: **Ø200x47.5mm**

Ceiling Lights - Square

25w VT-8066SQ

Box Qty.
10 Pcs

SKU: 1395 - 3000K Warm White
SKU: 1396 - 4200K Day White
SKU: 1397 - 6500K White

3800157628280
3800157628297
3800157628303




TRIMLESS

Luxurious Finish

SURFACE MOUNTED

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **2000lm**
IP Rating: **IP44**
CRI: **>80**
PF: **>0.9**

Beam Angle: **110°**
Color of Fixture: **White**
Body Type: **PC**
Shape: **Square**
Dimension: **300x300x50mm**



Ceiling Lights - Round

25w VT-8066RD

Box Qty.
10 Pcs

SKU: 1392 - 3000K Warm White
SKU: 1393 - 4200K Day White
SKU: 1394 - 6500K White

3800157628259
3800157628266
3800157628273




TRIMLESS

Luxurious Finish

SURFACE MOUNTED

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **2000lm**
IP Rating: **IP44**
CRI: **>80**
PF: **>0.9**

Beam Angle: **110°**
Color of Fixture: **White**
Body Type: **PC**
Shape: **Round**
Dimension: **Ø300x50mm**



Dome Series - Rectangle Oval

8W

VT-8038-B

Box Qty.
20 Pcs


SKU: 1308 - 3000K Warm White
SKU: 1309 - 4500K Day White
SKU: 1310 - 6000K White

3800157620260
3800157620277
3800157620284



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **560lm**
IP Rating: **IP54**
CRI: **>70**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **Black**
Body Type: **PC**
Shape: **Rectangle**
Dimension: **190x100x55mm**



Dome Series - Rectangle Oval

8W

VT-8038-W

Box Qty.
20 Pcs


SKU: 1311 - 3000K Warm White
SKU: 1312 - 4000K Day White
SKU: 1313 - 6000K White

3800157620291
3800157620307
3800157620314



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **560lm**
IP Rating: **IP54**
CRI: **>70**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **PC**
Shape: **Rectangle**
Dimension: **190x100x55mm**



Bling Star

8w VT-8061

Box Qty.
20 Pcs


SKU: 1370 - 3000K Warm White
SKU: 1371 - 4000K Day White
SKU: 1372 - 6400K White

3800157626262
3800157626279
3800157626286



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **560lm**
IP Rating: **IP20**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Iron+PMMA**
Shape: **Round**
Dimension: **Ø215x78mm**



Bling Star

12w VT-8062

Box Qty.
10 Pcs


SKU: 1373 - 3000K Warm White
SKU: 1374 - 4000K Day White
SKU: 1375 - 6400K White

3800157626293
3800157626309
3800157626316



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **840lm**
IP Rating: **IP20**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Iron+PMMA**
Shape: **Round**
Dimension: **Ø260x92mm**



Bling Star

18w VT-8063

Box Qty.
10 Pcs


SKU: 1376 - 3000K Warm White
SKU: 1377 - 4000K Day White
SKU: 1378 - 6400K White

3800157626323
3800157626330
3800157626347



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **1260lm**
IP Rating: **IP20**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Iron+PMMA**
Shape: **Round**
Dimension: **Ø290x92mm**



Bling Star

24w VT-8064

Box Qty.
10 Pcs


SKU: 1379 - 3000K Warm White
SKU: 1380 - 4000K Day White
SKU: 1381 - 6400K White

3800157626354
3800157626361
3800157626378



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **1680lm**
IP Rating: **IP20**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Iron+PMMA**
Shape: **Round**
Dimension: **Ø330x102mm**



Ceiling Lights - Round

12w VT-8031



Box Qty.
16 Pcs


SKU: 1414 - 3000K Warm White
SKU: 5563 - 4500K Day White
SKU: 5562 - 6500K White

3800157630092
3800157610322
3800157610315



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **800lm**
IP Rating: **IP20**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Metal+PMMA**
Shape: **Round**
Dimension: **Ø250x80mm**



Ceiling Lights - Round

24w VT-8032



Box Qty.
10 Pcs


SKU: 1415 - 3000K Warm White
SKU: 5565 - 4500K Day White
SKU: 5564 - 6500K White

3800157630108
3800157610346
3800157610339



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **1700lm**
IP Rating: **IP20**
CRI: **>80**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Metal+PMMA**
Shape: **Round**
Dimension: **Ø320x95mm**



Dome Series - Oval

8W

VT-8014-OV-B

Box Qty.
10 Pcs


SKU: 1267 - 3000K Warm White
SKU: 1266 - 4000K Day White
SKU: 1268 - 6400K White

3800157611893
3800157611886
3800157611909



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **560lm**
IP Rating: **IP54**
CRI: **>70**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **Black**
Body Type: **Plastic CLAD Aluminium**
Shape: **Oval**
Dimension: **Ø126x76mm**



Dome Series - Oval

8W

VT-8014-OV-W

Box Qty.
10 Pcs


SKU: 1264 - 3000K Warm White
SKU: 1263 - 4500K Day White
SKU: 1265 - 6400K White

3800157611862
3800157611855
3800157611879



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **560lm**
IP Rating: **IP54**
CRI: **>70**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Plastic CLAD Aluminium**
Shape: **Oval**
Dimension: **Ø126x76mm**



Dome Series - Round

8W

VT-8014-RD-W



Box Qty.
10 Pcs

SKU: 4999 - 3000K Warm White
SKU: 1259 - 4500K Day White
SKU: 4997 - 6400K White


3800157602556
3800157611817
3800157602259



**IP54
RATING**

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **560lm**
IP Rating: **IP54**
CRI: **>70**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Plastic CLAD Aluminium**
Shape: **Round**
Dimension: **Ø180x82mm**



Dome Series - Round

8W

VT-8014-RD-B



Box Qty.
10 Pcs

SKU: 1261 - 3000K Warm White
SKU: 1260 - 4000K Day White
SKU: 1262 - 6000K White


3800157611831
3800157611824
3800157611848



**IP54
RATING**

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **560lm**
IP Rating: **IP54**
CRI: **>70**
PF: **>0.5**


Beam Angle: **120°**
Color of Fixture: **Black**
Body Type: **Plastic CLAD Aluminium**
Shape: **Round**
Dimension: **Ø180x82mm**



Dome Series - Oval

12w VT-8016-B
 Box Qty.
10 Pcs

SKU: 5056 - 4500K Day White 3800157603980


Sensor Compatible: **Yes**Voltage/Frequency: **AC:220-240V,50/60Hz**Luminous Flux: **840lm**IP Rating: **IP54**CRI: **>70**PF: **>0.5**Beam Angle: **120°**Color of Fixture: **Black**Body Type: **Plastic CLAD Aluminium**Shape: **Oval**Dimension: **Ø245x96mm**

Dome Series - Oval

12w VT-8016-W
 Box Qty.
10 Pcs

SKU: 5054 - 4500K Day White 3800157603331

SKU: 5053 - 6400K White 3800157603324

Sensor Compatible: **Yes**Voltage/Frequency: **AC:200-240V,50/60Hz**Luminous Flux: **840lm**IP Rating: **IP54**CRI: **>70**PF: **>0.5**Beam Angle: **120°**Color of Fixture: **White**Body Type: **Plastic CLAD Aluminium**Shape: **Oval**Dimension: **Ø245x96mm**

Dome Series - Oval

12w VT-8015-B

Box Qty.
10 Pcs


SKU: 1349 - 3000K Warm White
SKU: 5052 - 4000K Day White
SKU: 5051 - 6400K White

3800157624046
3800157603317
3800157603300



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **840lm**
IP Rating: **IP54**
CRI: **>70**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **Black**
Body Type: **Plastic CLAD Aluminium**
Shape: **Round**
Dimension: **Ø220x105mm**



Dome Series - Round

12w VT-8015-W

Box Qty.
10 Pcs


SKU: 4998 - 3000K Warm White
SKU: 5050 - 4500K Day White
SKU: 4996 - 6400K White

3800157602549
3800157603294
3800157602228



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **840lm**
IP Rating: **IP54**
CRI: **>70**
PF: **>0.5**

Beam Angle: **120°**
Color of Fixture: **White**
Body Type: **Plastic CLAD Aluminium**
Shape: **Round**
Dimension: **Ø220x105mm**



Dome Series - Oval

12w VT-8010-B
 Box Qty.
10 Pcs


SKU: 1350 - 3000K Warm White
SKU: 4973 - 4500K Day White
SKU: 1269 - 6400K White

3800157624053
3800230629050
3800157611916



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **840lm**
IP Rating: **IP54**
CRI: **>80**
PF: **>0.9**

Beam Angle: **120°**
Color of Fixture: **Black**
Body Type: **Plastic CLAD Aluminium**
Shape: **Oval**
Dimension: **Ø242x96mm**



Dome Series - Oval

12w VT-8010-W
 Box Qty.
10 Pcs


SKU: 1351 - 3000K Warm White
SKU: 1353 - 6000K White

3800157624060
3800157624084



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:200-240V,50/60Hz**
Luminous Flux: **840lm**
IP Rating: **IP54**
CRI: **>80**
PF: **>0.9**

Beam Angle: **110°**
Color of Fixture: **White**
Body Type: **Plastic CLAD Aluminium**
Shape: **Oval**
Dimension: **Ø242x96mm**



Dome Sensor Series

VT-8002C




SKU: 4966

3800230625816




Sensor Type: **Microwave**
Color: **White**
Detection Range: **360°**
Voltage: **AC:220-240V,50/60Hz**
Rated Load: **Max. 60W**
Watts:

Detection Distance: **1-8m(radius) adjustable**
Body Type: **PC**
IP Rating: **IP44**
Dimension: **Ø296x96mm**
Time Delay: **Min. 10sec±3sec,
Max. 12min±1min**



Dome Sensor Series

16w VT-8001C



SKU: 1281 - 3000K Warm White

3800157612678

3800230625809

SKU: 1282 - 6000K White


3800157612685

Built In LED



Sensor Type: **Microwave**
Color: **White**
Detection Range: **360°**
Voltage: **AC:200-240V,50/60Hz**
Rated Load: **16w**
Watts: **16w**

Detection Distance: **1-8m(radius) adjustable**
Body Type: **PC**
IP Rating: **IP54**
Dimension: **Ø296 x 96mm**
Time Delay: **Min. 10 sec to 12 min**



Dome Sensor Series

12w VT-8017



SKU: 5057 - 3000K Warm White

3800157605250

SKU: 5058 - 4000K Day White

3800157605267


SKU: 5059 - 6400K White

3800157605274



Sensor Type: **PIR**
Color: **White**
Detection Range: **360°**
Voltage: **AC:110-240V,50/60Hz**
Rated Load: **12W(24PCS LED)**
Watts: **12w**

Detection Distance: **Max. 6m(<24°C)**
Body Type: **Plastic CLAD Aluminium**
IP Rating: **IP20**
Dimension: **Ø290x60mm**
Time Delay: **Min. 10sec±3sec,
Max. 12min±1min**








Fire Rated Light With Anti-Glare Lens

- ✓ IP65 Rating.
- ✓ Integrated COB LED (Non-replaceable).
- ✓ Isolate driver with terminal for easy and speedy installation.
- ✓ Designed to retain 30, 60, 90 minutes of fire integrity for ceiling and subsequent load bearing floors.

Color Changing

Can easily change colour





Changeable bezel options:



Black
SKU- 1425



Brush Nickel
SKU - 1426



Polish Chrome
SKU- 1427



Fire Rated Downlight With White Bezel


10w VT-7710



SKU: 1424 - 3 IN 1 3800157633109



Voltage/Frequency:	AC:220-240V,50Hz
Lumens:	850lm
LED Type:	COB
Body Type:	Aluminium
Beam Angle:	38°
Life Span:	30,000 Hours
Unit Size:	Ø83x57mm
IP Rating:	IP65



new!

Fire Rated Downlight With White Bezel

7W

VT-7077-W



Box Qty.
50 Pcs

SKU: 1416 - 2700K Warm White
SKU: 1417 - 4000K Day White
SKU: 1418 - 6400K White

3800157630344
3800157630351
3800157630368



Optional Bezel Changeable:



Satin Nickel **SKU- 1422**



Chrome **SKU- 1423**

90 MIN
Fire Rated



QUICK CONNECTOR



IP65
RATING

Voltage/Frequency:

AC:220-240V,50Hz

Life Span:

30,000 Hours

Lumens:

600lm

Unit Size:

Ø85x52mm

LED Type:

COB

Cutting Size:

Ø72mm

Body Type:

Aluminium Alloy & Iron

IP Rating:

IP65

Beam Angle:

38°

new!

Fire Rated Downlight With Satin Nickel Bezel

7W

VT-7077-SN



Box Qty.
50 Pcs

SKU: 1419 - 3000K Warm White
SKU: 1420 - 4000K Day White
SKU: 1421 - 6400K White

3800157630375
3800157630382
3800157630399



Optional Bezel Changeable:



Chrome **SKU- 1423**

90 MIN
Fire Rated



QUICK CONNECTOR



IP65
RATING

Voltage/Frequency:

AC:220-240V,50Hz

Life Span:

30,000 Hours

Lumens:

600lm

Unit Size:

Ø85x52mm

LED Type:

COB

Cutting Size:

Ø72mm

Body Type:

Aluminium Alloy & Iron

IP Rating:

IP65

Beam Angle:

38°

new!

Fire Rated Fitting-GU10

VT-7011-W

Box Qty.
50 Pcs

SKU: 3131

EAN: 3800157634793

Base	GU10
Material:	Steel+Die Cast Aluminum
Shape:	Round
Color of Fxture:	White
Dimension:	Ø80x105mm
Cutting Size:	Ø65mm
IP Rating:	IP20

90 MIN
Fire Rated
Twist & Lock
new!

Fire Rated Fitting-GU10

VT-7011-SN

Box Qty.
50 Pcs

SKU: 3132

EAN: 3800157634809

Base	GU10
Material:	Steel+Die Cast Aluminum
Shape:	Round
Color of Fxture:	Satin Nickel
Dimension:	Ø80x105mm
Cutting Size:	Ø65mm
IP Rating:	IP20

90 MIN
Fire Rated
Twist & Lock
new!

Fire Rated Fitting-GU10

VT-7011

Box Qty.
50 Pcs

SKU: 3133

EAN: 3800157634816

Base	GU10
Material:	Steel+Die Cast Aluminum
Shape:	Round
Color of Fxture:	Chrome
Dimension:	Ø80x105mm
Cutting Size:	Ø65mm
IP Rating:	IP20

90 MIN
Fire Rated
Twist & Lock


Fire Rated Fitting-GU10

VT-701-SN

Box Qty.
50 Pcs

SKU: 3680

EAN: 3800157626859



Base	GU10
Material:	Steel
Shape:	Round
Color of Fixture:	Satin Nickel
Dimension:	Ø80mmx115mm
Cutting Size:	65mm
IP Rating:	IP20

90 MIN
Fire Rated

Fire Rated Fitting-GU10

VT-701-W

Box Qty.
50 Pcs

SKU: 3681

EAN: 3800157626866



Base	GU10
Material:	Steel
Shape:	Round
Color of Fixture:	White
Dimension:	Ø80mmx115mm
Cutting Size:	65mm
IP Rating:	IP20

90 MIN
Fire Rated


Fire Rated Fitting-GU10

VT-701-CH

Box Qty.
50 Pcs

SKU: 3682

EAN: 3800157626873



Base	GU10
Material:	Steel
Shape:	Round
Color of Fixture:	Chrome
Dimension:	Ø80mmx115mm
Cutting Size:	65mm
IP Rating:	IP20

90 MIN
Fire Rated

Fire Rated Fitting-GU10

VT-702-SN

 Box Qty.
40 Pcs

SKU: 3683

EAN: 3800157626880



Base	GU10
Material:	Steel
Shape:	Round
Color of Fxture:	Satin Nickel
Dimension:	Ø86mmx115mm
Cutting Size:	65mm
IP Rating:	IP65




Fire Rated Fitting-GU10

VT-702-W

 Box Qty.
40 Pcs

SKU: 3684

EAN: 3800157626897



Base	GU10
Material:	Steel
Shape:	Round
Color of Fxture:	White
Dimension:	Ø86mmx115mm
Cutting Size:	65mm
IP Rating:	IP65




Fire Rated Fitting-GU10

VT-702-CH

 Box Qty.
40 Pcs

SKU: 3685

EAN: 3800157626903



Base	GU10
Material:	Steel
Shape:	Round
Color of Fxture:	Chrome
Dimension:	Ø86mmx115mm
Cutting Size:	65mm
IP Rating:	IP65




Fire Rated Fitting-GU10

VT-703-SN

Box Qty.
40 Pcs

SKU: 3686	EAN: 3800157626910
Base	GU10
Material:	Steel
Shape:	Round
Color of Fixture:	Satin Nickel
Dimension:	Ø82mmx130mm
Cutting Size:	68mm
IP Rating:	IP20

90 MIN
Fire Rated



Fire Rated Fitting-GU10

VT-703-W

Box Qty.
40 Pcs

SKU: 3687	EAN: 3800157626927
Base	GU10
Material:	Steel
Shape:	Round
Color of Fixture:	White
Dimension:	Ø82mmx130mm
Cutting Size:	68mm
IP Rating:	IP20

90 MIN
Fire Rated



Fire Rated Fitting-GU10

VT-703-CH

Box Qty.
40 Pcs

SKU: 3688	EAN: 3800157626934
Base	GU10
Material:	Steel
Shape:	Round
Color of Fixture:	Chrome
Dimension:	Ø82mmx130mm
Cutting Size:	68mm
IP Rating:	IP20

90 MIN
Fire Rated



NEW FIRE-RATED DOWNLIGHT FITTING





Motion Sensors

Many areas like lobbies, parking garages, staircases remain unused for long hours, but do need lighting to be lit automatically in case of movement. A motion sensor is a device, which detects movements, and in some cases light conditions and then transmits a signal for illumination.

Product Features

- Power saving
- Available for indoor and outdoor purposes
- Compatible with most of our models
- Proven quality from reliable suppliers
- Wide range of models to choose from

Applications

- Outdoor Areas like parking garages, Gardens compounds and yards
- Indoor areas like walkways, lobbies and staircases.




Infrared Sensor Max 1000W(LED)

VT-8027-W

SKU: 5086

3800157609173


 Box Qty.
50 Pcs

 Sensor Type: **Infrared**

 Colour: **White**

 Detection Range: **360°**

 Voltage: **AC:220-240V,50/60Hz**

 Rated Load: **Max 1000W(LED)**

 Detection Distance: **Max. 6m(<24°C)**

 Ambient Light: **<3-2000LUX(adjustable)**

 Body Type: **PC**

 IP Rating: **IP20**

 Dimension: **625x220x265mm**


 Time Delay: **Min. 10sec±3sec, Max. 15min±2min**


Infrared Sensor Max 1000W(LED)

VT-8027-B

SKU: 5087

3800157609180


 Box Qty.
50 Pcs

 Sensor Type: **Infrared**

 Colour: **Black**

 Detection Range: **360°**

 Voltage: **AC:220-240V,50/60Hz**

 Rated Load: **Max 1000W(LED)**

 Detection Distance: **Max. 6m(<24°C)**

 Ambient Light: **<3-2000LUX(adjustable)**

 Body Type: **PC**

 IP Rating: **IP20**

 Dimension: **625x220x265mm**

 Time Delay: **Min. 10sec±3sec, Max. 15min±2min**



Infrared Sensor-Moving Head-IP44

Max 400W(LED)


VT-8028-W

SKU: 5088

3800157609197



Box Qty.
50 Pcs



Sensor Type: **Infrared**
Colour: **White**
Detection Range: **180°**
Voltage: **AC:220-240V,50/60Hz**
Rated Load: **Max 400W(LED)**
Detection Distance: **Max. 12m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**
Body Type: **PC**
IP Rating: **IP44**
Dimension: **445X345X19mm**
Time Delay: **Min. 10sec±3sec, Max. 15min±2min**



Infrared Sensor-Moving Head-IP44

Max 400W(LED)


VT-8028-B

SKU: 5089

3800157609203



Box Qty.
50 Pcs



Sensor Type: **Infrared**
Colour: **Black**
Detection Range: **180°**
Voltage: **AC:220-240V,50/60Hz**
Rated Load: **Max 400W(LED)**
Detection Distance: **Max. 12m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**
Body Type: **PC**
IP Rating: **IP44**
Dimension: **445X345X19mm**
Time Delay: **Min. 10sec±3sec, Max. 15min±2min**



Infrared Sensor

Max 300W(LED)


VT-8029

SKU: 5090

3800157609210



Box Qty.
50 Pcs




Sensor Type: **Infrared**
Colour: **White**
Detection Range: **360°**
Voltage: **AC:220-240V,50/60Hz**
Rated Load: **Max 300W(LED)**
Detection Distance: **Max. 6m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**
Body Type: **PC**
IP Rating: **IP20**
Dimension: **76x75.6mm**
Time Delay: **Min. 10sec±3sec, Max. 15min±2min**



Infrared Sensor-Moving Head Max 400W(LED)

VT-8030
SKU: 5091
3800157609227

**Box Qty.
50 Pcs**


Sensor Type: **Infrared**
 Colour: **White**
 Detection Range: **360°**
 Voltage: **AC:220-240V,50/60Hz**
 Rated Load: **Max 400W(LED)**
 Detection Distance: **Max. 8m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**
 Body Type: **PC**
 IP Rating: **IP20**
 Dimension: **98x73x82mm**
 Time Delay: **Min. 10sec±3sec, Max. 15min±2min**



Infrared Sensor-IP44 Max 300W(LED)

VT-8003-W
SKU: 4967
3800230625823

**Box Qty.
50 Pcs**


Sensor Type: **Infrared**
 Colour: **White**
 Detection Range: **180°**
 Voltage: **AC:220-240V,50/60Hz**
 Rated Load: **Max 300W(LED)**
 Detection Distance: **Max. 12m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**
 Body Type: **PC**
 IP Rating: **IP44**
 Dimension: **86.4x60.4x98mm**
 Time Delay: **Min. 10sec±3sec, Max. 7min±2min**

Infrared Sensor-IP44 Max 300W(LED)

VT-8003-B

SKU: 5077

3800157606875



Box Qty.
50 Pcs



Sensor Type: **Infrared**

Colour: **Black**

Detection Range: **180°**

Voltage: **AC:220-240V,50/60Hz**

Rated Load: **Max 300W(LED)**

Detection Distance: **Max. 12m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**

Body Type: **PC**

IP Rating: **IP44**

Dimension: **86.4x60.4x98mm**

Time Delay: **Min. 10sec±3sec, Max. 7min±2min**

Infrared Sensor Max 300W(LED)


VT-8004

SKU: 4968

3800230625830



Box Qty.
50 Pcs



Sensor Type: **Infrared**

Colour: **White**

Detection Range: **360°**

Voltage: **AC:220-240V,50/60Hz**

Rated Load: **Max 300W(LED)**

Detection Distance: **Max. 12m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**

Body Type: **PC**

IP Rating: **IP20**

Dimension: **Ø88x55mm**

Time Delay: **Min. 10sec±3sec, Max. 15min±2min**




Infrared Sensor-E27

Max 60W

VT-8005

SKU: 4982

3800157600071


 Box Qty.
50 Pcs


Sensor Type: **Infrared**
 Colour: **White**
 Detection Range: **360°**
 Voltage: **AC:110-240V,50/60Hz**
 Rated Load: **Max 60W**
 Detection Distance: **Max. 6m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**
 Body Type: **Plastic**
 IP Rating: **IP20**
 Dimension: **55.5x116.5mm**
 Time Delay: **Min. 10sec±3sec, Max. 5min±1min**

Infrared Sensor-IP44

Max 300W(LED)

VT-8048

SKU: 1354

3800157624794


 Box Qty.
50 Pcs


Sensor Type: **Infrared**
 Colour: **White**
 Detection Range: **180°**
 Voltage: **AC:220-240V,50/60Hz**
 Rated Load: **Max 300W(LED)**
 Detection Distance: **Max. 12m(<24°C)**

Ambient Light: **<3-2000LUX(adjustable)**
 Body Type: **PC**
 IP Rating: **IP44**
 Dimension: **86.4x86.4x60.4mm**
 Time Delay: **Min. 10sec±3sec, Max. 7min±2min**

Manual Override Function:

1. Automatic Sensor Override Mode - Turn the switch OFF and ON within 3 Seconds, the sensor will be overridden and switched off. The light will work continuously and normally. (Make sure the automatic mode is switched ON before using this functionality).
2. Sensor Switch On - Turn the switch OFF for 20 seconds and switch it back ON. The sensor will restart and work as per the settings adjusted.
3. If the light is left idle for a longer period of time, the sensor will automatically switch back to automatic mode (Possible when the outside light reaches 100Lux).

Infrared Sensor
Max 300W(LED)
VT-8049

SKU: 1355 3800157624800



Box Qty.
50 Pcs



Sensor Type:	Infrared	Ambient Light:	<3-2000LUX(adjustable)
Colour:	White	Body Type:	PC
Detection Range:	360°	IP Rating:	IP20
Voltage:	AC:220-240V,50/60Hz	Dimension:	88x55mm
Rated Load:	Max 300W(LED)	Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Detection Distance:	Max. 12m(<24°C)		

Manual Override Function:


1. Automatic Sensor Override Mode - Turn the switch OFF and ON within 3 Seconds, the sensor will be overridden and switched off. The light will work continuously and normally.(Make sure the automatic mode is switched ON before using this functionality).
2. Sensor Switch On - Turn the switch OFF for 20 seconds and switch it back ON. The sensor will restart and work as per the settings adjusted.
3. If the light is left idle for a longer period of time, the sensor will automatically switch back to automatic mode (Possible when the outside light reaches 100Lux).

Infrared Sensor
Max 300W(LED)
VT-8051

SKU: 1356 3800157624817



Box Qty.
50 Pcs



Sensor Type:	Infrared	Ambient Light:	<3-2000LUX(adjustable)
Colour:	White	Body Type:	PC
Detection Range:	360°	IP Rating:	IP20
Voltage:	AC:220-240V,50/60Hz	Dimension:	76x75.6mm
Rated Load:	Max 300W(LED)	Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Detection Distance:	Max. 6m(<24°C)		

Manual Override Function:

1. Automatic Sensor Override Mode - Turn the switch OFF and ON within 3 Seconds, the sensor will be overridden and switched off. The light will work continuously and normally.(Make sure the automatic mode is switched ON before using this functionality).
2. Sensor Switch On - Turn the switch OFF for 20 seconds and switch it back ON. The sensor will restart and work as per the settings adjusted.
3. If the light is left idle for a longer period of time, the sensor will automatically switch back to automatic mode (Possible when the outside light reaches 100Lux).

Day Light Sensor - 1-10V

VT-8059

 Box Qty.
100 Pcs

SKU: 1369

3800157625982

Colour:	White
Detection Range:	360°
Dimming Range:	1% - 100%
Voltage:	DC:1-10V
Body Type:	PC
IP Rating:	IP20



Daylight sensor supplies a simple and effective solution for daylight harvesting. Connecting to 1-10V Power source and using with LED dimmable driver.

The illuminations level of lamps will get darker when ambient light gets brighter.

When daylight is insufficient, the lamp will be in 100% Illumination level, and turns to 1% Level when daylight is sufficient enough, then gradually back to 100% level when it is getting darker.


Infrared-Hand Gesture Detection Max 200W(LED)


VT-8025

SKU: 5084

3800157608046

On/Off via Moving Hand

 Box Qty.
100 Pcs


Sensor Type:	Infrared	Body Type:	Plastic
Colour:	White	IP Rating:	IP20
Detection Range:	30°	Dimension:	35.5x78.2x20.6mm
Voltage:	AC:110-240V,50/60Hz		
Rated Load:	Max 200W(LED)		
Detection Distance:	5cm/6cm(<24°C)		



Infrared-Door Detection Max 200W(LED)

VT-8026

SKU: 5085


3800157608053



Box Qty.
100 Pcs



On/Off via the opening
and closing of the door



Sensor Type: **Infrared**
Colour: **White**
Detection Range: **30°**
Voltage: **AC:110-240V,50/60Hz**
Rated Load: **Max 200W(LED)**
Detection Distance: **5cm/6cm(<24°C)**

Body Type: **Plastic**
IP Rating: **IP20**
Dimension: **35.5x78.2x18.7mm**



Microwave Sensor-IP65 Max 200W(LED)

VT-8036-W

SKU: 5571

3800157620246



Box Qty.
100 Pcs



Sensor Type: **Microwave**
Colour: **White**
Detection Range: **180°**
Voltage: **AC:220-240V,50/60Hz**
Rated Load: **Max 200W(LED)**
Detection Distance: **5m/10m**

Ambient Light: **<25-2000LUX**
Body Type: **Plastic**
IP Rating: **IP65**
Dimension: **115x35x25mm**
Time Delay: **Min. 10sec±3sec, Max. 15min±2min**

Microwave Sensor-IP65 Max 200W(LED)

VT-8036-B
SKU: 5572
3800157620253


**Box Qty.
100 Pcs**


Sensor Type: **Microwave**
 Colour: **Black**
 Detection Range: **180°**
 Voltage: **AC:220-240V,50/60Hz**
 Rated Load: **Max 200W(LED)**
 Detection Distance: **5m/10m**

Ambient Light: **<25-2000LUX**
 Body Type: **Plastic**
 IP Rating: **IP65**
 Dimension: **115x35x25mm**
 Time Delay: **Min. 10sec±3sec, Max. 15min±2min**

Microwave Sensor Max 300W(LED)

VT-8018
SKU: 5078
3800157606882

**Box Qty.
100 Pcs**


Sensor Type: **Microwave**
 Colour: **White**
 Detection Range: **180° / 360°**
 Voltage: **AC:220-240V,50/60Hz**
 Rated Load: **Max 300W(LED)**
 Detection Distance: **1-8m(radius) adjustable**

Ambient Light: **<3-2000LUX(adjustable)**
 Body Type: **Plastic**
 IP Rating: **IP20**
 Dimension: **37x25x61.5mm**
 Time Delay: **Min. 10sec±3sec, Max. 12min±1min**

Housing Case-IP65

Box Qty.
50 Pcs

VT-8021

SKU: 5079

3800157606899

Colour: **White**

IP Rating: **IP65**

Dimension: **134x66.5mm**



Photocell Sensor-IP44

VT-8019


SKU: 5081

3800157608015

Box Qty.
100 Pcs

Sensor Type: **Photocell**
Colour: **White**
Detection Range: **360°**
Voltage: **AC:220-240V,50Hz**

Ambient Light: **<5-15LUX(adjustable)**
Body Type: **Plastic**
IP Rating: **IP44**
Dimension: **35.5x46x44.1mm**
Time Delay: **5 sec to 8 min (adjustable)**



Infrared Sensor-IP44 Max 200W(LED)

VT-8022


SKU: 5082

3800157608022

Box Qty.
100 Pcs

Sensor Type: **Infrared**
Colour: **White**
Detection Range: **120°/360°**
Voltage: **AC:220-240V,50/60Hz**
Rated Load: **Max 200W(LED)**
Detection Distance: **3/6m(<24°C)**


Ambient Light: **10LUX/2000LUX(choice)**
Body Type: **Plastic**
IP Rating: **IP20**
Dimension: **36.8x25.5x55.4mm**
Time Delay: **5s,30s,1min,3min,5min,8min(choice)**



new!


Microwave Sensor Max 300W(LED)

VT-8077
SKU: 1446
3800157634755

**Box Qty.
100 Pcs**



Sensor Type: **Microwave**
 Colour: **White**
 Detection Range: **360°**
 Voltage: **AC:220-240V,50/60Hz**
 Rated Load: **Max 300W(LED)**
 Detection Distance: **1-8m(radius) Adjustable**

Ambient Light: **0<3-2000LUX(Adjustable)**
 Body Type: **Plastic**
 IP Rating: **IP20**
 Dimension: **80.7x42.1x43.8mm**
 Time Delay: **Min. 10sec±3sec, Max.12min±1min**



Microwave Sensor Max 300W(LED)

VT-8023
SKU: 5083
3800157608039

**Box Qty.
100 Pcs**


Sensor Type: **Microwave**
 Colour: **White**
 Detection Range: **180°**
 Voltage: **AC:220-240V,50/60Hz**
 Rated Load: **Max 300W(LED)**
 Detection Distance: **5m-15m(adjustable)**

Ambient Light: **<3-2000LUX(adjustable)**
 Body Type: **Plastic**
 IP Rating: **IP20**
 Dimension: **80x80x32mm**
 Time Delay: **10 sec to 12 min (adjustable)**

LED Emergency Lights

V-TAC features a line of premium quality LED emergency lights for clear and bright emergency illumination. Inclusive of evident exit signs, these signs are powered by high performance batteries, rendering a longer lifespan and lower maintenance. V-TAC's emergency lights and signs are a practical and valuable asset to many applications inclusive of offices, hotels, hospitals and residential areas.



Walls/Surface Mount

2w | 120 lm



Walls/Surface Hanging

2w | 120 lm



Recessed Hanging

2w | 120 lm



Recessed Fixed

2w | 120 lm



Bulkhead

3w | 140 lm



Bulkhead

4w | 190 lm



Wall Mounted

7w | 600 lm

Salient Features


- Thermoplastic PC housing, Rectangular type plastic with different signs
- Single or double face configuration
- ✓ Universal (wall, side or ceiling) mounting
- ⚡ Low energy consumption only 2.0 watts at 120V
- ⌚ LED indicator light and push button test switch
- LED LEDs mounted on print circuit board
- ⌚ 24 24 hours recharge after more than 3 Hours discharge
- ⚡ Efficient thermal management technology
- ⚡ Corrosion free mounting clamps
- ⌚ High performance Ni-Cd batteries made for Longevity & low maintenance
- ✓ Reliable Emergency backup of 3 hours

Exit Light - Surface

2W VT-519
 Box Qty.
10 Pcs

SKU: 8099 - 6000K White

3800157623155


 **24Hrs**
CHARGING TIME


Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Surface/Ceiling Mounted
Viewing Distance:	22 Meters From Both Sides


Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,600mAh
Recharging Time:	24 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained

Exit Light - Surface

2W VT-519-12
 Box Qty.
10 Pcs

SKU: 8312 - 6000K White

3800157630764


 **12Hrs**
CHARGING TIME


Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Surface/Ceiling Mounted
Viewing Distance:	22 Meters From Both Sides

Emergency Operation Time:	>3 Hours
Battery:	Ni-cd 4.8V,600mAh
Recharging Time:	12 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained




Exit Light-Surface Hanging

2w VT-520

Box Qty.
10 Pcs

SKU: 8100 - 6000K White 3800157623162

24Hrs
CHARGING TIME



Lamp Type: **16 SMD LEDs**
Lumens: **160lm**
Input Voltage: **AC:220-240V,50/60Hz**
Protection Rating: **IP20**
Material: **PC**
Exit Lamp Type: **Surface/Ceiling Mounted**
Viewing Distance: **22 Meters From Both Sides**

Emergency Operation Time: **>3 Hours**
Battery: **Ni-Cd 4.8V,600mAh**
Recharging Time: **24 Hours**
Test Button: **Green Light Indicator Test Button**
Stickers: **4 Stickers**
Legends: **4 Way Legend Available**
Mode Of Operation: **Maintained**




Exit Light-Surface Hanging

2w VT-520-12

Box Qty.
10 Pcs

SKU: 8313 - 6000K White 3800157630771

12Hrs
CHARGING TIME



Lamp Type: **16 SMD LEDs**
Lumens: **160lm**
Input Voltage: **AC:220-240V,50/60Hz**
Protection Rating: **IP20**
Material: **PC**
Exit Lamp Type: **Surface/Ceiling Mounted**
Viewing Distance: **22 Meters From Both Sides**

Emergency Operation Time: **>3 Hours**
Battery: **Ni-Cd 4.8V,600mAh**
Recharging Time: **12 Hours**
Test Button: **Green Light Indicator Test Button**
Stickers: **4 Stickers**
Legends: **4 Way Legend Available**
Mode Of Operation: **Maintained**




Exit Light-Hanging

2W VT-521

SKU: 8200 - 6000K White

3800157623179

Box Qty.
10Pcs
 **24Hrs**
CHARGING TIME


Lamp Type: 16 SMD LEDs
 Lumens: 160lm
 Input Voltage: AC:220-240V,50/60Hz
 Protection Rating: IP20
 Material: PC
 Exit Lamp Type: Recessed Hanging
 Viewing Distance: 22 Meters From Both Sides

Emergency Operation Time: >3 Hours
 Battery: Ni-Cd 4.8V,600mAh
 Recharging Time: 24 Hours
 Test Button: Green Light Indicator Test Button
 Stickers: 4 Stickers
 Legends: 4 Way Legend Available
 Mode Of Operation: Maintained




Exit Light-Hanging

2W VT-521-12

SKU: 8314 - 6000K White

3800157630788

Box Qty.
10 Pcs
 **12Hrs**
CHARGING TIME


Lamp Type: 16 SMD LEDs
 Lumens: 160lm
 Input Voltage: AC:220-240V,50/60Hz
 Protection Rating: IP20
 Material: PC
 Exit Lamp Type: Recessed Hanging
 Viewing Distance: 22 Meters From Both Sides

Emergency Operation Time: >3 Hours
 Battery: Ni-Cd 4.8V,600mAh
 Recharging Time: 12 Hours
 Test Button: Green Light Indicator Test Button
 Stickers: 4 Stickers
 Legends: 4 Way Legend Available
 Mode Of Operation: Maintained

Exit Light-Recessed


2w VT-522

Box Qty.
10 Pcs

SKU: 8201 - 6000K White 3800157623186



24Hrs
CHARGING TIME



Lamp Type: 16 SMD LEDs
Lumens: 160lm
Input Voltage: AC:220-240V,50/60Hz
Protection Rating: IP20
Material: PC
Exit Lamp Type: Recessed Fixed
Viewing Distance: 22 Meters From Both Sides

Emergency Operation Time: >3 Hours
Battery: Ni-Cd 4.8V,600mAh
Recharging Time: 24 Hours
Test Button: Green Light Indicator Test Button
Stickers: 4 Stickers
Legends: 4 Way Legend Available
Mode Of Operation: Maintained

Exit Light-Recessed


2w VT-522-12

Box Qty.
10 Pcs

SKU: 8315 - 6000K White 3800157630795



12Hrs
CHARGING TIME



Lamp Type: 16 SMD LEDs
Lumens: 160lm
Input Voltage: AC:220-240V,50/60Hz
Protection Rating: IP20
Material: PC
Exit Lamp Type: Recessed Fixed
Viewing Distance: 22 Meters From Both Sides

Emergency Operation Time: >3 Hours
Battery: Ni-Cd 4.8V,600mAh
Recharging Time: 12 hours
Test Button: Green Light Indicator Test Button
Stickers: 4 Stickers
Legends: 4 Way Legend Available
Mode Of Operation: Maintained



 **12Hrs**
CHARGING TIME


Emergency -Bulkhead

3.8w VT-511-12

 Box Qty.
10 Pcs

SKU: 8249 - 6000K White

3800157635554



Lumens: 110lm
Input: AC:220-240V,50/60Hz
Protection Rating: IP20
Lamp Type: 20 SMD LEDs
Exit Lamp Type: Bulkhead
Operation Time: >3 Hours


Charging Current: 200mA
Discharging Current: 360mA
Battery: 4V2.0AH Lead Acid battery
Material: ABS+PC
Dimension: 292x79x102mm
Mode Of Operation: Maintained/Non Maintained

Emergency-Downlight

3W VT-503

Box Qty.
20 Pcs

SKU: 8274 - 5500K White 3800157627269



Material:	Poly Carbonate & Aluminium
Moured:	Ceiling Recessed
Life Time Of Battery:	2 Years
Light Output (Emergency):	140lm
Lamp Protection:	Over Charge And Discharge Protection
Led Indicator:	Green Light Indicator Test Button
Charging Current:	90mA

Convert Voltage:	AC:155V
Discharging Current:	300mA
Discharge Duration:	3 Hours
Spec Of Battery:	3.6V 1800mAh Ni-cd Battery
Packing:	38.5x22x25mm
IP Rating:	IP20
Mode Of Operation:	Non Maintained

Exit Light - Bulkhead

3W VT-523

Box Qty.
12 Pcs

SKU: 8096 - 6000K White 3800157623124



24Hrs
CHARGING TIME

IP65
RATING



Lamp Type:	16 SMD LEDs
Lumens:	140lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC
Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side

Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 3.6v,1500mAh
Recharging Time:	24 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained

Exit Light - Bulkhead

3W VT-523-12
 Box Qty.
12 Pcs

SKU: 8311 - 6000K White 3800157630757


 **12Hrs**
 CHARGING TIME

 **IP65**
 RATING


Lamp Type: 16 SMD LEDs
 Lumens: 140lm
 Input Voltage: AC:220-240V,50/60Hz
 Protection Rating: IP65
 Material: PC
 Exit Lamp Type: Wall - Bulkhead
 Viewing Distance: 22 Meters From One side

Emergency Operation Time: >3 Hours
 Battery: Ni-Cd 3.6v,1500mAh
 Recharging Time: 12 Hours
 Test Button: Green Light Indicator Test Button
 Stickers: 4 Stickers
 Legends: 4 Ways Legend Available
 Mode Of Operation: Maintained

Exit Light - Bulkhead

4W VT-524
 Box Qty.
12 Pcs

SKU: 8097 - 6000K White 3800157623131


 **24Hrs**
 CHARGING TIME

 **IP65**
 RATING


Lamp Type: 30 SMD LEDs
 Lumens: 190lm
 Input Voltage: AC:220-240V,50/60Hz
 Protection Rating: IP65
 Material: PC
 Exit Lamp Type: Wall - Bulkhead
 Viewing Distance: 22 Meters From One side

Emergency Operation Time: >3 Hours
 Battery: Ni-Cd 4.8V,900mAh
 Recharging Time: 24 Hours(intial charge 36 hours)
 Test Button: Green Light Indicator Test Button
 Stickers: 4 Stickers
 Legends: 4 Ways Legend Available
 Mode Of Operation: Maintained

Exit Light - Bulkhead

4W VT-524-12

Box Qty.
12 Pcs

SKU: 8382 - 6000K White 3800157635493



12Hrs
CHARGING TIME

IP65
RATING



Lamp Type: 30 SMD LEDs
Lumens: 190lm
Input Voltage: AC:220-240V,50/60Hz
Protection Rating: IP65
Material: PC
Exit Lamp Type: Wall - Bulkhead
Viewing Distance: 22 Meters From One side

Emergency Operation Time: >3 Hours
Battery: Ni-Cd 4.8V,900mAh
Recharging Time: 12 hours
Test Button: Green Light Indicator Test Button
Stickers: 4 Stickers
Legends: 4 Ways Legend Available
Mode Of Operation: Maintained

new!

Emergency-Twin Spotlight


6W VT-526-IP65

Box Qty.
5 Pcs

SKU: 80981 - 6000K 3800157623148



IP65
RATING



Lamp Type: 2x6 SMD LEDs
Lumens: 300lm
Input Voltage: AC:220-240V,50/60Hz
Protection Rating: IP65
Material: PC
Exit Lamp Type: Wall Mounted
Viewing Distance: 22 Meters From One side

Emergency Operation Time: >3 Hours
Battery: Ni-Cd 3.6V,300mAh
Recharging Time: 24 Hours(intial charge 36 hours)
Test Button: Green Light Indicator Test Button
Stickers: 4 Stickers
Legends: 2 Ways Legend Available
Mode Of Operation: Non Maintained




Emergency-Twin Spotlight

7W

VT-526

Box Qty.
5 Pcs

SKU: 8098 - 6000K 3800157623148



Lamp Type: 2x15 SMD LEDs
 Lumens: 600lm
 Input Voltage: AC:220-240V,50/60Hz
 Protection Rating: IP65
 Material : PC
 Exit Lamp Type: Wall Mounted
 Viewing Distance: 22 Meters From One side

Emergency Operation Time: >3 Hours
 Battery: Ni-Cd 9.6V,2200mAh
 Recharging Time: 24 Hours(initial charge 36 hours)
 Test Button: Green Light Indicator Test Button
 Stickers: 4 Stickers
 Legends: 2 Ways Legend Available
 Mode Of Operation: Non Maintained





LED Floor & Table Lamps

Most cozy & favorite corners always deserve comfortable lighting conditions. To cater to this need, we bring to you an exclusive range of LED table lamps. Designed with a touch of class, these lamps deliver sufficient and smooth lighting, with unique and suitable functions for both task and ambient lighting.

Product Features

- Energy efficient lighting
- Easily adjustable for your convenience
- Multiple functions like dimming, color changing, and more
- With USB charging functionality
- Sleek and modern design

Applications

Table lamps can be used in any space, though they are most often found in bedrooms, living rooms at home next to sofas, chairs or beds. Also a good accessory to be a part of the office decor.




Floor Lamp-Touch Dimming

80w



Silver

VT-8400D-S

SKU: 8521 4000K Day

3800157638104

White

VT-8400D-W

SKU: 8522 4000K Day

3800157638111

Voltage/Frequency: AC:100-240V,50/60Hz

Luminous Flux: UP:4200/Down:3800

CRI: >80

PF: >0.9

Beam Angle: 110°


Color: Silver

Body Type: Aluminium Alloy+PC

Dimension: 310x52x1950mm



UP-DOWN LIGHTS



new!



Floor Lamp-Knob Dimming-Round

80w

Box Qty.
1 Pc

Silver

VT-8500D-S

SKU: 8523 4000K Day

3800157638128

White

VT-8500D-W

SKU: 8524 4000K Day

3800157638135

Voltage/Frequency: **AC:100-240V,50/60Hz**

Luminous Flux: **UP:5200/Down:3600**

CRI: **>80**

PF: **>0.9**

Beam Angle: **110°/90°**

Color: **Silver**


Body Type: **Aluminium Alloy+PC**

Dimension: **280x35x1950mm**



**KNOB
DIMMING**

**UP-DOWN
LIGHTS**



new!



Floor Lamp-Knob Dimming-Square

80w

Box Qty.
1 Pc

Silver VT-8600D-S

SKU: 8525 4000K Day 3800157638142

White VT-8600D-W

SKU: 8526 4000K Day 3800157638159

Voltage/Frequency: AC:100-240V,50/60Hz

Luminous Flux: UP:5200/Down:3600

CRI: >80


PF: >0.9

Beam Angle: 110°/90°

Color: Silver

Body Type: Aluminium Alloy+PC

Dimension: 280x35x1950mm

KNOB
DIMMINGUP-DOWN
LIGHTS

- Flexible LED Table Lamp bends 0-180 degrees on both sides.
- Touch power switch and dimmer
- Color temperature Switch



new!

Table Lamps-Slim

6.5w



Box Qty.
10 Pcs

VT-1037

SKU: 8520 3IN 1
3800157637718

Voltage/Frequency: DC:12V,1A
Luminous Flux: 110lm
CRI: >80
Beam Angle: >0.5120°
Color: White
Body Type: PC-Rubber Finish
Dimension: 562x65x21mm

- Wireless Charging.
- 5 Levels of Brightness Dimming
- Watts as per led 0.2W.
- Rating Input DC:12V/1.5A
- 2s to reach full brightness
- 270 Degree Rotatable Head



new!

Table Lamps-Wireless

16w



Box Qty.
12 Pcs

VT-1027

SKU: 8519 - 3 IN 1
3800157637527

Voltage/Frequency: AC:100-240V,50/60Hz
Luminous Flux: 1000lux
CRI: >80
PF: >0.5
Beam Angle: 120°
Color: White
Body Type: ABS+Aluminium
Dimension: 240x396x180mm



Table Lamps-White+Silver

4W VT-1014-S

 Box Qty.
25 Pcs

SKU: 7098 - 3 IN 1 3800157616980



Rechargeable

Voltage/Frequency: AC:100-240V,50/60Hz

Luminous Flux: 120lm

CRI: >80

PF: >0.45

Beam Angle: 120°

Color: White+Silver

Body Type: ABS+PC+Aluminium

Dimension: 200x50x263mm




Table Lamps-White+Gold

4W VT-1014-G

 Box Qty.
25 Pcs

SKU: 7099 - 3 IN 1 3800157616997



Rechargeable

Voltage/Frequency: AC:100-240V,50/60Hz

Luminous Flux: 120lm

CRI: >80

PF: >0.45

Beam Angle: 120°

Color: White+Gold

Body Type: ABS+PC+Aluminium

Dimension: 200x50x263mm




Table Lamps-Black

4W VT-1014-B

 Box Qty.
25 Pcs

SKU: 8500 - 3 IN 1 3800157617215



Rechargeable

Voltage/Frequency: AC:100-240V,50/60Hz

Luminous Flux: 120lm

CRI: >80

PF: >0.45

Beam Angle: 120°

Color: Black

Body Type: ABS+PC+Aluminium

Dimension: 200x50x263mm






Table Lamps-Grey

7W VT-1007D-G

Box Qty.
8 Pcs

SKU: 7034 - 5000K White 3800157603836



Touch Control



6 Steps Dimming



1 hour timer



Eye Protection



Anti-radiation



Voltage/Frequency: **AC:100-240V,50/60Hz**

Beam Angle: **120°**

Luminous Flux: **850lux**

Color: **Grey**

CRI: **>80**

Body Type: **ABS**

PF: **>0.45**

Dimension: **330x130x380mm**



Table Lamps-Pink

7W VT-1007D-P

Box Qty.
8 Pcs

SKU: 7042- 5000K White 3800157605311



Touch Control



6 Steps Dimming




1 hour timer



Eye Protection



Anti-radiation



Voltage/Frequency: **AC:100-240V,50/60Hz**

Beam Angle: **120°**

Luminous Flux: **850lux**

Color: **Pink**

CRI: **>80**

Body Type: **ABS**

PF: **>0.45**

Dimension: **330x130x380mm**



Table Lamps-Blue

7W VT-1007D-B

Box Qty.
8 Pcs

SKU: 7043- 5000K White 3800157605328



Touch Control



6 Steps Dimming




1 hour timer



Eye Protection



Anti-radiation



Voltage/Frequency: **AC:100-240V,50/60Hz**

Beam Angle: **120°**

Luminous Flux: **850lux**

Color: **Blue**

CRI: **>80**

Body Type: **ABS**

PF: **>0.45**

Dimension: **330x130x380mm**



Table Lamps-3 In 1-Dimmable

7W

VT-1009D-W

Box Qty.
9 Pcs

SKU: 7039 - 3 IN 1 3800157605281



Voltage/Frequency: AC:100-240V,50/60Hz
Luminous Flux: 650lux
CRI: >80
PF: >0.45

Beam Angle: 120°
Color: White
Body Type: ABS+Aluminium
Dimension: 240x396x180mm




Table Lamps-3 In 1-Dimmable

7W

VT-1009D-B

Box Qty.
9 Pcs

SKU: 7040 - 3 IN 1 3800157605298



Voltage/Frequency: AC:100-240V,50/60Hz
Luminous Flux: 650lux
CRI: >80
PF: >0.45

Beam Angle: 120°
Color: Black+White
Body Type: ABS+Aluminium
Dimension: 240x396x180mm




Table Lamps-3 In 1-Dimmable

10W

VT-1010D

Box Qty.
12 Pcs

SKU: 7033 - 3 IN 1 3800157603829



Voltage/Frequency: AC:100-240V,50/60Hz
Luminous Flux: 700lm
CRI: >80
PF: >0.45

Beam Angle: 120°
Color: White+Silver
Body Type: ABS+Aluminium
Dimension: 328x445x205mm






Table Lamps-3 In 1-Dimmable

7W

VT-1008D

Box Qty.
16 Pcs

SKU: 7035 - 3 IN 1 3800157603843



Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **400lm**
CRI: **>80**
PF: **>0.45**

Beam Angle: **120°**
Color: **White**
Body Type: **ABS**
Dimension: **170x352x113mm**



Desk Lamp-White

5W

VT-1015-W

Box Qty.
6 Pcs


SKU: 7051 - 4000K Day white 3800157610650



Touch Control

Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **360lm**
CRI: **>80**
PF: **>0.45**

Beam Angle: **90°**
Color: **White**
Body Type: **ABS+Metal**
Dimension: **210x136x32mm**



Desk Lamp-Touch Dimming

5W

VT-1015-B

Box Qty.
6 Pcs

SKU: 7052 - 4000K Day white 3800157610667



Touch Control

Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **360lm**
CRI: **>80**
PF: **>0.45**

Beam Angle: **90°**
Color: **Black**
Body Type: **ABS+Metal**
Dimension: **210x136x32mm**







Table Lamps

5.5W VT-1046
 Box Qty.
12 Pcs

 SKU: 8514 - 3000K Warm White 3800157627245
 3800157627252



Voltage/Frequency:	AC:220-240V,50/60Hz	Beam Angle:	110°
Luminous Flux:	420lm	Color:	White
CRI:	>80	Body Type:	Plastic+Metal
PF:	>0.5	Dimension:	142x101.8x310mm



Desk Lamp-White

7W VT-1017-W
 Box Qty.
12 Pcs

SKU: 7053 - 4000K Day white 3800157610674



Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	420lm	Color:	White
CRI:	>80	Body Type:	ABS+Metal
PF:	>0.45	Dimension:	376x166x270mm



Desk Lamp-Touch Dimming

7W VT-1017-B
 Box Qty.
12 Pcs

SKU: 7054 - 4000K Day white 3800157610681



Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	120°
Luminous Flux:	420lm	Color:	Black
CRI:	>80	Body Type:	ABS+Metal
PF:	>0.45	Dimension:	376x166x270mm



Table Lamps-Bakelite-E27

VT-7151-GR

SKU: 3912 3800157626071

5 **V-TAC®** **PRO**
YEAR WARRANTY

Body Type: Glass+Metal
Holder: E27
Color: Green
Dimension: 260x180x360mm

Box Qty.
6 Pcs




Table Lamps-Bakelite-E27

VT-7151-B

SKU: 3913 3800157626088

5 **V-TAC®** **PRO**
YEAR WARRANTY

Body Type: Glass+Metal
Holder: E27
Color: Blue
Dimension: 260x180x360mm

Box Qty.
6 Pcs




Table Lamps-Bakelite-E27

VT-7151-GD

SKU: 3914 3800157626095

5 **V-TAC®** **PRO**
YEAR WARRANTY

Body Type: Glass+Metal
Holder: E27
Color: Yellow
Dimension: 260x180x360mm

Box Qty.
6 Pcs






Table Lamps+Speaker

3W VT-1043D

 Box Qty.
40 Pcs

SKU: 8516 - 3000K+RGB 3800157632959



Voltage/Frequency: AC:100-240V,50/60Hz

Luminous Flux: 110lm

Working Time: 2-3 Hours(Min) 15-20 Hours(Max)

Battery Type: Lithium Battery - 1500mAh

Charging Time: 2-3 Hours

USB Output: 5V, 2A

CRI: >70


PF: >0.6

Beam Angle: 360°

Color: White

Body Type: ABS

Dimension: Ø95x122mm



- Compatible with all smart devices including smart phones, laptops, tablets, etc...
- Supports MP3 files stored in micro SD cards & USB drives
- Supports FM Function, FM Frequency Range 87-108MHZ.
- Easy to plug in your iPod, smart phones, tablets, computer & laptops and other MP3 players or any audio source that uses a standard 35mm jack
- Built-in micro phone for hands-free speaker phone calling which is easy to pair and does not require any code/pin
- Color changing and brightness adjusted by touching.
- USB cable for power, plug and play.

Desk Lamp-Purple Shade

5W


VT-1035-P

Box Qty.
6 Pcs

SKU: 8501 - 4000K Day White 3800157620345



Touch Control



Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **300lm**
CRI: **>80**
PF: **>0.45**

Beam Angle: **90°**
Color: **Chrome+Purple**
Body Type: **PC+Metal**
Dimension: **Ø150x233mm**

Hanging Lamp-Purple Shade

7W

VT-1036-P

Box Qty.
9 Pcs

SKU: 8504 - 4000K Day White 3800157620376



Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **360lm**
CRI: **>80**
PF: **>0.45**

Beam Angle: **90°**
Color: **Chrome+Purple**
Body Type: **PC+Metal**
Dimension: **Ø150x151x1241mm**

Hanging Lamp-White Shade

7W

VT-1036-W

Box Qty.
9 Pcs

SKU: 8505 - 4000K Day White 3800157620383



Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **360lm**
 CRI: **>80**
 PF: **>0.45**

Beam Angle: **90°**
 Color: **Chrome+White**
 Body Type: **PC+Metal**
 Dimension: **Ø150x151x1241mm**



Desk Lamp-Blue Shade


5w VT-1035-B

Box Qty.
6 Pcs

SKU: 8503 - 4000K Day White 3800157620369



Touch Control



Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	90°
Luminous Flux:	300lm	Color:	Chrome+Blue
CRI:	>80	Body Type:	PC+Metal
PF:	>0.45	Dimension:	Ø150x233mm

Hanging Lamp-Blue Shade

7w VT-1036-B

Box Qty.
9 Pcs

SKU: 8506 - 4000K Day White 3800157620390



Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	90°
Luminous Flux:	360lm	Color:	Chrome+Blue
CRI:	>80	Body Type:	PC+Metal
PF:	>0.45	Dimension:	Ø150x151x1241mm



Floor Lamp-E27


VT-7500-B



Box Qty.
4 Pcs

SKU: 7055 3800157610698

Max. Watts: **60W**
 Body Type: **ABS+Metal**
 Holder: **E27**
 Color: **Black**
 Dimension: **250x250x1800mm**



Floor Lamp-E27


VT-7500-S



Box Qty.
4 Pcs

SKU: 7056 3800157610704

Max. Watts: **60W**
 Body Type: **ABS+Metal**
 Holder: **E27**
 Color: **Silver**
 Dimension: **250x250x1800mm**






Floor Lamp-E27

VT-7600-SB

SKU: 3703 3800157610766

Max. Watts: **60W**
 Body Type: **Metal With Sand Finish**
 Holder: **E27**
 Color: **Sand Black+Satin Nickel**
 Dimension: **140x200x1600mm**

Box Qty.
4 Pcs




Floor Lamp-E27

VT-7600-SW

SKU: 3704 3800157610773

Max. Watts: **60W**
 Body Type: **Metal With Sand Finish**
 Holder: **E27**
 Color: **Sand White+Satin Nickel**
 Dimension: **140x200x1600mm**

Box Qty.
4 Pcs





Floor Lamp

7W


VT-7700-W

Box Qty.
3 Pcs

SKU: 8507 - 4000K Day White 3800157620406

Built In LED

Voltage/Frequency: AC:100-240V,50/60Hz
 Luminous Flux: 420lm
 CRI: >80
 PF: >0.5
 Beam Angle: 120°
 Color: White
 Body Type: ABS+Metal
 Dimension: Ø220x440x1405mm



Floor Lamp

7W


VT-7700-B

Box Qty.
3 Pcs

SKU: 8508 - 4000K Day White 3800157620413

Built In LED

Voltage/Frequency: AC:100-240V,50/60Hz
 Luminous Flux: 420lm
 CRI: >80
 PF: >0.5
 Beam Angle: 120°
 Color: Black
 Body Type: ABS+Metal
 Dimension: Ø220x440x1405mm





LED Innovative Lights

An innovative and sustainable way of lighting up your outdoors. V-TAC's LED Solar Outdoor lights can function for up to 24 hours, with just 6-7 hours charging during the day. Inbuilt sensors allow these outdoor lamps to light up upon detection of movement.

Product Features

-  ZERO Electricity Cost
-  PIR Detective
-  Light on/off automatically
-  Solar Powered
-  Outdoor
-  Cordless

Applications

Suitable for Outdoor and Indoor Lighting



Solar Wall Light-IP65

1.5w VT-767-2-W

SKU: 8276 - 4000K Day White

3800157627931

 Box Qty.
20Pcs
Solar
LightsMOTION
SENSORUV
PROTECTION
 IP65
RATING

Battery: 3.7V Lithium Battery 1200mAh
Lumens: 220lm
No. of LED: 14pcs (Front 12pcs, Back 2 pcs)
Detecting Angle: 120°
Sensing Range: 2 - 6 mtrs

Charging Time: 6-7 hrs Sunlight Charging
IP Rating: IP65
Material: ABS+PC
Dimension: 144.5x96x79mm
Working Time: Min 8 hrs and Max 24 hrs



Solar Wall Light-IP65

1.5w VT-767-2-B

SKU: 8277 - 4000K Day White

3800157627948

 Box Qty.
20Pcs
Solar
LightsMOTION
SENSORUV
PROTECTION
 IP65
RATING

Battery: 3.7V Lithium Battery 1200mAh
Lumens: 220lm
No. of LED: 14pcs (Front 12pcs, Back 2 pcs)
Detecting Angle: 120°
Sensing Range: 2 - 6 mtrs

Charging Time: 6-7 hrs Sunlight Charging
IP Rating: IP65
Material: ABS+PC
Dimension: 144.5x96x79mm
Working Time: Min 8 hrs and Max 24 hrs




Solar Wall Light-IP65

3w VT-768

SKU: 7523 - Day+Warm White

3800157619363

Box Qty.
12Pcs



Battery: 3.7V Lithium Battery 2000mAh
Lumens: 400lm
No. of LED: 30pcs (Front 28pcs, Back 2 pcs)
Detecting Angle: 120°
Sensing Range: 2 - 6 mtrs

Charging Time: 6-7 hrs Sunlight Charging
IP Rating: IP65
Material: ABS+PC
Dimension: 140x212x109.2mm
Working Time: Min 5-8 hrs and Max 24 hrs



Solar Wall Light-IP65

7W VT-767-7-W

SKU: 8278 - 4000K Day White

3800157627955

Box Qty.
20Pcs



Battery: 3.7V Lithium Battery 4000mAh
Lumens: 800lm
No. of LED: 60pcs (Front 56pcs, Back 4 pcs)
Detecting Angle: 120°
Sensing Range: 2 - 6 mtrs


Charging Time: 6-7 hrs Sunlight Charging
IP Rating: IP65
Material: ABS+PC
Dimension: 270x221x109.2mm
Working Time: Mode A: 5 hours, Mode B: 2~3 nights
Mode C: 3~4 nights

Solar Wall Light-IP65

7W VT-767-7-B

SKU: 8279 - 4000K Day White

3800157627962

Box Qty.
20PcsSolar
LightsMOTION
PIR
SENSORUV
PROTECTIONIP65
RATING

Battery: 3.7V Lithium Battery 4000mAh
Lumens: 800lm
No. of LED: 60pcs (Front 56pcs, Back 4 pcs)
Detecting Angle: 120°
Sensing Range: 2 - 6 mtrs

Charging Time: 6-7 hrs Sunlight Charging
IP Rating: IP65
Material: ABS+PC
Dimension: 270x221x109.2mm
Working Time: Mode A: 5 hours, Mode B: 2~3 nights
Mode C: 3~4 nights

new!

Box Qty.
18Pcs

Solar Floodlight

5W VT-777-5

SKU: 8547 - 4000K Day White 3800157639194

Solar
LightsMOTION
PIR
SENSORUV
PROTECTIONIP65
RATING

Battery: 3.7V Lithium Battery,3000mAh
Lumens: 500lm
No. of LED: 30pcs
Detecting Angle: 180°
Sensing Range: 2-6M

Charging Time: 6-7 Hours
IP Rating: IP65
Material: ABS+PC
Dimension: 217.4x149.3x33.7mm
Working Time: 2-36 Hours

new!

Box Qty.
8Pcs

Solar Floodlight 10w VT-787-10

SKU: 8550 - 4000K Day White 3800157639224



Solar
Lights



MOTION
PIR
SENSOR



UV
PROTECTION



IP65
RATING

Battery: 3.7V Lithium Battery, 3000mAh
Lumens: 1100lm
No. of LED: 60pcs
Detecting Angle: 180°
Sensing Range: 2-6M

Charging Time: 6-7 Hours
IP Rating: IP65
Material: ABS+PC
Dimension: 300x215x35mm
Working Time: 2-36 Hours

new!

Box Qty.
10Pcs

Solar Streetlight-Black Cover 15w VT-ST15

SKU: 8548 - 6000K White 3800157639217
SKU: 8549 - 4000K Day White 3800157639200



Solar
Lights



UV
PROTECTION



IP65
RATING

Battery: 7.4V Lithium Battery, 10800mAh
Lumens: 1600lm
No. of LED: 40pcs
Detecting Angle: 120°
Sensing Range: 3-8M

Charging Time: 6-7 Hours
IP Rating: IP65
Material: ABS+PC
Dimension: 413x232x58mm
Working Time: 2-36 Hours



Wireless Lights Switchs

Introducing the next generation self powered wireless switches, functions using RF receiver making it a hassle free experience. Offering a push-touch button and remote features.




No Wiring



Wireless



Battery Free



Switch - One Gang Set

Box Qty.
50**VT-541**

SKU: 8229

3800157624336

Switch

Working Type:	Push -Button
Power Mode:	Self Powered
Control Distance:	Up to 30 meters
Switch Lifetime:	2,00,000
Operating Temp:	-5~40°C
Humidity:	0-95%RH
IP Rating:	IP20
Dimensions:	Ø70x15.5mm

Receiver

Input Voltage:	AC:200-265V,50/60Hz
Load Power:	Max 200W
Controller:	RF Receiver
Dimensions:	D:48x25mm

Switch - Mounting Base

Box Qty.
200**VT-540-1**

SKU: 8231

3800157624350

Dimensions: **86x86x11mm**


No Wiring



Wireless



Battery Free



Switch - Two Gang Set



Box Qty.

VT-542

SKU: 8230

3800157624343

30

Switch

Working Type:	Push -Button
Power Mode:	Self Powered
Control Distance:	Up to 30 meters
Switch Lifetime:	2,00,000
Operating Temp:	-5~40°C
Humidity:	0-95%RH
IP Rating:	IP20
Dimensions:	Ø70x15.5mm

Receiver

Input Voltage:	AC:200-265V,50/60Hz
Load Power:	Max 200W
Controller:	RF Receiver
Dimensions:	D:48x25mm

Switch - Mounting Base



Box Qty.

VT-540


SKU: 8231

3800157624350

Dimensions:

86x86x11mm





Touch Switch
1Gang-1Way




Box Qty.
100

VT-5111-B Black

SKU: 8385 3800157635714

Input Power: AC:180-
Operating Temp: 250V,50/60Hz
Switch Lifetime: -10~60°C
Relative Humidity: >100,000 times



VT-5111-W White

SKU: 8354 3800157634953

Load Power: 5-500W
Body Type: PC+Glass Finish
Dimensions: 86x86mm



Touch Switch
2Gang-1Way




Box Qty.
100

VT-5112-B Black

SKU: 8387 3800157635738


Input Power: AC:180-
Operating Temp: 250V,50/60Hz
Switch Lifetime: -10~60°C
Relative Humidity: >100,000 times



VT-5112-W White

SKU: 8357 3800157634984

Load Power: 5-1000W
Body Type: PC+Glass Finish
Dimensions: 86x86mm




**Touch Switch
1Gang-2Way**

Box Qty.
100

VT-5121-B Black

SKU: 8389 3800157635752


Input Power: AC:180-
Operating Temp: 250V,50/60Hz
Switch Lifetime: -10~60°C
Relative Humidity: >100,000 times



VT-5121-W White

SKU: 8360 3800157635011

Load Power: 5-500W
Body Type: PC+Glass Finish
Dimensions: 86x86mm




**Remote Touch
1Gang-1Way**

Box Qty.
100

VT-5211-B Black

SKU: 8391 3800157635776


Input Power: AC:180-
Operating Temp: 250V,50/60Hz
Switch Lifetime: -10~60°C
Relative Humidity: >100,000 times



VT-5211-W White

SKU: 8363 3800157635042


Load Power: 5-500W
Body Type: PC+Glass Finish
Dimensions: 86x86mm


**Remote Touch
2Gang-1Way**

 Box Qty.
100
VT-5212-B Black


SKU: 8393 3800157635790

Input Power: AC:180-
 Operating Temp: 250V,50/60Hz
 Switch Lifetime: -10~60°C
 Relative Humidity: >100,000 times


VT-5212-W White

SKU: 8366 3800157635073


Load Power: 5-1000W
 Body Type: PC+Glass Finish
 Dimensions: 86x86mm


**Remote Dimmer
1Gang-1Way**

 Box Qty.
100
VT-5311-B Black


SKU: 8395 3800157635813

Input Power: AC:180-
 Operating Temp: 250V,50/60Hz
 Switch Lifetime: -10~60°C
 Relative Humidity: >100,000 times


VT-5311-W White


SKU: 8369 3800157635103

Load Power: 5-500W
 Body Type: PC+Glass Finish
 Dimensions: 86x86mm



**Doorbell-Switch
1Gang-1Way**

Box Qty.
100



VT-5411-B Black

SKU: 8397 3800157635837

VT-5411-W White

SKU: 8372 3800157635134

Input Power: AC:180-
Operating Temp: 250V,50/60Hz
Switch Lifetime: -10~60°C
Relative Humidity: >100,000 times

Load Power: 5-500W
Body Type: PC+Glass Finish
Dimensions: 86x86mm



VT-5811-B Black

SKU: 8401 3800157635875



VT-5811-W White

SKU: 8402 3800157635882

Socket EU-2 Way

Box Qty.
60

Input Power: AC:200-250V,50Hz
Body Type: PC+Glass Finish

**VT-5711 Black**

SKU: 8399 3800157635851

**VT-5711-W White**

SKU: 8379 3800157635202

Socket EU-Glass Panel



Input Power: AC:200-250V,50Hz

Body Type: PC+Glass Finish

**VT-5912-B Black**

SKU: 8412 3800157635981

**VT-5912-W White**

SKU: 8411 3800157635974

LAN Connection USB-White



Input Power: AC:180-

Body Type: 250V,50/60Hz



V-TAC meets the growing IoT demand for home lighting with the new SMART Light series — a collection of WiFi-supported LED lighting solutions that can be fully controlled via Amazon Alexa or Google Home.



SMART BULB



9w

VT-5010

SKU: 7452 6000K RGB+White

SKU: 7450 3000K RGB+Warm White

SKU: 7451 4000K RGB+Day White



9w

VT-5011

SKU: 7471 3000K RGB+Warm White

Voltage/Frequency:	AC:85-265V 50/60Hz
Luminous Flux:	800lm
Beam Angle:	200°
Wireless Frequency:	2.4GHz
Wireless Standard:	IEEE 802.11 b/g/n
Base:	E27
Body Type:	Thermoplastic
Dimension:	60x112mm
Box Qty:	60pcs



-  16 million colors
-  APP remote control
-  Smart timer function
-  Smart lighting adjustment
-  Size: Ø65x120mm

works with
 amazon alexa

 works with
Google Home



V-TAC
SMART
LIGHT

V-TAC[®]
INNOVATIVE LED LIGHTING



Changeable bezel options:



Black
SKU- 1425



Brush Nickel
SKU - 1426



Polish Chrome
SKU- 1427



CCT AND DIMMING
VIA SMART PHONE APP

Fire Rated Downlight With White Bezel

10W VT-7710

SKU: 1424 - 3 IN 1

90 MIN
Fire Rated

IP65
RATING




QUICK CONNECTOR



DIMMABLE

Voltage/Frequency: AC:220-240V,50Hz
Lumens: 850lm
LED Type: COB
Body Type: Aluminium
Beam Angle: 38°
Life Span: 30,000 Hours
Unit Size: Ø83x57mm
IP Rating: IP65
Box Qty: 40 Pcs



5 **V-TAC®** **PRO**
YEAR
WARRANTY

*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

V-TAC®
INNOVATIVE LED LIGHTING



new!



Touch Control



Touch Dimming



USB port



Rechargeable




Table Lamps+Speaker

3W VT-1043D

SKU: 8516 - 3000K+RGB

Voltage/Frequency:	AC:100-240V,50/60Hz	CRI:	>70
Luminous Flux:	110lm	PF:	>0.6
Working Time:	2-3 Hours(Min) 15-20	Beam Angle:	360°
Battery Type:	Hours(Max)	Color:	White
Charging Time:	Lithium Battery -	Body Type:	ABS
USB Output	1500mAh	Dimension:	Ø95x122mm
	2-3 Hours	Box Qty:	40 Pcs



- Compatible with all smart devices including smart phones, laptops, tablets, etc...
- Supports MP3 files stored in micro SD cards & USB drives
- Supports FM Function, FM Frequency Range 87-108MHZ.
- Easy to plug in your iPod, smart phones, tablets, computer & laptops and other MP3 players or any audio source that uses a standard 35mm jack
- Built-in micro phone for hands-free speaker phone calling which is easy to pair and does not require any code/pin
- Color changing and brightness adjusted by touching.
- USB cable for power, plug and play.



V-TAC[®]
INNOVATIVE LED LIGHTING

PIR SENSOR-WIFI-CAMERA



Video Compression:	H.264 / MJPEG dual video stream
Image Resolution:	1280*720
Image sensor:	1/4 " 1Megapixel CMOS
Pixels:	1 million pixels
Delay Time:	pir.pdf
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	600lm
CRI:	>70
PF:	>0.5
Beam Angle:	180°
Body Type:	ABS+Aluminium
IP Rating:	IP20
Dimension:	248x 162x 181mm

3-in-1 Floodlight



18w VT-4818W 5745 - 6000K White

PIR SENSOR-WIFI-CAMERA



Video Compression:	H.264 / MJPEG dual video stream
Image Resolution:	1280*720
Image sensor:	1/4 " 1Megapixel CMOS
Pixels:	1 million pixels
Delay Time:	pir.pdf
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	600lm
CRI:	>70
PF:	>0.5
Beam Angle:	180°
Body Type:	ABS+Aluminium
IP Rating:	IP20
Dimension:	248x162x181mm

3-in-1 Floodlight



18w VT-4818B 5917 - 6000K White

V-TAC SMART HOME

SUPPORT AMAZON ALEXA AND GOOGLE HOME.





works with
 amazon alexa

works with
 Google Home

- SUPPORTS WI-FI NETWORK.
- SUPPORTS STATUS TRACKING, HOME APPLIANCES STATUS TIMELY FEEDBACK TO YOUR DEVICE.
- FCC, CE, ROHS, RED APPROVAL.
- LIGHTING PROTECTION (4000V)
- SUPPORTS SMART CONFIGURE NET TECHNOLOGY, EASY TO ACCESS SETTINGS.
- SUPPORTS MAX 8 TIMING TASK.
- SUPPORTS MAX 150 WI-FI SMART DEVICES FROM ONE SMART PHONE.



TOUCH SWITCH-WIFI





VT-5003

SKU: 8417

EAN: 3800157637305

Voltage/Frequency: AC: 90-250V,50/60Hz
Wireless Frequency: 2.412 - 2.484GHz
Max Watts: 2200w
Material: PC/Glass
On/Off Cycle: 10,000 Times
Life Span: 40,000 Times
IP RATING : IP40
Dimension: 86x86x35mm
Box Qty: 50pcs

TOUCH SWITCH-WIFI



VT-5004


SKU: 8418

EAN: 3800157637312

Voltage/Frequency: AC: 90-250V,50/60Hz
Wireless Frequency: 2.412 - 2.484GHz
Max Watts: 2200w
Material: PC/Glass
On/Off Cycle: 10,000 Times
Life Span: 40,000 Times
IP RATING : IP40
Dimension: 86x86x35mm
Box Qty: 50pcs



TOUCH SWITCH-WIFI




VT-5005


SKU: 8419

EAN: 3800157637329

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.412 - 2.484GHz
Max Watts:	2200w
Material:	PC/Glass
On/Off Cycle:	10,000 Times
Life Span:	40,000 Times
IP RATING :	IP40
Dimension:	86x86x35mm
Box Qty:	50pcs



TOUCH SWITCH-WIFI




VT-5003-BS


SKU: 8429

EAN: 3800157639828

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.412 - 2.484GHz
Max Watts:	2200w
Material:	PC/Glass
On/Off Cycle:	10,000 Times
Life Span:	40,000 Times
IP RATING :	IP40
Dimension:	86x86x35mm
Box Qty:	50pcs



TOUCH SWITCH-WIFI



VT-5004-BS

SKU: 8430


EAN: 3800157639835

Voltage/Frequency: AC: 90-250V,50/60Hz
Wireless Frequency: 2.412 - 2.484GHz
Max Watts: 2200w
Material: PC/Glass
On/Off Cycle: 10,000 Times
Life Span: 40,000 Times
IP RATING : IP40
Dimension: 86x86x35mm
Box Qty: 50pcs

works with
 amazon alexa

works with
 Google Home

TOUCH SWITCH-WIFI



VT-5005-BS

SKU: 8431

EAN: 3800157639842


Voltage/Frequency: AC: 90-250V,50/60Hz
Wireless Frequency: 2.412 - 2.484GHz
Max Watts: 2200w
Material: PC/Glass
On/Off Cycle: 10,000 Times
Life Span: 40,000 Times
IP RATING : IP40
Dimension: 86x86x35mm
Box Qty: 50pcs

works with
 amazon alexa

works with
 Google Home



TOUCH SWITCH-WIFI




VT-5003-B


SKU: 8423

EAN: 3800157637411

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.412 - 2.484GHz
Max Watts:	2200w
Material:	PC/Glass
On/Off Cycle:	10,000 Times
Life Span:	40,000 Times
IP RATING :	IP40
Dimension:	86x86x35mm
Box Qty:	50pcs



TOUCH SWITCH-WIFI




VT-5004-B

SKU: 8424

EAN: 3800157637428

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.412 - 2.484GHz
Max Watts:	2200w
Material:	PC/Glass
On/Off Cycle:	10,000 Times
Life Span:	40,000 Times
IP RATING :	IP40
Dimension:	86x86x35mm
Box Qty:	50pcs



TOUCH SWITCH-WIFI



VT-5005-B

SKU: 8425

EAN: 3800157637510

Voltage/Frequency: AC: 90-250V,50/60Hz
Wireless Frequency: 2.412 - 2.484GHz
Max Watts: 2200w
Material: PC/Glass
On/Off Cycle: 10,000 Times
Life Span: 40,000 Times
IP RATING : IP40
Dimension: 86x86x35mm
Box Qty: 50pcs

works with
 amazon alexa

works with
 Google Home

ONLINE SWITCH-WIFI



VT-5008

SKU: 8422

EAN: 3800157637350

Voltage/Frequency: AC: 90-250V,50/60Hz
Wireless Frequency: 2.412 - 2.484GHz
Max Watts: 2200w
Material: PC
On/Off Cycle: 10,000 Times
Life Span: 40,000 Times
IP RATING : IP30
Dimension: 90x40x25mm
Box Qty: 100pcs

works with
 amazon alexa

works with
 Google Home



WATERPROOF SOCKET



VT-5000

SKU: 8414

EAN: 3800157637275

Voltage/Frequency: AC: 90-250V,50/60Hz
Wireless Frequency: 2.412 - 2.484GHz
Max Watts: 2200w
Material: PC
On/Off Cycle: 10,000 Times
Life Span: 10,000 Times
IP RATING : IP54
Dimension: 86x71x68mm
Box Qty: 50pcs

works with
 amazon alexa

works with
 Google Home

PLUG-WIFI



VT-5001

SKU: 8415

EAN: 3800157637282

Voltage/Frequency: AC: 90-250V,50/60Hz
Wireless Frequency: 2.412 - 2.484GHz
Max Watts: 2200w
Material: PC
On/Off Cycle: 10,000 Times
Life Span: 10,000 Times
IP RATING : IP20
Dimension: 110x62x36mm
Box Qty: 50pcs

works with
 amazon alexa

works with
 Google Home

BS Plug SKU: 8427



BS PLUG
AVAILABLE



V-TAC®
INNOVATIVE LED LIGHTING

V-TAC
SMART
HOME

MINI PLUG-WIFI



works with
 amazon alexa

 works with
Google Home

VT-5002

SKU: 8416

EAN: 3800157637299

Voltage/Frequency: AC: 90-250V,50/60Hz
Wireless Frequency: 2.412 - 2.484GHz
Max Watts: 2200w
Material: PC
On/Off Cycle: 10,000 Times
Life Span: 10,000 Times
IP RATING : IP20
Dimension: 63x45x30mm
Box Qty: 100pcs

BS Plug SKU: 8428



BS PLUG
AVAILABLE



POWER STRIP-WIFI



works with
 amazon alexa

 works with
Google Home

VT-5006

SKU: 8420

EAN: 3800157637336

Voltage/Frequency: AC: 90-250V,50/60Hz
Wireless Frequency: 2.412 - 2.484GHz
Max Watts: 2200w
Material: PC
On/Off Cycle: 10,000 Times
Life Span: 10,000 Times
IP RATING : IP20
Dimension: 32x60x48mm
Box Qty: 25pcs



V-TAC[®]
INNOVATIVE LED LIGHTING

E27 LAMP HOLDER-WIFI



VT-5007

SKU: 8421

EAN: 3800157637343

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.412 - 2.484GHz
Max Watts:	2200w
Material:	PC
On/Off Cycle:	10,000 Times
Life Span:	10,000 Times
IP RATING :	IP20
Dimension:	67x67x102mm
Box Qty:	50pcs

works with
 amazon alexa

 works with
Google Home

CONTROLLER-WIFI



VT-5009

SKU: 8426

EAN: 3800157637787

Supply:	12-24V DC via screw terminal block.
Strip compatibility:	RGB, RGBW, RGBWW*, single colour, CCT.
Connection mode :	Common anode
Controller dimensions:	L 82mm x W 62mm x H 18mm.
Output:	5 x 4A/channel, 20A total maximum via screw terminal block.

works with
 amazon alexa

 works with
Google Home

V-TAC[®]
INNOVATIVE LED LIGHTING

V-TAC
SMART
HOME



LED Outdoor Lights

Transform the exteriors of a Building or a Garden into a Beautiful piece of Architecture. Simultaneously help navigate obstacles at night, prevent accidents and provide security.

Product Features

- Perfect replacement for traditional fittings as they are more flexible & efficient
- Work perfectly in extreme temperatures from -20° to +45° without any adverse effects
- Specifically designed for Outdoor use
- IP65 Protection Rating to ensure safety
- Low Maintenance
- Outstanding Colour options and settings

Applications

Used for Gardens, Outdoor Residential Areas, Walkways & Passages, Driveways, Fountains, Lawns, Entrance, Patio or Terrace and similar environments



Wall Fitting-IP44-GU10-PIR

VT-7621PIR

SKU: 7502 3800157617611

Box Qty.
24 Pcs

Type: Wall Fixtures
Holder: GU10
Material: Stainless Steel

Color of Fixture: Stainless Steel Brush
IP Rating: IP44
Dimension: 110x67x163mm



Wall Fitting-Up-Down-GU10-PIR

VT-7622PIR

SKU: 7503 3800157617628

Box Qty.
12 Pcs

Type: Wall Fixtures
Holder: GU10
Material: Stainless Steel

Color of Fixture: Stainless Steel Brush
IP Rating: IP44
Dimension: 110x67x220mm



Wall Fitting-Up-Down-GU10-IP44

VT-7622

SKU: 7500 3800157617598

Box Qty.
16 Pcs

Type: Wall Fixtures
Holder: 2XGU10
Material: Stainless Steel

Color of Fixture: Stainless Steel Brush
IP Rating: IP44
Dimension: 93x85x163mm



Wall Fitting-IP44-GU10

VT-7621

SKU: 7501 3800157617604

Box Qty.
24 Pcs

Type: Wall Fixtures
Holder: GU10
Material: Stainless Steel

Color of Fixture: Stainless Steel Brush
IP Rating: IP44
Dimension: 93x85x118mm



Wall Fitting-Up-Down-GU10-IP44

VT-7632

SKU: 7504 3800157617635

Box Qty.
12 Pcs



Type: **Wall Fixtures**
Holder: **2XGU10**
Material: **Stainless Steel**

Color of Fixture: **Stainless Steel Brush**
IP Rating: **IP44**
Dimension: **110x60x178mm**



Wall Fitting-IP44-GU10

VT-7631

SKU: 7505 3800157617642

Box Qty.
24 Pcs

Type: **Wall Fixtures**
Holder: **GU10**
Material: **Stainless Steel**

Color of Fixture: **Stainless Steel Brush**
IP Rating: **IP44**
Dimension: **110x60x125mm**



Wall Light-IP44-GU10

VT-7641

SKU: 7506 3800157617659

Box Qty.
24 Pcs

Type: **Wall Fixtures**
Holder: **GU10**
Material: **Stainless Steel**

Color of Fixture: **Stainless Steel Brush**
IP Rating: **IP44**
Dimension: **105x76x118mm**



Wall Fitting-Up-Down-GU10

VT-7642

SKU: 7507 3800157617666

Box Qty.
16 Pcs



Type: **Wall Fixtures**
Holder: **2XGU10**
Material: **Stainless Steel**

Color of Fixture: **Stainless Steel Brush**
IP Rating: **IP44**
Dimension: **105x76x207mm**



Wall Fitting-Round-IP44-GU10

VT-7651RD

SKU: 7508 3800157617673

 Box Qty.
24 Pcs

Type: Wall Fixtures
Holder: GU10
Material: Aluminium

Color of Fixture: Black
IP Rating: IP44
Dimension: 92x68x80mm



Wall Fitting-Up-Down-GU10-IP44

VT-7652RD

SKU: 7509 3800157617680

 Box Qty.
16 Pcs

 **UP & DOWN
LIGHTS**

Type: Wall Fixtures
Holder: GU10
Material: Aluminium

Color of Fixture: Black
IP Rating: IP44
Dimension: 92x68x80mm



Wall Fitting-Square-IP44-GU10

VT-7651SQ

SKU: 7510 3800157617697

 Box Qty.
24 Pcs

Type: Wall Fixtures
Holder: GU10
Material: Aluminium

Color of Fixture: Black
IP Rating: IP44
Dimension: 92x68x80mm



Wall Fitting-Square-IP44-GU10

VT-7652SQ

SKU: 7511 3800157617703

 Box Qty.
16 Pcs

Type: Wall Fixtures
Holder: 2XGU10
Material: Aluminium

Color of Fixture: Black
IP Rating: IP44
Dimension: 92x68x150mm



Wall Fitting-Up-Down-GU10

VT-7662

SKU: 7512 3800157617710

Box Qty.
12 Pcs



Type: **Wall Fixtures**
Holder: **2XGU10**
Material: **Stainless Steel**

Color of Fixture: **Black**
IP Rating: **IP44**
Dimension: **85x87x250mm**

new!



Wall Fitting-Square-IP44-GU10

VT-7651SQ-W

SKU: 7539 3800157630702

Box Qty.
24 Pcs

Type: **Wall Fixtures**
Holder: **GU10**
Material: **Aluminium**

Color of Fixture: **White**
IP Rating: **IP44**
Dimension: **92x68x80mm**

new!



Wall Fitting-Round-IP44-GU10

VT-7651RD-W

SKU: 7540 3800157630719

Box Qty.
24 Pcs

Type: **Wall Fixtures**
Holder: **GU10**
Material: **Aluminium**

Color of Fixture: **White**
IP Rating: **IP44**
Dimension: **92x68x80mm**

new!



Wall Fitting-Square-IP44-GU10

VT-7652SQ-W

SKU: 7541 3800157630726

Box Qty.
16 Pcs



Type: **Wall Fixtures**
Holder: **2XGU10**
Material: **Aluminium**

Color of Fixture: **White**
IP Rating: **IP44**
Dimension: **92x68x150mm**

new!

Wall Fitting-Up-Down-GU10-IP44

VT-7652RD-W

SKU: 7542 3800157630733

 Box Qty.
16 Pcs
 **UP & DOWN
LIGHTS**

Type: Wall Fixtures
Holder: 2xGU10
Material: Aluminium

Color of Fixture: White
IP Rating: IP44
Dimension: 92x68x80mm

new!

Wall Fitting-Up-Down-GU10

VT-7662-W

SKU: 7543 3800157630740

 Box Qty.
12 Pcs
 **UP & DOWN
LIGHTS**

Type: Wall Fixtures
Holder: 2XGU10
Material: Aluminium

Color of Fixture: White
IP Rating: IP44
Dimension: 85x87x250mm

new!

Wall Fitting-IP44-GU10

VT-7611

SKU: 7553 3800157633574

 Box Qty.
24 Pcs

Type: Wall Fixtures
Holder: GU10
Material: Aluminium

Color of Fixture: Black
IP Rating: IP44
Dimension: 100x66x92mm

new!

Wall Fitting-IP44-GU10

VT-7612

SKU: 7554 3800157633581

 Box Qty.
6 Pcs

Type: Wall Fixtures
Holder: GU10
Material: Aluminium

Color of Fixture: Black
IP Rating: IP44
Dimension: 1170x50mm



Underground Fitting-Round-GU10

VT-7677RD

SKU: 7515 3800157617741

 Box Qty.
24 Pcs


Type: **Underground**
Holder: **Fittings**
Material: **GU10**

Color of Fixture: **Black**
IP Rating: **IP65**
Dimension: **110x110x-**



Underground Fitting-Square-GU10

VT-7677SQ

SKU: 7516 3800157617758

 Box Qty.
24 Pcs


Type: **Underground**
Holder: **Fittings**
Material: **GU10**

Color of Fixture: **Black**
IP Rating: **IP65**
Dimension: **110x110x-**



Garden Spike-Single Head-E27

VT-728

SKU: 7044 3800157606332

 Box Qty.
12 Pcs

Type: **Garden Lamps**
Holder: **E27**
Material: **ABS**

Color of Fixture: **Black**
IP Rating: **IP44**
Dimension: **450x27mm**



Garden Spike-Double Head-E27

VT-729

SKU: 7045 3800157606349

 Box Qty.
12 Pcs

Type: **Garden Lamps**
Holder: **E27**
Material: **ABS**

Color of Fixture: **Black**
IP Rating: **IP44**
Dimension: **450x205mm**



Garden Spike-Black-IP44

VT-769

SKU: 7517 3800157617765

Box Qty.
12 Pcs

Type: **Garden Lamps**
Holder: **GU10**
Material: **Aluminium**

Color of Fixture: **Black**
IP Rating: **IP44**
Dimension: **95x95x335mm**



Garden Spike-White-IP44

VT-770

SKU: 7518 3800157617772

Box Qty.
8 Pcs

Type: **Garden Lamps**
Holder: **GU10**
Material: **Stainless Steel**

Color of Fixture: **Silver**
IP Rating: **IP44**
Dimension: **60x60x420mm**



new!

Garden Lamp

12w

VT-857-B



Box Qty.
50 Pcs

SKU: 7544 - 3000K Warm White
SKU: 7545 - 4000K Day White
SKU: 7546 - Green

3800157633444
3800157633451
3800157633468



IP65
RATING



Commercial Type: **Garden Spike Light**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **720lm**
Beam Angle: **30°**
PF **>0.6**

CRI: **>80**
IP Rating: **IP65**
Body Type: **Aluminium**
Dimension: **73x255mm**

new!

Garden Lamp

12w

VT-857-W



Box Qty.
50 Pcs

SKU: 7547 - 3000K Warm White
SKU: 7548 - 4000K Day White
SKU: 7549 - Green

3800157633475
3800157633482
3800157633499



IP65
RATING



Commercial Type: **Garden Spike Light**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **720lm**
Beam Angle: **30°**
PF **>0.6**

CRI: **>80**
IP Rating: **IP65**
Body Type: **Aluminium**
Dimension: **73x255mm**

new!

Garden Lamp

12w

VT-857-G



Box Qty.
50 Pcs

SKU: 7550 - 3000K Warm White
SKU: 7551 - 4000K Day White
SKU: 7552 - Green

3800157633505
3800157633512
3800157633529



IP65
RATING



Commercial Type: **Garden Spike Light**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **720lm**
Beam Angle: **30°**
PF **>0.6**

CRI: **>80**
IP Rating: **IP65**
Body Type: **Aluminium**
Dimension: **73x255mm**

new!
Pool Lights-PAR56
8W
VT-1258

 Box Qty.
12 Pcs

SKU: 7556 - 3000K Warm White

3800157633789

SKU: 7555 - 6400K White


3800157633772

SKU: 7557 - Blue

3800157633796



Commercial Type:	PAR56
Voltage/Frequency:	AC/DC:12V,50Hz
Luminous Flux:	800lm
Beam Angle:	120°
CRI:	>80
IP Rating:	IP68
Body Type:	Glass
Dimension:	178x114mm
Cutting Size:	275x145mm


new!
Pool Lights-PAR56-RGB
8W
VT-1268


 Box Qty.
12 Pcs

SKU: 7558 - RGB

3800157633802



Commercial Type:	PAR56
Voltage/Frequency:	AC/DC:12V,50Hz
Luminous Flux:	800lm
Beam Angle:	120°
CRI:	>80
IP Rating:	IP68
Body Type:	Glass
Dimension:	178x114mm
Cutting Size:	275x145mm



new!

Pool Lights-PAR56

12w VT-1262

Box Qty.
12 Pcs

SKU: 7560 - 3000K Warm White

3800157633826

SKU: 7559 - 6500K White


3800157633819

SKU: 7561 - Blue

3800157633833



Commercial Type: PAR56
Voltage/Frequency: AC/DC:12V,50Hz
Luminous Flux: 1200lm
Beam Angle: 120°
CRI: >80
IP Rating: IP68
Body Type: Glass
Dimension: 178x114mm
Cutting Size: 275x145mm



new!

Pool Lights-PAR56-RGB

12w VT-1263


Box Qty.
12 Pcs

SKU: 7562 - RGB

3800157633840



Commercial Type: PAR56
Voltage/Frequency: AC/DC:12V,50Hz
Luminous Flux: 1200lm
Beam Angle: 120°
CRI: >80
IP Rating: IP68
Body Type: Glass
Dimension: 178x114mm
Cutting Size: 275x145mm







LED Wall Lights

Presenting our modern LED wall lights, the perfect replacement for traditional wall lamps. A classy combination of energy efficiency and design. Applied indoors or outdoors, style up your bedroom, hall or pathways with the soft light illuminated from these Wall Lamps.

Product Features

- Modern Wall lights available in sleek and stylish designs.
- Adjustable Beam Angle.
- Available in Black, Grey & White Colors
- Easy installation
- Perfect for Halls, Pathways, Bedroom, Kitchen & Terrace


Applications

Suitable for Residential lighting, Hotels, Restaurants, Resorts, Residential Lighting and similar environment




VT-827-RD

SKU: 8537 - 3000K Warm White 3800157638869
SKU: 8538 - 4000K Day White 3800157638876



VT-827-SQ

SKU: 8539 - 3000K Warm White 3800157638883
SKU: 8540 - 4000K Day White 3800157638890



new!

12w



Box Qty.
20Pcs

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **1200**
IP Rating: **IP65**
CRI: **>80**


PF: **>0.5**
Beam Angle: **128°**
Body Type: **PC**
Dimension: **169x100mm**






VT-828-RD

SKU: 8541 - 3000K Warm White 3800157638906
SKU: 8542 - 4000K Day White 3800157638913



VT-828-SQ

SKU: 8543 - 3000K Warm White 3800157638920
SKU: 8544 - 4000K Day White 3800157638937



new!

12w

Box Qty.
20Pcs

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **1200**
IP Rating: **IP65**
CRI: **>80**

PF: **>0.5**
Beam Angle: **158°**
Body Type: **PC**
Dimension: **169x100mm**

IP65
RATING



White

SKU: 8316 - 3000K Warm White 3800157632270
 SKU: 8317 - 4000K Day White 3800157632287
 SKU: 8318 - 5000K White 3800157632294

Black

SKU: 8322 - 3000K Warm White 3800157632331
 SKU: 8323 - 4000K Day White 3800157632348
 SKU: 8324 - 5000K White 3800157632355

Grey

SKU: 8319 - 3000K Warm White 3800157632300
 SKU: 8320 - 4000K Day White 3800157632317
 SKU: 8321 - 5000K White 3800157632324

Wall Lights


10w VT-830

Box Qty.
8Pcs



Sensor Compatible: Yes
 Voltage/Frequency: AC:100-240V,50/60Hz
 Luminous Flux: 450lm
 IP Rating: IP65
 CRI: >80

PF: >0.5
 Beam Angle: 72°
 Body Type: Aluminium
 Dimension: 108x250mm





Wall Lights


10W VT-820

Box Qty.
4Pcs



Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:100-240V,50/60Hz**
 Luminous Flux: **450lm**
 IP Rating: **IP65**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **72°**
 Body Type: **Aluminium**
 Dimension: **108x800mm**





White

SKU: 8334 - 3000K Warm White 3800157632454
 SKU: 8335 - 4000K Day White 3800157632461
 SKU: 8336 - 6400K White 3800157632478



Black

SKU: 8340 - 3000K Warm White 3800157632515
 SKU: 8341 - 4000K Day White 3800157632522
 SKU: 8342 - 6400K White 3800157632539



Grey

SKU: 8337 - 3000K Warm White 3800157632485
 SKU: 8338 - 4000K Day White 3800157632492
 SKU: 8339 - 6400K White 3800157632508

Wall Lights


12w VT-822


 Box Qty.
20Pcs



Sensor Compatible: Yes
 Voltage/Frequency: AC:100-240V,50/60Hz
 Luminous Flux: 750lm
 IP Rating: IP65
 CRI: >80

PF: >0.5
 Beam Angle: 140°
 Body Type: PC
 Dimension: 130x160mm





Square-IP65

4w


VT-704

Box Qty.
20Pcs



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **440lm**
IP Rating: **IP65**
CRI: **>80**

PF: **>0.5**
Beam Angle: **360°**
Body Type: **Aluminium+Acrylic**
Dimension: **150x150x50mm**



Black

SKU: 8215 - 3000K Warm White 3800157623322
 SKU: 8216 - 4000K Day White 3800157623339

White

SKU: 8213 - 3000K Warm White 3800157623308
 SKU: 8214 - 4000K Day White 3800157623315

Round-IP65

4W


VT-706


Box Qty.
20Pcs



Sensor Compatible: Yes
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 440lm
 IP Rating: IP65
 CRI: >80

PF: >0.5
 Beam Angle: 360°
 Body Type: Aluminium+Acrylic
 Dimension: 150x50mm





Modern Wall Lights

5w

VT-825

Box Qty.
20Pcs



Sensor Compatible: **Yes**

Voltage/Frequency: **AC:220-240V,50/60Hz**

Luminous Flux: **550lm**

IP Rating: **IP65**


CRI: **>80**

PF: **>0.5**

Beam Angle: **120°**

Body Type: **Aluminium**

Dimension: **170x170x75mm**





Triangle Light


6W

VT-826

Box Qty.
20Pcs**IP65**
RATING

Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **660lm**
 IP Rating: **IP65**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **15/120°**
 Body Type:
 Dimension: **Aluminium**





Single Head-Rotatable

6W


VT-816

Box Qty.
20Pcs



Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **660lm**
 IP Rating: **IP65**
 CRI: **>80**

PF: **>0.5**
 Beam Angle: **350°**
 Body Type: **Aluminium**
 Dimension: **110x54x97mm**





Black

SKU: 7078 - 3000K Warm White 3800157616379
SKU: 7087 - 4000K Day White 3800157616874

White

SKU: 7079 - 3000K Warm White 3800157616386
SKU: 7088 - 4000K Day White 3800157616881

Grey

SKU: 7080 - 3000K Warm White 3800157616393
SKU: 7089 - 4000K Day White 3800157616898

Square-Bridgelux

6W


VT-759

 Box Qty.
20Pcs



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **660lm**
IP Rating: **IP65**
CRI: **>80**

PF: **>0.45**
Beam Angle: **120°**
Body Type: **Aluminium**
Dimension: **100x100x100mm**





Round-Bridgelux

6W


VT-756

Box Qty.
20Pcs



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **660lm**
IP Rating: **IP65**
CRI: **>80**

PF: **>0.45**
Beam Angle: **120°**
Body Type: **Aluminium**
Dimension: **140x115x100mm**



Grey

SKU: 8305 - 3000K Warm White 3800157629997
 SKU: 8306 - 4000K Day White 3800157630009

Black

SKU: 8303 - 3000K Warm White 3800157629973
 SKU: 8304 - 4000K Day White 3800157629980

White

SKU: 8301 - 3000K Warm White 3800157629959
 SKU: 8302 - 4000K Day White 3800157629966

Round Light

6W


VT-836


 Box Qty.
20Pcs



Sensor Compatible: Yes
 Voltage/Frequency: AC:220-240V,50/60Hz
 Luminous Flux: 660lm
 IP Rating: IP65
 CRI: >80

PF: >0.5
 Beam Angle: 90°
 Body Type: Aluminium
 Dimension: 112x112x93mm





Black

SKU: 8219 - 3000K Warm White 3800157623360
SKU: 8220 - 4000K Day White 3800157623377

White

SKU: 8217 - 3000K Warm White 3800157623346
SKU: 8218 - 4000K Day White 3800157623353

Ceiling-Blade Lights

7W


VT-707

Box Qty.
20Pcs



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **770lm**
IP Rating: **IP65**
CRI: **>80**

PF: **>0.5**
Beam Angle: **360°**
Body Type: **Aluminium**
Dimension: **110x120x170mm**






Round-Bridgelux

6W VT-741
 Box Qty.
20Pcs

 SKU: 7524 - 3000K Warm White
 SKU: 7525 - 4000K Day White

 3800157620017
 3800157620024

 Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **660lm**
 IP Rating: **IP65**
 CRI: **>80**

 PF: **>0.55**
 Beam Angle: **360°**
 Body Type: **Aluminium**
 Dimension: **Ø135mm**



Round-Bridgelux

9W VT-743
 Box Qty.
20Pcs

 SKU: 7526 - 3000K Warm White
 SKU: 7527 - 4000K Day White

 3800157620031
 3800157620048

 Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **990lm**
 IP Rating: **IP65**
 CRI: **>80**

 PF: **>0.55**
 Beam Angle: **360°**
 Body Type: **Aluminium**
 Dimension: **Ø180mm**




Up-Down Light-Medium

9w

VT-8056

Box Qty.
20Pcs

SKU: 8239 - 3000K Warm White
SKU: 8240 - 4000K Day White
SKU: 8241 - 6400K White

3800157625791
3800157625807
3800157625814



Sensor Compatible: **Yes**

Voltage/Frequency: **AC:100-240V,50/60Hz**

Luminous Flux: **400lm**

IP Rating: **IP65**


CRI: **>80**

PF: **>0.9**

Beam Angle: **90°**

Body Type: **PC**

Dimension: **173x81x46mm**



Up-Down Light-Large

12w

VT-8057

Box Qty.
20Pcs

SKU: 8242 - 3000K Warm White
SKU: 8243 - 4000K Day White
SKU: 8244 - 6400K White

3800157625821
3800157625838
3800157625845



Sensor Compatible: **Yes**

Voltage/Frequency: **AC:100-240V,50/60Hz**

Luminous Flux: **600lm**

IP Rating: **IP65**


CRI: **>80**

PF: **>0.9**

Beam Angle: **92°**

Body Type: **PC**

Dimension: **230x100x90mm**





Grey

SKU: 8294 - 3000K Warm White 3800157629881

White

SKU: 8292 - 3000K Warm White 3800157629867



Black

SKU: 8293 - 3000K Warm White 3800157629874




Double Head-Rotatable

12w VT-814

 Box Qty.
20Pcs


Sensor Compatible: Yes
 Voltage/Frequency: AC:110-240V,50/60Hz
 Luminous Flux: 1320lm
 IP Rating: IP65
 CRI: >80

PF: >0.5
 Beam Angle: 350°
 Body Type: Aluminium
 Dimension: 230x54x97mm





Square-Bridgelux


12w VT-759-12

Box Qty.
20Pcs



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **1100lm**
IP Rating: **IP65**
CRI: **>80**

PF: **>0.45**
Beam Angle: **120°**
Body Type: **Aluminium**
Dimension: **100x100x100mm**




new!**12w VT-829**
 Box Qty.
20Pcs

SKU: 8545 - 3000K Warm White

3800157638944

SKU: 8546 - 4000K Day White

3800157638951

Sensor Compatible: **Yes**PF: **>0.5**Voltage/Frequency: **AC:220-240V,50/60Hz**Beam Angle: **110°**Luminous Flux: **500lm**Body Type: **PC**IP Rating: **IP65**Dimension: **300x194x55mm**CRI: **>80****Softlight-Bulkhead****12w VT-8058**
 Box Qty.
20Pcs

SKU: 8245 - 3000K Warm White


3800157625852

SKU: 8246 - 4000K Day White

3800157625869

SKU: 8247 - 6400K White

3800157625876

Sensor Compatible: **Yes**PF: **>0.9**Voltage/Frequency: **AC:100-240V,50/60Hz**Beam Angle: **130°**Luminous Flux: **500lm**Body Type: **PC**IP Rating: **IP65**Dimension: **230x110x76mm**CRI: **>80**




Landscape-Soft Light-Medium

12w VT-8054

Box Qty.
20Pcs

SKU: 8233 - 3000K Warm White 3800157625739
SKU: 8234 - 4000K Day White 3800157625746
SKU: 8235 - 6400K White 3800157625753



Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	110°
Luminous Flux:	600lm	Body Type:	PC
IP Rating:	IP65	Dimension:	265x120x81mm
CRI:	>80		




Landscape-Soft Light-Large

20w VT-8055

Box Qty.
20Pcs

SKU: 8236 - 3000K Warm White 3800157625760
SKU: 8238 - 6400K White 3800157625784



Sensor Compatible:	Yes	PF:	> 0.9
Voltage/Frequency:	AC:100-240V,50/60Hz	Beam Angle:	110°
Luminous Flux:	1000lm	Body Type:	PC
IP Rating:	IP65	Dimension:	319x170x114mm
CRI:	>80		



18w VT-819-W
 Box Qty.
10Pcs


SKU: 8533 - 3000K Warm White

3800157638678

SKU: 8534 - 4000K Day White

3800157638685

 **IP45**
RATING
Sensor Compatible: **Yes**PF: **>0.5**Voltage/Frequency: **AC:220-240V,50/60Hz**Beam Angle: **0-90°**Luminous Flux: **1800lm**Body Type: **Aluminium**IP Rating: **IP44**Dimension: **600x100x42mm**CRI: **>80**



20w VT-821-W
 Box Qty.
20Pcs

SKU: 8535 - 3000K Warm White

3800157638692

SKU: 8536 - 4000K Day White

3800157638708

 **IP45**
RATING
Sensor Compatible: **Yes**PF: **>0.5**Voltage/Frequency: **AC:220-240V,50/60Hz**Beam Angle: **150°**Luminous Flux: **2000**Body Type: **Aluminium**IP Rating: **IP44**Dimension: **610x90x35mm**CRI: **>80**

INDOOR WALL LIGHTS



Wall Lights

5w

VT-705

Box Qty.
20Pcs

SKU: 8208 - 3000K Warm White

SKU: 8232 - 4000K Day White

3800157623254

3800157624756

Sensor Compatible: **Yes**

Voltage/Frequency: **AC:220-240V,50/60Hz**

Luminous Flux: **550lm**

IP Rating: **IP20**


CRI: **>80**


PF: **>0.5**

Beam Angle: **150°**

Body Type: **Aluminium**

Dimension: **175x80x96mm**





White

SKU: 8344 - 3000K Warm White
SKU: 8345 - 4000K Day White

3800157633000
3800157633017

Black

SKU: 8346 - 3000K Warm White
SKU: 8347 - 4000K Day White

3800157633024
3800157633031

Square-Bridgelux

3W

VT-803



Box Qty.
20Pcs

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:110-240V,50/60Hz**
Luminous Flux: **300lm**
IP Rating: **IP20**
CRI: **>80**

PF: **>0.5**
Beam Angle: **120°**
Body Type: **Iron**
Dimension: **220x80x200mm**

Rotatable-360-White

5w


VT-757



Box Qty.
20Pcs

SKU: 7086 - 3000K Warm White
SKU: 7093 - 4000K Day White

3800157616454
3800157616935



Sensor Compatible: **Yes**

Voltage/Frequency: **AC:110-240V,50/60Hz**

Luminous Flux: **560lm**

IP Rating: **IP20**

CRI: **>80**

PF: **>0.45**

Beam Angle: **10-360°**

Body Type: **Aluminium**

Dimension: **140x105x140mm**



White

SKU: 8225 - 3000K Warm White
SKU: 8226 - 4000K Day White

3800157623421
3800157623438

Black

SKU: 8227 - 3000K Warm White
SKU: 8228 - 4000K Day White

3800157623445
3800157623452


Modern Wall Lights

9w

VT-710



Box Qty.
20Pcs




Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **990lm**
IP Rating: **IP20**
CRI: **>80**

PF: **>0.5**
Beam Angle: **360°**
Body Type: **Aluminium+Acrylic**
Dimension: **210x80mm**



White

SKU: 8221 - 3000K Warm White 3800157623384
SKU: 8222 - 4000K Day White 3800157623391



Black

SKU: 8223 - 3000K Warm White 3800157623407
SKU: 8224 - 4000K Day White 3800157623414

Modern Wall Lights


9w

VT-709

Box Qty.
10Pcs

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50/60Hz**
Luminous Flux: **990lm**
IP Rating: **IP20**
CRI: **>80**

PF: **>0.5**
Beam Angle: **360°**
Body Type: **Aluminium**
Dimension: **440x335x75mm**





White

SKU: 8307 - 3000K Warm White

3800157630016

SKU: 8308 - 4000K Day White

3800157630023



Black

SKU: 8309 - 3000K Warm White

3800157630030


SKU: 8310 - 4000K Day White

3800157630047

Modern Wall Lights

10w

VT-811

Box Qty.
20PcsSensor Compatible: **Yes**PF: **>0.45**Voltage/Frequency: **AC:110-240V,50/60Hz**Beam Angle: **360°**Luminous Flux: **1100lm**Body Type: **Aluminium**IP Rating: **IP65**Dimension: **300x215x60mm**CRI: **>80**



Grey

SKU: 8206 - 3000K Warm White
SKU: 8207 - 4000K Day White


3800157623230
3800157623247



White

SKU: 8202 - 3000K Warm White
SKU: 8203 - 4000K Day White

3800157623193
3800157623209



Black

SKU: 8204 - 3000K Warm White
SKU: 8205 - 4000K Day White

3800157623216
3800157623223


Modern Wall Lights

12w VT-712

Box Qty.
20Pcs

Sensor Compatible: **Yes**
Voltage/Frequency: **AC:100-240V,50/60Hz**
Luminous Flux: **1100lm**
IP Rating: **IP20**
CRI: **>80**

PF: **>0.5**
Beam Angle: **360°**
Body Type: **Aluminium+Acrylic**
Dimension: **260x125x55mm**





Single Head

4.5w VT-805-W

 Box Qty.
12Pcs

SKU: 8262 - 3000K Warm White

SKU: 8264 - 4000K Day White

3800157627122

3800157627146

Sensor Compatible: Yes

Voltage/Frequency: AC:220-240V,50/60Hz

Luminous Flux: 360lm

IP Rating: IP20


CRI: >80

PF: >0.5

Beam Angle: 100°

Body Type: Plastic+Metal

Dimension: 100x94x45mm



Single Head

4.5w VT-805-B

 Box Qty.
12Pcs

SKU: 8263 - 3000K Warm White

SKU: 8265 - 4000K Day White

3800157627139

3800157627153

Sensor Compatible: Yes

Voltage/Frequency: AC:220-240V,50/60Hz

Luminous Flux: 360lm

IP Rating: IP20


CRI: >80

PF: >0.5

Beam Angle: 100°

Body Type: Plastic+Metal

Dimension: 100x94x45mm





Double Head

9w

VT-810-W

Box Qty.
12Pcs

SKU: 8266 - 3000K Warm White

SKU: 8268 - 4000K Day White

3800157627160

3800157627184

Sensor Compatible: **Yes**

Voltage/Frequency: **AC:220-240V,50/60Hz**

Luminous Flux: **720lm**

IP Rating: **IP20**


CRI: **>80**

PF: **>0.5**

Beam Angle: **100°**

Body Type: **Plastic+Metal**

Dimension: **400x100x94mm**



Double Head

9w

VT-810-B

Box Qty.
12Pcs

SKU: 8267 - 3000K Warm White

SKU: 8269 - 4000K Day White

3800157627177

3800157627191

Sensor Compatible: **Yes**

Voltage/Frequency: **AC:220-240V,50/60Hz**

Luminous Flux: **720lm**

IP Rating: **IP20**


CRI: **>80**

PF: **>0.5**

Beam Angle: **100°**

Body Type: **Plastic+Metal**

Dimension: **400x100x94mm**






Tripple Head

13.5w VT-813-W

 Box Qty.
12Pcs

SKU: 8270 - 3000K Warm White
SKU: 8272 - 4000K Day White

3800157627207
3800157627221



Sensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50/60Hz
Luminous Flux: 1080lm
IP Rating: IP20
CRI: >80

PF: >0.5
Beam Angle: 100°
Body Type: Plastic+Metal
Dimension: 600x100x94mm




Tripple Head

13.5w VT-813-B

 Box Qty.
12Pcs

SKU: 8271 - 3000K Warm White
SKU: 8273 - 4000K Day White

3800157627214
3800157627238



Sensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50/60Hz
Luminous Flux: 1080lm
IP Rating: IP20
CRI: >80

PF: >0.5
Beam Angle: 100°
Body Type: Plastic+Metal
Dimension: 600x100x94mm



Single Head

6W

VT-806-W

Box Qty.
24Pcs

SKU: 8250 - 3000K Warm White

SKU: 8252 - 4000K Day White

3800157627009

3800157627023

Sensor Compatible: **Yes**

Voltage/Frequency: **AC:220-240V,50/60Hz**

Luminous Flux: **480lm**

IP Rating: **IP20**


CRI: **>80**

PF: **>0.5**

Beam Angle: **100°**

Body Type: **Plastic+Metal**

Dimension: **100x93mm**



Single Head

6W

VT-806-B

Box Qty.
24Pcs

SKU: 8251 - 3000K Warm White

SKU: 8253 - 4000K Day White

3800157627016

3800157627030

Sensor Compatible: **Yes**

Voltage/Frequency: **AC:220-240V,50/60Hz**

Luminous Flux: **480lm**

IP Rating: **IP20**


CRI: **>80**

PF: **>0.5**

Beam Angle: **100°**

Body Type: **Plastic+Metal**

Dimension: **100x93mm**




Double Head
12w VT-812-W
 Box Qty.
12Pcs

SKU: 8254 - 3000K Warm White

3800157627047

SKU: 8256 - 4000K Day White

3800157627061

 Sensor Compatible: **Yes**

 PF: **>0.5**

 Voltage/Frequency: **AC:220-240V,50/60Hz**


 Beam Angle: **100°**

 Luminous Flux: **960lm**

 Body Type: **Plastic+Metal**

 IP Rating: **IP20**

 Dimension: **405x100x93mm**

 CRI: **>80**

Double Head
12w VT-812-B
 Box Qty.
12Pcs

SKU: 8255 - 3000K Warm White

3800157627054

SKU: 8257 - 4000K Day White

3800157627078

 Sensor Compatible: **Yes**

 PF: **>0.5**

 Voltage/Frequency: **AC:220-240V,50/60Hz**


 Beam Angle: **100°**

 Luminous Flux: **960lm**

 Body Type: **Plastic+Metal**

 IP Rating: **IP20**

 Dimension: **405x100x93mm**

 CRI: **>80**





Tripple Head

18w VT-818-W

Box Qty.
12Pcs

SKU: 8258 - 3000K Warm White
SKU: 8260 - 4000K Day White

3800157627085
3800157627108



Sensor Compatible: **Yes**

Voltage/Frequency: **AC:220-240V,50/60Hz**

Luminous Flux: **1440lm**

IP Rating: **IP20**

CRI: **>80**

PF: **>0.5**

Beam Angle: **100°**

Body Type: **Plastic+Metal**

Dimension: **605x100x93mm**




Tripple Head

18w VT-818-B

Box Qty.
12Pcs

SKU: 8259 - 3000K Warm White
SKU: 8261 - 4000K Day White

3800157627092
3800157627115



Sensor Compatible: **Yes**

Voltage/Frequency: **AC:220-240V,50/60Hz**

Luminous Flux: **1440lm**

IP Rating: **IP20**

CRI: **>80**

PF: **>0.5**

Beam Angle: **100°**

Body Type: **Plastic+Metal**

Dimension: **605x100x93mm**



Garden Lamps

V-TAC presents an elegant series of garden lighting- allowing your garden to glow in style when the sun goes down. Step outside with our wide range of contemporary outdoor lighting and decorate your pathways, walls, floors and ceilings with our modern designs.

Product Features

- Traditional Garden Lamps designed to fit the Modern day requirements
- Available in different designs, shapes and sizes
- Waterproof Lamps available in series of IP rating from IP 44 to IP 66
- Easy installation

Applications

Suitable for Outdoor Lighting

Wall Lamp

VT-837-B




Box Qty.
10 Pcs

SKU: 8517

3800157637435

Voltage: **AC:220-240V, 50Hz**
 Max.Watts: **60W**
 IP Rating: **IP44**
 Holder: **E27**
 Color of Fixture: **Matt Black**
 Body Type: **Aluminium+Clear Glass**
 Size: **113x236x113mm**



Wall Lamp

VT-837




Box Qty.
10 Pcs

SKU: 8518

3800157637442

Voltage: **AC:220-240V, 50Hz**
 Max.Watts: **60W**
 IP Rating: **IP44**
 Holder: **E27**
 Color of Fixture: **Matt White**
 Body Type: **Aluminium+Clear Glass**
 Size: **113x236x113mm**




VT-7613

SKU: 7563

3800157636360

Voltage: AC:220-240V/50-60HZ
 Max.Watts: 35W
 IP Rating: IP54
 Holder: GU10
 Color of Fixture: Black
 Body Type: Aluminium body+clear PC diffuser
 Size: 121x80x250mm

Box Qty.
6 Pcs




VT-7614

SKU: 7564

3800157636377

Voltage: AC:220-240V,50-60Hz
 Max.Watts: 35W
 IP Rating: IP54
 Holder: GU10
 Color of Fixture: Black
 Body Type: Aluminium body+clear PC diffuser
 Size: 80x80x500mm

Box Qty.
4 Pcs




VT-7615

SKU: 7565

3800157636384

Voltage: AC:220-240V,50-60Hz
 Max.Watts: 35W
 IP Rating: IP54
 Holder: GU10
 Color of Fixture: Black
 Body Type: Aluminium body+clear PC diffuser
 Size: 80x80x800mm

Box Qty.
4 Pcs




VT-7616

SKU: 7566

3800157636391



Voltage: **AC:220-240V,50-60Hz**
 Max.Watts: **35W**
 IP Rating: **IP54**
 Holder: **GU10**
 Color of Fixture: **Black**
 Body Type: **Aluminium body+opal PC diffuser**
 Size: **121x80x250mm**




VT-7617

SKU: 7567

3800157636407



Voltage: **AC:220-240V,50-60Hz**
 Max.Watts: **35W**
 IP Rating: **IP54**
 Holder: **GU10**
 Color of Fixture: **Black**
 Body Type: **Aluminium body+opal PC diffuser**
 Size: **80x80x500mm**




VT-7618

SKU: 7568

3800157636414



Voltage: **AC:220-240V,50-60Hz**
 Max.Watts: **35W**
 IP Rating: **IP54**
 Holder: **GU10**
 Color of Fixture: **Black**
 Body Type: **Aluminium body+opal PC diffuser**
 Size: **80x80x800mm**



Wall Lamp


VT-7670



3800157617727

SKU: 7513

Voltage: AC:220-240V,50Hz
 Max.Watts: 14W
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Stainless Steel
 Body Type: Stainless Steel+PC
 Size: 250x90x100mm



Wall Lamp


VT-7680



3800157617734

SKU: 7514

Voltage: AC:220-240V
 Max.Watts: 14W
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Stainless Steel
 Body Type: Stainless Steel+PC
 Size: 250x90x100mm



Wall Lamp


VT-745-B



3800157614399

SKU: 7064

Voltage: AC:220-240V,50Hz
 Max.Watts: 40W
 IP Rating: IP54
 Holder: E27
 Color of Fixture: Matt Black
 Body Type: Aluminium
 Size: 145X265mm



Wall Lamp


VT-745-DG

SKU: 7065

3800157614405

Box Qty.
12 Pcs

Voltage: **AC:220-240V,50Hz**
Max.Watts: **40W**
IP Rating: **IP54**
Holder: **E27**
Color of Fixture: **Dark Grey**
Body Type: **Aluminium**
Size: **145X265mm**



Wall Lamp


VT-754-MB

SKU: 7076

3800157616294

Box Qty.
10 Pcs

Voltage: **AC:220-240V,50Hz**
Max.Watts: **40W**
IP Rating: **IP44**
Holder: **E27**
Color of Fixture: **Matt Black**
Body Type: **Aluminium+Glass**
Size: **245x180x93mm**



Wall Lamp


VT-754-MW

SKU: 7077

3800157616300

Box Qty.
10 Pcs

Voltage: **AC:220-240V,50Hz**
Max.Watts: **40W**
IP Rating: **IP44**
Holder: **E27**
Color of Fixture: **Matt White**
Body Type: **Aluminium+Glass**
Size: **245x180x93mm**



Wall Lamp


VT-760-B

 Box Qty.
12 Pcs

SKU: 7519

3800157617789

Voltage: AC:220-240V
 Max.Watts: 60W
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Matt Black
 Body Type: Aluminium+Glass
 Size: 225x400x148mm



Wall Lamp


VT-760-W

 Box Qty.
12 Pcs

SKU: 7520

3800157617796

Voltage: AC:220-240V
 Max.Watts: 60W
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Matt White
 Body Type: Aluminium+Glass
 Size: 225x400x148mm



Wall Lamp


VT-761-B

 Box Qty.
8 Pcs

SKU: 7521

3800157617802

Voltage: AC:220-240V
 Max.Watts: 60W
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Matt Black
 Body Type: Aluminium+Glass
 Size: 245x445x185mm



Wall Lamp


VT-761-W



SKU: 7522

3800157617819

Voltage: AC:220-240V
Max.Watts: 60W
IP Rating: IP44
Holder: E27
Color of Fixture: Matt White
Body Type: Aluminium+Glass
Size: 245x445x185mm



Wall Lamp


VT-730



SKU: 7046

3800157610391

Voltage: AC:220-240V,50Hz
Max.Watts: 40W
IP Rating: IP44
Holder: E27
Color of Fixture: Black
Body Type: Aluminium+Glass
Size: 200x238mm



Wall Lamp


VT-731



SKU: 7047

3800157610407

Voltage: AC:220-240V,50Hz
Max.Watts: 40W
IP Rating: IP44
Holder: E27
Color of Fixture: Black
Body Type: Aluminium+Glass
Size: 200x238mm



Wall Lamp


VT-852

 Box Qty.
6 Pcs

SKU: 7531

3800157630078

Voltage: AC:220-240V,50Hz
 Max.Watts: 60W
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Matt Black
 Body Type: Aluminium, Glass
 Size: 290x250x525mm



Wall Lamp


VT-853

 Box Qty.
6 Pcs

SKU: 7532

3800157630085

Voltage: AC:220-240V,50Hz
 Max.Watts: 60W
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Matt Black
 Body Type: Aluminium, Glass
 Size: 290x250x525mm



Wall Lamp


VT-751-B

 Box Qty.
10 Pcs

SKU: 7070

3800157616232

Voltage: AC:220-240V,50Hz
 Max.Watts: 40W
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Matt Black
 Body Type: Aluminium+Glass
 Size: 215x375x170mm



Wall Lamp

VT-751-W




Box Qty.
10 Pcs

SKU: 7071

3800157616249

Voltage: **AC:220-240V,50Hz**
Max.Watts: **40W**
IP Rating: **IP44**
Holder: **E27**
Color of Fixture: **Matt White**
Body Type: **Aluminium+Glass**
Size: **215x375x170mm**



Wall Lamp

VT-749-B




Box Qty.
10 Pcs

SKU: 7066

3800157616195

Voltage: **AC:220-240V,50Hz**
Max.Watts: **40W**
IP Rating: **IP44**
Holder: **E27**
Color of Fixture: **Matt Black**
Body Type: **Aluminium+Glass**
Size: **208x360x170mm**



Wall Lamp

VT-749-W




Box Qty.
10 Pcs

SKU: 7067

3800157616201

Voltage: **AC:220-240V,50Hz**
Max.Watts: **40W**
IP Rating: **IP44**
Holder: **E27**
Color of Fixture: **Matt White**
Body Type: **Aluminium+Glass**
Size: **208x360x170mm**



Wall Lamp


VT-750-B

 Box Qty.
10 Pcs

SKU: 7068

3800157616218

Voltage: AC:220-240V,50Hz
 Max.Watts: 40W
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Matt Black
 Body Type: Aluminium+Glass
 Size: 208x360x170mm



Wall Lamp


VT-750-W

 Box Qty.
10 Pcs

SKU: 7069

3800157616225

Voltage: AC:220-240V,50Hz
 Max.Watts: 40W
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Matt White
 Body Type: Aluminium+Glass
 Size: 208x360x170mm



Ceiling Lamp


VT-752-B

 Box Qty.
10 Pcs

SKU: 7072

3800157616256

Voltage: AC:220-240V,50Hz
 Max.Watts: 40W
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Matt Black
 Body Type: Aluminium+Glass
 Size: 170x840mm



Ceiling Lamp

VT-752-W




Box Qty.
10 Pcs

SKU: 7073

3800157616263

Voltage: **AC:220-240V,50Hz**
Max.Watts: **40W**
IP Rating: **IP44**
Holder: **E27**
Color of Fixture: **White**
Body Type: **Aluminium+Glass**
Size: **170x840mm**



Ceiling Lamp

VT-735




Box Qty.
10 Pcs

SKU: 7058

3800157612616

Voltage: **AC:220-240V,50Hz**
Max.Watts: **60W**
IP Rating: **IP44**
Holder: **E27**
Color of Fixture: **Black**
Body Type: **Aluminium+Glass**
Size: **170x720mm**



Stand Lamp

VT-736




Box Qty.
10 Pcs

SKU: 7059

3800157612623

Voltage: **AC:220-240V,50Hz**
Max.Watts: **60W**
IP Rating: **IP44**
Holder: **E27**
Color of Fixture: **Black**
Body Type: **Aluminium+Glass**
Size: **170x600mm**



Ceiling Lamp


VT-850

 Box Qty.
8 Pcs

SKU: 7529

3800157630054

Voltage: AC:200-240V,50Hz
 Max.Watts: 60W
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Matt Black
 Body Type: Aluminium+PC
 Size: 250x890mm



Pole Lamp


VT-851

 Box Qty.
1 Pcs

SKU: 7530

3800157630061

Voltage: AC:220-240V,50Hz
 Max.Watts: 60W
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Black
 Body Type: Aluminium+PC
 Size: 250x1110mm



Stand Lamp


VT-734

 Box Qty.
10 Pcs

SKU: 7057

3800157612609

Voltage: AC:220-240V,50Hz
 Max.Watts: 60W
 IP Rating: IP65
 Holder: E27
 Color of Fixture: Black
 Body Type: Aluminium+Glass
 Size: 170x290



Stand Lamp


VT-753-B



SKU: 7074

3800157616270

Voltage: AC:220-240V,50Hz
Max.Watts: 40W
IP Rating: IP44
Holder: E27
Color of Fixture: Matt Black
Body Type: Aluminium+Glass
Size: 170x403mm



Stand Lamp


VT-753-W



SKU: 7075

3800157616287

Voltage: AC:220-240V,50Hz
Max.Watts: 40W
IP Rating: IP44
Holder: E27
Color of Fixture: Matt White
Body Type: Aluminium+Glass
Size: 170x403mm



Stand Lamp


VT-737



SKU: 7060

3800157612630

Voltage: AC:220-240V,50Hz
Max.Watts: 60W
IP Rating: IP44
Holder: E27
Color of Fixture: Black
Body Type: Aluminium+Glass
Size: 345x1365mm



Stand Lamp


VT-738



SKU: 7061

3800157612647

Voltage: AC:220-240V,50Hz
 Max.Watts: 60Wx2
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Black
 Body Type: Aluminium+Glass
 Size: 480x1410mm



Stand Lamp


VT-739



SKU: 7062

3800157612654

Voltage: AC:220-240V,50Hz
 Max.Watts: 60Wx2
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Black
 Body Type: Aluminium+Glass
 Size: 500x1990mm



Stand Lamp


VT-740




SKU: 7063

3800157612661

Voltage: AC:220-240V,50Hz
 Max.Watts: 60Wx3
 IP Rating: IP44
 Holder: E27
 Color of Fixture: Black
 Body Type: Aluminium+Glass
 Size: 500x1990mm







LED Display Screen

VTAC LED's Display screen series perfectly designed for the best video output and display of images and information. Offering Display color of 281 trillions(synchronized). The perfect product for advertising and marketing.

Product Features

- Powerful LED display screen available in Indoor and Outdoor series
- Displays digital content such as Video, Images & Information
- Good Brand Value addition for Advertising
- Easy Installation

Applications

Suitable for Outdoor and Indoor Advertising, Hotel conference room, Restaurants, Showrooms, Casinos, Government facilities, Theaters, Retail outlets, Traffic control room, Security monitoring room, Stage background, HD cinema, Shopping malls, Railway stations, Airports.



Indoor Display Screen

P5 Indoor LED Finished Cabinet

SKU: 11077 3800157617468



Box Qty.
6 Pcs



Screen Parameter

Pixel Density:	40000dots/sqm
Brightness:	1800nits
Optimum View Distance:	more than 5m
Gray Scale:	16bits
Display Color:	281 trillions(synchronized)
Operation Power:	220V-240V
Max Power Consumption:	750W/sqm
Control Mode:	Synchronized
Refresh Frequency:	400-700HZ
Fram Frequency:	60HZ
Surport Signal Input:	S-Video,RGBHV,YUV etc.
Control Distance:	UTP140M,SINGLE MODE FIBER
Life Span(50% Brightness):	15KM
IP(Front/rear):	100000hrs

LED Cabinet Parameter

Cabinet Size(L*h*d):	640*640mm
Cabinet Resolution:	128*128
Module Quantity Each Cabinet:	2*4=8
Average Power Consumption:	300w/cabinet
Cabinet Material:	Iron
Cabinet Size:	8kg/cabinet

LED Module Parameter

Pixel Pitch:	5mm
Led Specification:	SMD3528
Led Configuration:	SMD 3 in 1
Module Size:	320*160mm
Module Resolution:	64*32=2048dot
Drive Method:	1/16 scan constant current
Drive IC:	SM16106

Sending Box



Box Qty.
20 Pcs

SKU: 500082



Sending Card



Box Qty.
20 Pcs

SKU: 500081





Stylish Pendants

Includes all mounting hardware for quick and easy installation and filament vintage style bulb recommended (sold separately).

Product Features

- Stylish pendant lamps available in various shapes, material, and sizes.
- Most suitable with A60, Candle, ST-64 & Globe Bulb Series.
- Easy to Install.
- Vibrant & elegant colors available.

Applications

Perfect choice for Hotels, Bars, Commercial & Residential Lighting.




VT-7350-HT

Diamond Cut Glass-Transparent



Box Qty.
8Pcs

SKU: 3879
EAN : 3800157620970
Material: Glass+Metal
Size: Ø330x260x1000mm




VT-7350-HB

Diamond Cut Glass-Black



Box Qty.
8Pcs

SKU: 3880
EAN : 3800157620987
Material: Glass+Metal
Size: 330x260x1000mm





VT-7254

Designer Glass-Transparent



Box Qty.
8Pcs

SKU: 3882
EAN : 3800157621007
Material: Glass+Metal
Size: Ø250x230x1000mm



VT-7306

Designer Glass-Transparent



Box Qty.
8Pcs

SKU: 3883
EAN : 3800157621014
Material: Glass
Size: Ø300x265x1000mm






VT-7305

Designer Glass-Transparent



Box Qty.
4Pcs

SKU: 3881
EAN : 3800157620994
Material: Glass
Size: Ø270x1280mm





VT-7292

Designer Glass-Gun Grey



Box Qty.
8Pcs

SKU: 3887
EAN : 3800157621052
Material: Glass
Size: Ø300x265x1000mm



VT-7380

Designer Glass-Gun Grey



Box Qty.
4Pcs

SKU: 3888
EAN : 3800157621069
Material: Glass
Size: Ø380x330x1000mm






VT-7303

Amber Glass-Metal Series



Box Qty.
8Pcs

SKU: 3866
EAN : 3800157620765
Material: Glass+Metal
Size: 300x280x1000mm




VT-7302

Transparent Glass-Metal Series



Box Qty.
8Pcs

SKU: 3865
EAN : 3800157620758
Material: Glass+Metal
Size: 300x280x1000mm





VT-7229

Transparent Glass-Metal Series



Box Qty.
8Pcs

SKU: 3867
EAN : 3800157620772
Material: Glass+Metal
Size: 265x190x1000mm



VT-7304-AW

Double Glass-Amber-White



Box Qty.
8Pcs

SKU: 3875
EAN : 3800157620932
Material: Glass+Metal
Size: Ø250x420x1000mm






VT-7181-AW

Double Glass-Amber-White



Box Qty.
9Pcs

SKU: 3878
EAN : 3800157620963
Material: Glass+Metal
Size: 180x350x1000mm




VT-7304-GW

Double Glass-Gungrey-White



Box Qty.
8Pcs

SKU: 3876
EAN : 3800157620949
Material: Glass+Metal
Size: 250x420x1000mm





VT-7181-GW

Double Glass-Gungrey-White



Box Qty.
9Pcs

SKU: 3877
EAN : 3800157620956
Material: Glass+Metal
Size: 180x350x1000mm



VT-7281-WG

Modern-White Glass Pendant



Box Qty.
4Pcs

SKU: 3884
EAN : 3800157621021
Material: Glass+Metal
Size: Ø285x440x1000mm






VT-7281-BG

Modern-Black Glass Pendant



Box Qty.
4Pcs

SKU: 3885
EAN : 3800157621038
Material: Glass+Metal
Size: 285x440x1000mm




VT-7281-AG

Modern-Amber Glass Pendant



Box Qty.
4Pcs

SKU: 3886
EAN : 3800157621045
Material: Glass+Metal
Size: 285x440x1000mm





VT-7210

Glass-Metal Series


Box Qty.
8Pcs


SKU: 3730
EAN : 3800157611039
Material: Glass+Metal
Size: 245x230x1100mm


VT-7140-A

Amber Glass-Metal Series


Box Qty.
12Pcs

SKU: 3736
EAN : 3800157611091
Material: Glass+Metal
Size: 140x240x1130mm






VT-7140-T

Transparent Glass-Metal Series



Box Qty.
8Pcs

SKU: 3735
EAN : 3800157611084
Material: Glass+Metal
Size: 140x240x1130mm




VT-7185

Transparent Glass-Metal Series



Box Qty.
12Pcs

SKU: 3738
EAN : 3800157611114
Material: Glass+Metal
Size: 180x230x1110mm





VT-7250

Transparent Glass-Metal Series



Box Qty.
8Pcs

SKU: 3739
EAN : 3800157611121
Material: Glass+Metal
Size: 250x330x1220mm



VT-7290

Amber Glass-Metal Series



Box Qty.
8Pcs

SKU: 3741
EAN : 3800157611145
Material: Glass+Metal
Size: 260x260x1150mm






VT-7300

Transparent Glass-Metal Series



Box Qty.
8Pcs

SKU: 3737
EAN: 3800157611107
Material: Glass+Metal
Size: 300x250x1150mm




VT-7320

Amber Glass-Metal Series



Box Qty.
8Pcs

SKU: 3740
EAN: 3800157611138
Material: Glass+Metal
Size: 250x280x1180mm






VT-7150-AG

Amber Glass-Metal Series



Box Qty.
12Pcs

SKU: 3732
EAN : 3800157611053
Material: Glass+Metal
Size: 145x160x1050mm




VT-7150-GG

Green Glass-Metal Series



Box Qty.
12Pcs

SKU: 3734
EAN : 3800157611077
Material: Glass+Metal
Size: 145x160x1050mm






VT-7150-RG

Red Glass-Metal Series



Box Qty.
12Pcs

SKU: 3731
EAN : 3800157611046
Material: Glass+Metal
Size: 145x160x1050mm




VT-7150-CG

Glass-Metal Series



Box Qty.
12Pcs

SKU: 3733
EAN : 3800157611060
Material: Glass+Metal
Size: 145x160x1050mm





VT-7220-A

Amber Glass Pendant



Box Qty.
8Pcs

SKU: 3726
EAN : 3800157610995
Material: Glass+Metal
Size: 220x280x1150mm



VT-7220-T

Transparent Glass Pendant



Box Qty.
8Pcs

SKU: 3727
EAN : 3800157611008
Material: Glass+Metal
Size: 220x280x1150mm






VT-7130

Transparent Glass-Wood Pendant



Box Qty.
8Pcs

SKU: 3818
EAN : 3800157615433
Material: Glass+Wood
Size: 135x240x1150mm




VT-7170

Transparent Glass-Wood Pendant



Box Qty.
8Pcs

SKU: 3819
EAN : 3800157615440
Material: Glass+Wood
Size: 165x220x1100mm





VT-7307

Trio Glass Pendant-Lampholder


Box Qty.
4Pcs


SKU: 3926
EAN : 3800157626217
Material: Glass+Wood
Size: 300x1300mm


VT-7240

Transparent Glass-Wood Pendant


Box Qty.
8Pcs

SKU: 3820
EAN : 3800157615457
Material: Glass+Wood
Size: 235x140x1050mm





VT-7015

3D Glass-Black Canopy




Box Qty.
10Pcs

SKU: 3830

EAN : 3800157616652

Material: Glass

Size: 150x140x1200mm





VT-7180

Transparent Glass-V Shape


Box Qty.
8Pcs


SKU: 3863
EAN : 3800157620734
Material: Glass+Metal
Size: Ø250x90mm


VT-7226

Transparent Glass-Globe


Box Qty.
8Pcs

SKU: 3864
EAN : 3800157620741
Material: Glass+Metal
Size: Ø250x230mm






VT-7142

Transparent Glass-Cone Shape



Box Qty.
8Pcs

SKU: 3861
EAN : 3800157620710
Material: Glass+Metal
Size: 140x160mm




VT-7143

Transparent Glass-V Shape



Box Qty.
8Pcs



SKU: 3862
EAN : 3800157620727
Material: Glass+Metal
Size: 185x140mm




VT-7400
6 Bulb Chandelier-Movable

Box Qty.
4Pcs

SKU: 3889
 EAN : 3800157621076
 Material: Metal
 Size: 791x900mm






VT-7422-B

Aluminium Shade-Black



Box Qty.
8Pcs

SKU: 3728
EAN : 3800157611015
Material: Aluminium
Size: 230x310x1150mm




VT-7422-WH

Aluminium Shade-White



Box Qty.
8Pcs

SKU: 3729
EAN : 3800157611022
Material: Aluminium
Size: 230x310x1150mm






VT-7200-MG
Mesh Metal-Grey



Box Qty.
8Pcs

SKU: 3822
EAN : 3800157616577
Material: Metal
Size: 200x270x1300mm




VT-7200-CG
Mesh Metal-Gold



Box Qty.
8Pcs

SKU: 3821
EAN : 3800157616560
Material: Metal
Size: 200x270x1300mm






VT-7200-MW
Mesh Metal-White



Box Qty.
8Pcs

SKU: 3823
EAN : 3800157616584
Material: Metal
Size: 200x270x1300mm




VT-7131-CG
Can Shape-Gold Pendant



Box Qty.
10Pcs


SKU: 3824
EAN : 3800157616591
Material: Metal
Size: 130x250x1300mm




VT-7131-MB
Can Shape-Black Pendant


Box Qty.
10Pcs

SKU: 3825
EAN : 3800157616607
Material: Metal
Size: 130x250x1300mm


VT-7131-MW
Can Shape-WhitePendant

Box Qty.
10Pcs

SKU: 3826
EAN : 3800157616614
Material: Metal
Size: 130x250x1300mm






VT-7132-CG

Can Shape-Gold Pendant



Box Qty.
10Pcs

SKU: 3827
EAN : 3800157616621
Material: Metal
Size: 130x220x1300mm




VT-7132-MB

Can Shape-Black Pendant



Box Qty.
10Pcs


SKU: 3828
EAN : 3800157616638
Material: Metal
Size: 130x220x1300mm




VT-7132-MW
Can Shape-WhitePendant


Box Qty.
10Pcs

SKU: 3829
EAN : 3800157616645
Material: Metal
Size: 130x220x1300mm


VT-7332
Mesh Metal-Globe

Box Qty.
8Pcs

SKU: 3859
EAN : 3800157620697
Material: Metal
Size: Ø290x1000x1340mm






VT-7252

Mesh Metal-GV Shape



Box Qty.
12Pcs

SKU: 3860
EAN : 3800157620703
Material: Metal
Size: 285x170x1000mm



VT-8255

Copper Series-Rose Gold



Box Qty.
4Pcs

SKU: 3709
EAN : 3800157610827
Material: Iron with electric copper paint
Size: Ø250mm




VT-8150-CO

Copper Series-Rose Gold


Box Qty.
10Pcs

SKU: 3713
EAN : 3800157610865
Material: Metal
Size: Ø150


VT-8300

Copper Series-Rose Gold


Box Qty.
4Pcs

SKU: 3710
EAN : 3800157610834
Material: Iron with electric copper paint
Size: Ø300





VT-8220

Copper Series-Rose Gold



Box Qty.
4Pcs

SKU: 3711
EAN : 3800157610841
Material: Iron with electric copper paint
Size: Ø220



VT-8150-CH

Copper Series-Rose Gold



Box Qty.
10Pcs

SKU: 3712
EAN : 3800157610858
Material: Iron with electric copper paint
Size: Ø150mm




VT-8180-CH

Copper Series-Chrome



Box Qty.
4Pcs

SKU: 3707
EAN : 3800157610803
Material: Iron with electric copper paint
Size: Ø180mm


VT-8180-CO

Copper Series-Rose Gold



Box Qty.
8Pcs

SKU: 3708
EAN : 3800157610810
Material: Iron with electric copper paint
Size: Ø180mm





VT-8170

Copper Series-Rose Gold



Box Qty.
8Pcs

SKU: 3714
EAN : 3800157610872
Material: Iron with electric copper paint
Size: Ø170mm



VT-8230

Copper Series-Rose Gold



Box Qty.
4Pcs

SKU: 3715
EAN : 3800157610889
Material: Iron with electric copper paint
Size: Ø230mm





VT-8175-CH

Copper Series-Chrome



Box Qty.
4Pcs

SKU: 3705
EAN : 3800157610780
Material: Iron with electric copper paint
Size: Ø170



VT-8175-CO

Copper Series-Rose Gold



Box Qty.
8Pcs

SKU: 3706
EAN : 3800157610797
Material: Iron with electric copper paint
Size: Ø170mm





VT-8200

Copper Series-Rose Gold



Box Qty.
4Pcs

SKU: 3716
EAN : 3800157610896
Material: Iron with electric copper paint
Size: Ø200mm



VT-8250

Copper Series-Rose Gold



Box Qty.
4Pcs


SKU: 3717
EAN : 3800157610902
Material: Iron with electric copper paint
Size: Ø250mm




VT-7205
White Glass-Wood Pendant



Box Qty.
8Pcs

SKU: 3759
EAN : 3800157611329
Material: Glass+Wood
Size: 190x320x1120mm


VT-7175
White Glass-Wood Pendant


Box Qty.
8Pcs

SKU: 3758
EAN : 3800157611312
Material: Glass+Wood
Size: 170x320x1120mm






VT-7177

White Glass-Wood Pendant



Box Qty.
8Pcs

SKU: 3760
EAN : 3800157611336
Material: Glass+Wood
Size: 170x320x1120mm




VT-7162-WH

Aluminum Pendant-White



Box Qty.
20Pcs

SKU: 3868
EAN : 3800157620789
Material: Aluminium
Size: Ø160x350x600mm





VT-7162-B

Aluminum Pendant-Black


Box Qty.
20Pcs


SKU: 3869
EAN : 3800157620796
Material: Aluminium
Size: Ø160x350x600mm


VT-7330

Concrete-Mesh


Box Qty.
4Pcs

SKU: 3849
EAN : 3800157618984
Material: Concrete+Iron
Size: 400x250x1100mm






VT-7121

Concrete-Mesh



Box Qty.
6Pcs

SKU: 3847
EAN : 3800157618960
Material: Concrete+Iron
Size: 120x380x1300mm




VT-7253

Concrete-Mesh



Box Qty.
4Pcs

SKU: 3848
EAN : 3800157618977
Material: Concrete+Iron
Size: 250x310x1200mm





VT-7155

Concrete-Lampshade


Box Qty.
6Pcs


SKU: 3850
EAN : 3800157618991
Material: Concrete
Size: 160x290x1250mm


VT-7202

Concrete-Lampshade


Box Qty.
4Pcs

SKU: 3853
EAN : 3800157619028
Material: Concrete
Size: 180x160x1100mm






VT-7291

Concrete-Acrylic



Box Qty.
4Pcs

SKU: 3854
EAN : 3800157619035
Material: Concrete+Wood
Size: 265x260x1050mm




VT-7301

Concrete-Wooden



Box Qty.
4Pcs

SKU: 3858
EAN : 3800157619073
Material: Concrete+Wood
Size: 290x250x1150mm






VT-7125-GY
Concrete-Wooden



Box Qty.
8Pcs

SKU: 3855
EAN : 3800157619042
Material: Concrete+Wood
Size: 120x210x1080mm




VT-7125-GN
Concrete-Wooden



Box Qty.
8Pcs

SKU: 3856
EAN : 3800157619059
Material: Concrete+Wood
Size: 120x210x1080mm






VT-7125-R

Concrete-Wooden



Box Qty.
8Pcs

SKU: 3857
EAN : 3800157619066
Material: Concrete+Wood
Size: 120x210x1080mm




VT-7160

Concrete-Table Lamp



Box Qty.
4Pcs

SKU: 3851
EAN : 3800157619004
Material: Concrete
Size: 160x150x2000mm





VT-7171

Concrete-Table Lamp



Box Qty.
8Pcs

SKU: 3852
EAN : 3800157619011
Material: Concrete
Size: 180x130x2000mm



VT-7141-CG

Geometric Series-Gold Canopy



Box Qty.
8Pcs

SKU: 3831
EAN : 3800157616669
Material: Metal
Size: 250x190x1250mm






VT-7141-MB

Geometric Series-Black Canopy



Box Qty.
8Pcs

SKU: 3832
EAN : 3800157616676
Material: Metal
Size: 250x190x1250mm




VT-7161-CG

Geometric Series-Gold Canopy



Box Qty.
10Pcs

SKU: 3833
EAN : 3800157616683
Material: Metal
Size: 225x225x1250mm





VT-7161-MB

Geometric Series-Black Canopy



Box Qty.
8Pcs

SKU: 3834
EAN : 3800157616690
Material: Metal
Size: 225x225x1250mm



VT-7144

Geometric Series-Black Canopy



Box Qty.
4Pcs

SKU: 3927
EAN : 3800157626224
Material: Metal Finish
Size: 300x1300mm






VT-7322-CG

Geometric Series-Gold Canopy



Box Qty.
10Pcs

SKU: 3835
EAN : 3800157616706
Material: Metal
Size: 320x320x1350mm




VT-7322-MB

Geometric Series-Black Canopy



Box Qty.
10Pcs

SKU: 3836
EAN : 3800157616713
Material: Metal
Size: 320x320x1350mm





VT-7321-CG

Geometric Series-Gold Canopy



Box Qty.
10Pcs

SKU: 3837
EAN : 3800157616720
Material: Metal
Size: 320x320x1350mm



VT-7321-MB

Geometric Series-Black Canopy



Box Qty.
10Pcs

SKU: 3838
EAN : 3800157616737
Material: Metal
Size: 320x320x1350mm






VT-7225

Danish Wood-Bronze Canopy



Box Qty.
8Pcs

SKU: 3816
EAN : 3800157612760
Material: Aluminium+SAND FINISH
Size: 260x330x1111mm




VT-7340

Danish Wood-Bronze Canopy



Box Qty.
4Pcs

SKU: 3817
EAN : 3800157612777
Material: Aluminium+SAND FINISH
Size: 360x420x1200mm





VT-7520-B

Aluminum-Sand finish-Black


Box Qty.
4Pcs


SKU: 3700
EAN : 3800157610735
Material: Aluminium+ SAND FINISH
Size: 220x310x1375mm


VT-7520-G

Aluminum-Sand finish-Grey


Box Qty.
4Pcs

SKU: 3701
EAN : 3800157610742
Material: Aluminium+SAND FINISH
Size: 220x310x1375mm





VT-7520-WH

Aluminum-Sand finish-White




Box Qty.
4Pcs

SKU: 3702

EAN : 3800157610759

Material: Aluminium+ SAND FINISH

Size: 220x310x1375mm





VT-7425-WH

Modern Wooden Top-White



Box Qty.
8Pcs

SKU: 3756
EAN : 3800157611299
Material: Aluminium+Wooden Top
Size: 250x200x1100mm



VT-7425-B

Modern Wooden Top-Black



Box Qty.
8Pcs

SKU: 3757
EAN : 3800157611305
Material: Aluminium+Wooden Top
Size: 250x200x1100mm






VT-7525-WH

Wooden Top Iron-White



Box Qty.
8Pcs

SKU: 3761
EAN : 3800157611343
Material: Iron+WOODEN TOP
Size: 250x400x1200mm




VT-7525-B

Wooden Top Iron-Black



Box Qty.
8Pcs

SKU: 3762
EAN : 3800157611350
Material: Iron+WOODEN TOP
Size: 250x400x1200mm





VT-7535-W

Wooden Top Iron-White



Box Qty.
8Pcs

SKU: 3763
EAN : 3800157611367
Material: Iron+WOODEN TOP
Size: 350x300x1100mm



VT-7535-B

Wooden Top Iron-Black



Box Qty.
8Pcs

SKU: 3764
EAN : 3800157611374
Material: Iron+WOODEN TOP
Size: 350x300x1100mm






VT-7545-WH

Wooden Top Iron-White



Box Qty.
8Pcs

SKU: 3765
EAN : 3800157611381
Material: Iron+WOODEN TOP
Size: 350x300x1100mm




VT-7545-B

Wooden Top Iron-Black



Box Qty.
8Pcs

SKU: 3766
EAN : 3800157611398
Material: Iron+WOODEN TOP
Size: 350x300x1100mm





VT-7100-WH

Pendant-Aluminium Shade-White


Box Qty.
12Pcs


SKU: 3920
EAN : 3800157626156
Material: Plastic+Aluminium
Size: 180x100x1200mm


VT-7100-B

Pendant-Aluminium Shade-Black


Box Qty.
12Pcs

SKU: 3921
EAN : 3800157626163
Material: Plastic+Aluminium
Size: 180x100x1200mm






VT-7100-G

Pendant-Aluminium Shade-Grey



Box Qty.
12Pcs

SKU: 3922
EAN : 3800157626170
Material: Plastic+Aluminium
Size: 180x100x1200mm




VT-7100-P

Pendant-Aluminium Shade-Pink



Box Qty.
12Pcs

SKU: 3923
EAN : 3800157626187
Material: Plastic+Aluminium
Size: 180x100x1200mm





VT-7100-R

Pendant-Aluminium Shade-Red


Box Qty.
12Pcs


SKU: 3924
EAN : 3800157626194
Material: Plastic+Aluminium
Size: 180x100x1200mm


VT-7100-BL

Pendant-Aluminium Shade-Blue


Box Qty.
12Pcs

SKU: 3925
EAN : 3800157626200
Material: Plastic+Aluminium
Size: 180x100x1200mm






VT-7777-RG

Metal Plate-Rose Gold



Box Qty.
20Pcs

SKU: 3751
EAN : 3800157611244
Material: Metal
Size: 300x90x1000mm




VT-7777-MG

Metal Plate-Matt Gold



Box Qty.
20Pcs

SKU: 3752
EAN : 3800157611251
Material: Metal
Size: 300x90x1000mm



new!



VT-7401-W

Net Prism-White Pendant


Box Qty.
2Pcs

SKU: 3943
EAN : 3800157630115
Material: Metal
Size: 400x540mm



new!



VT-7401-B

Net Prism-Black Pendant



Box Qty.

SKU: 3944
EAN : 3800157630122
Material: Metal
Size: 400x540mm



new!



VT-7401-BG

Net Prism-Black Pendant



Box Qty.
2Pcs

SKU: 3945
EAN : 3800157630139
Material: Metal
Size: 400x540mm



new!



VT-7310-B

Prism-Blue Pendant



Box Qty.
4Pcs

SKU: 3946
EAN : 3800157630146
Material: Metal
Size: 310x190mm



new!


VT-7310-Y
Prism-Yellow Pendant

Box Qty.
4Pcs

SKU: 3947
EAN : 3800157630153
Material: Metal
Size: 310x190mm


new!


VT-7310-W
Prism-White Pendant

Box Qty.
4Pcs

SKU: 3948
EAN : 3800157630160
Material: Metal
Size: 310x190mm



new!



VT-7323-W
Prism-Wooden-White



Box Qty.
4Pcs

SKU: 3949
EAN : 3800157630177
Material: Metal
Size: 320x270mm



new!



VT-7323-Y
Prism-Wooden-Yellow



Box Qty.
4Pcs

SKU: 3950
EAN : 3800157630184
Material: Metal
Size: 320x270mm



new!

VT-7323-P
Prism-Wooden-Pink

Box Qty.
4Pcs

SKU: 3951
EAN : 3800157630191
Material: Metal
Size: 320x270mm


new!

VT-7255-W
Cone Prism-White

Box Qty.
4Pcs

SKU: 3952
EAN : 3800157630207
Material: Metal
Size: 250x255mm



new!



VT-7255-B

Cone Prism-Blue



Box Qty.

SKU: 3953
EAN : 3800157630214
Material: Metal
Size: 250x255mm



new!



VT-7255-Y

Cone Prism-Yellow



Box Qty.

SKU: 3954
EAN : 3800157630221
Material: Metal
Size: 250x255mm



new!


VT-7334-T
Metal W/Crystal

 Box Qty.
4Pcs

SKU: 3955
EAN : 3800157630238
Material: Metal
Size: 300x360mm


new!


VT-7334-M
Metal W/Crystal

 Box Qty.
4Pcs

SKU: 3956
EAN : 3800157630245
Material: Metal
Size: 330x300mm



new!



VT-7334-B

Metal W/Crystal



Box Qty.
4Pcs


SKU: 3957

EAN : 3800157630252

Material: Metal

Size: 300x360mm





VT-7424

Vintage Metal


Box Qty.
12Pcs


SKU: 3753
EAN : 3800157611268
Material: Metal
Size: 260x170x1080mm


VT-7201

Vintage Metal-Pulley


Box Qty.
8Pcs

SKU: 3845
EAN : 3800157617192
Material: Metal
Size: 220x140x600-1600mm






VT-7118

Pendant-Hemp Rope



Box Qty.
12Pcs

SKU: 3754
EAN : 3800157611275
Material: Rope
Size: 45x57x1500mm




VT-7251

Globe-Chrome Canopy



Box Qty.
4Pcs

SKU: 3839
EAN : 3800157616744
Material: Acrylic Glass
Size: 250x250x1300mm






VT-7558-GN Pendant Holder-Bottle-E14

Box Qty.
25Pcs

Color: Green
SKU: 3767
EAN: 3800157611404
Material: Glass
Size: 72x280x1150mm



VT-7558-BL Pendant Holder-Bottle-E14

Box Qty.
25Pcs

Color: Blue
SKU: 3768
EAN: 3800157611411
Material: Glass
Size: 72x280x1150mm



VT-7558-R Pendant Holder-Bottle-E14

Box Qty.
25Pcs

Color: Red
SKU: 3769
EAN: 3800157611428
Material: Glass
Size: 72x280x1150mm



VT-7558-A Pendant Holder-Bottle-E14

Box Qty.
25Pcs

Color: Amber
SKU: 3770
EAN: 3800157611435
Material: Glass
Size: 72x280x1150mm



VT-7558-T Pendant Holder-Bottle-E14

Box Qty.
25Pcs


Color: Transparent
SKU: 3771
EAN: 3800157611442
Material: Glass
Size: 72x280x1150mm



VT-7558-P
Pendant Holder-Bottle-E14

 Box Qty.
25Pcs

Color: **Pink**
SKU: **3772**
EAN : **3800157611459**
Material: **Glass**
Size: **72x280x1150mm**



VT-7558-Y
Pendant Holder-Bottle-E14

 Box Qty.
25Pcs

Color: **Yellow**
SKU: **3773**
EAN : **3800157611466**
Material: **Glass**
Size: **72x280x1150mm**



VT-7558-RO
Pendant Holder-Bottle-E14

 Box Qty.
25Pcs

Color: **Rose**
SKU: **3774**
EAN : **3800157611473**
Material: **Glass**
Size: **72x280x1150mm**



VT-7558-GY
Pendant Holder-Bottle-E14

 Box Qty.
25Pcs

Color: **Grey**
SKU: **3775**
EAN : **3800157611480**
Material: **Glass**
Size: **78x280x1150mm**



VT-7558-BR
Pendant Holder-Bottle-E14

 Box Qty.
25Pcs


Color: **Brown**
SKU: **3776**
EAN : **3800157611497**
Material: **Glass**
Size: **72x280x1150mm**



Color: Red Bronze
SKU: 3840
EAN : 3800157617147
Material: Metal
Size: Ø50x90x900mm

VT-7555-RB Metal Holder-Canopy

Box Qty.
30Pcs



VT-7555-BBR Metal Holder-Canopy

Box Qty.
30Pcs

Color: Brown Bronze
SKU: 3841
EAN : 3800157617154
Material: Metal
Size: Ø50x90x900mm



VT-7555-BB Metal Holder-Canopy

Box Qty.
30Pcs

Color: Brass Bronze
SKU: 3842
EAN : 3800157617161
Material: Metal
Size: Ø50x90x900mm



VT-7555-BR Metal Holder-Canopy

Box Qty.
30Pcs

Color: Bronze
SKU: 3843
EAN : 3800157617178
Material: Metal
Size: Ø50x90x900mm



VT-7555-MG Metal Holder-Canopy

Box Qty.
30Pcs

Color: Gold
SKU: 3844
EAN : 3800157617185
Material: Metal
Size: Ø50x90x900mm




VT-7999-G2

Metal Holder-Adjustable Canopy



Box Qty.
60Pcs

Color: Gold Aluminum
SKU: 3811
EAN : 3800157612425
Material: Aluminium
Size: 50x100mm



VT-7999-G3

Metal Holder-Adjustable Canopy



Box Qty.
60Pcs

Color: Gold Aluminum
SKU: 3812
EAN : 3800157612432
Material: Aluminium
Size: 50x100mm



VT-7999-B

Metal Holder-Adjustable Canopy



Box Qty.
60Pcs

Color: Bronze Aluminum
SKU: 3813
EAN : 3800157612449
Material: Aluminium
Size: 50x100mm



VT-7999-BV

Metal Holder-Adjustable Canopy



Box Qty.
60Pcs

Color: Bronze Aluminum
SKU: 3814
EAN : 3800157612456
Material: Aluminium
Size: 50x100mm



VT-7999

Metal Holder-Adjustable Canopy



Box Qty.
60Pcs

Color: Rose Gold Aluminum
SKU: 3815
EAN : 3800157612463
Material: Aluminium
Size: 50x100mm


VT-7778-W

Wooden Holder-White Wire


Box Qty.
50Pcs

Color: White Wire
SKU: 3720
EAN : 3800157610933
Material: Wooden
Size: 73x102x1000mm


VT-7778-BK

Wooden Holder-Black Wire


Box Qty.
50Pcs

Color: Black Wire
SKU: 3721
EAN : 3800157610940
Material: Wooden
Size: 73x102x1000mm


VT-7778-BL

Wooden Holder-Blue Wire


Box Qty.
50Pcs

Color: Blue Wire
SKU: 3722
EAN : 3800157610957
Material: Wooden
Size: 73x102x1000mm


VT-7778-R

Wooden Holder-Red Wire


Box Qty.
50Pcs

Color: Red Wire
SKU: 3723
EAN : 3800157610964
Material: Wooden
Size: 73x102x1000mm


VT-7778-PR

Wooden Holder-Purple Wire


Box Qty.
50Pcs

Color: Purple Wire
SKU: 3724
EAN : 3800157610971
Material: Wooden
Size: 73x102x1000mm


VT-7778-GN

Wooden Holder-Green Wire


Box Qty.
50Pcs

Color: Green Wire
SKU: 3725
EAN : 3800157610988
Material: Wooden
Size: 73x102x1000mm



Pendant-Porcelain Set

VT-7998-W  Box Qty. **60Pcs**

Color: **White**
 SKU: **3803**
 EAN : **3800157612340**
 Material: **Porcelain**
 Size: **Ø105x750mm**



Pendant-Porcelain Set

VT-7998-BK  Box Qty. **60Pcs**

Color: **Black**
 SKU: **3804**
 EAN : **3800157612357**
 Material: **Porcelain**
 Size: **Ø105x750mm**



Pendant-Porcelain Set

VT-7998-GN  Box Qty. **60Pcs**

Color: **Green**
 SKU: **3805**
 EAN : **3800157612364**
 Material: **Porcelain**
 Size: **Ø105x750mm**



Pendant-Porcelain Set

VT-7998-BL  Box Qty. **60Pcs**

Color: **Blue**
 SKU: **3806**
 EAN : **3800157612371**
 Material: **Porcelain**
 Size: **Ø105x750mm**



Pendant-Porcelain Set

VT-7998-R  Box Qty. **60Pcs**

Color: **Red**
 SKU: **3807**
 EAN : **3800157612388**
 Material: **Porcelain**
 Size: **Ø105x750mm**



Pendant-Porcelain Set

VT-7998-GY  Box Qty. **60Pcs**

Color: **Grey**
 SKU: **3808**
 EAN : **3800157612395**
 Material: **Porcelain**
 Size: **Ø105x750mm**



Pendant-Porcelain Set

VT-7998Y  Box Qty. **60Pcs**

Color: **Yellow**
 SKU: **3809**
 EAN : **3800157612401**
 Material: **Porcelain**
 Size: **Ø105x750mm**



Pendant-Porcelain Set

VT-7998-BR  Box Qty. **60Pcs**

Color: **Brown**
 SKU: **3810**
 EAN : **3800157612418**
 Material: **Porcelain**
 Size: **Ø105x750mm**



Porcelain Holder

VT-799-W  Box Qty.
100Pcs

Color: White
SKU: 3795
EAN : 3800157612265
Material: Porcelain
Size: Ø47x64mm



Porcelain Holder

VT-799-BK  Box Qty.
100Pcs

Color: Black
SKU: 3796
EAN : 3800157612272
Material: Porcelain
Size: Ø47x64mm



Porcelain Holder

VT-799-GN  Box Qty.
100Pcs

Color: Green
SKU: 3797
EAN : 3800157612289
Material: Porcelain
Size: Ø47x64mm



Porcelain Holder

VT-799-BL  Box Qty.
100Pcs

Color: Blue
SKU: 3798
EAN : 3800157612296
Material: Porcelain
Size: Ø47x64mm



Porcelain Holder

VT-799-R  Box Qty.
100Pcs

Color: Red
SKU: 3799
EAN : 3800157612302
Material: Porcelain
Size: Ø47x64mm



Porcelain Holder

VT-799-GY  Box Qty.
100Pcs

Color: Grey
SKU: 3800
EAN : 3800157612319
Material: Porcelain
Size: Ø47x64mm



Porcelain Holder

VT-799-Y  Box Qty.
100Pcs

Color: Yellow
SKU: 3801
EAN : 3800157612326
Material: Porcelain
Size: Ø47x64mm



Porcelain Holder

VT-799-BR  Box Qty.
100Pcs

Color: Brown
SKU: 3802
EAN : 3800157612333
Material: Porcelain
Size: Ø47x64mm



Concrete Holder-Canopy

VT-7668-GN  Box Qty.
40Pcs

Color: **Green**
SKU: **3742**
EAN : **3800157611152**
Material: **Concrete**
Size: **50x95x1050mm**



Concrete Holder-Canopy

VT-7668-R  Box Qty.
40Pcs

Color: **Red**
SKU: **3743**
EAN : **3800157611169**
Material: **Concrete**
Size: **50x95x1050mm**



Concrete Holder-Canopy

VT-7668-BL  Box Qty.
40Pcs

Color: **Blue**
SKU: **3744**
EAN : **3800157611176**
Material: **Concrete**
Size: **50x95x1050mm**



Concrete Holder-Canopy

VT-7668-Y  Box Qty.
40Pcs

Color: **Yellow**
SKU: **3745**
EAN : **3800157611183**
Material: **Concrete**
Size: **50x95x1050mm**



Concrete Holder-Canopy

VT-7668-W  Box Qty.
40Pcs

Color: **White**
SKU: **3746**
EAN : **3800157611190**
Material: **Concrete**
Size: **50x95x1050mm**



Concrete Holder-Canopy

VT-7668-BK  Box Qty.
40Pcs

Color: **Black**
SKU: **3747**
EAN : **3800157611206**
Material: **Concrete**
Size: **50x95x1050mm**



Concrete Holder-Canopy

VT-7668-GY  Box Qty.
40Pcs

Color: **Grey**
SKU: **3748**
EAN : **3800157611213**
Material: **Concrete**
Size: **50x95x1050mm**



Concrete Holder-Canopy

VT-7668-BR  Box Qty.
40Pcs

Color: **Brown**
SKU: **3749**
EAN : **3800157611220**
Material: **Concrete**
Size: **50x95x1050mm**



Concrete Holder-Canopy

VT-7668-BE  Box Qty.
40Pcs

Color: **Beige**
SKU: **3750**
EAN : **3800157611237**
Material: **Concrete**
Size: **50x95x1050mm**



VT-7448
Gold Rose Holder
Set

Color: **Rose Gold Set**
SKU: **3777**
Box Qty. **40Pcs**
Size: **36x60mm**

EAN :
3800157611503



VT-7338-W
Chrome Holder

Color: **White**
SKU: **3755**
Box Qty. **40Pcs**
Size: **36x60mm**

EAN :
3800157611282



VT-7338-BK
Chrome Holder

Color: **Black**
SKU: **3782**
Box Qty. **40Pcs**
Size: **36x60mm**

EAN :
3800157611558



VT-7338-BL
Chrome Holder

Color: **Blue**
SKU: **3783**
Box Qty. **40Pcs**
Size: **36x60mm**

EAN :
3800157611565



VT-7338-BN
Chrome Holder

Color: **Brown**
SKU: **3784**
Box Qty. **40Pcs**
Size: **36x60mm**

EAN :
3800157611572



VT-7338-GN
Chrome Holder

Color: **Green**
SKU: **3785**
Box Qty. **40Pcs**
Size: **36x60mm**

EAN :
3800157611589



VT-7338-GY
Chrome Holder

Color: **Grey**
SKU: **3786**
Box Qty. **1Pcs**
Size: **36x60mm**

EAN :
3800157611596



VT-7338-LB
Chrome Holder

Color: **Light Blue**
SKU: **3787**
Box Qty. **40Pcs**
Size: **36x60mm**

EAN :
3800157611602



VT-7338-O
Chrome Holder

Color: **Orange**
SKU: **3788**
Box Qty. **40Pcs**
Size: **36x60mm**

EAN :
3800157611619



VT-7338-PK
Chrome Holder

Color: **Pink**
SKU: **3789**
Box Qty. **1Pcs**
Size: **36x60mm**

EAN :
3800157611626



VT-7338-PE
Chrome Holder

Color: **Purple**
SKU: **3790**
Box Qty. **40Pcs**
Size: **36x60mm**

EAN :
3800157611633



VT-7338-R
Chrome Holder

Color: **Red**
SKU: **3791**
Box Qty. **40Pcs**
Size: **36x60mm**

EAN :
3800157611640



VT-7338-RR
Chrome Holder

Color: **Rose Red**
SKU: **3792**
Box Qty. **40Pcs**
Size: **36x60mm**

EAN :
3800157611657



VT-7338-Y
Chrome Holder

Color: **Yellow**
SKU: **3793**
Box Qty. **40Pcs**
Size: **36x60mm**

EAN :
3800157611664



VT-7338-BE
Chrome Holder

Color: **Beige**
SKU: **3794**
Box Qty. **40Pcs**
Size: **36x60mm**

EAN :
3800157611671



VT-7228-BN
Silicone Series

Color: **Brown**
SKU: **3475**
Box Qty. **100Pcs**
Size: **1000mm**

EAN :
3800157607919



VT-7228-BE
Silicone Series

Color: **Blue**
SKU: **3476**
Box Qty. **100Pcs**
Size: **1000mm**

EAN :
3800157607926



VT-7228-W
Silicone Series

Color: **White**
SKU: **3477**
Box Qty. **100Pcs**
Size: **1000mm**

EAN :
3800157607933



VT-7228-BK
Silicone Series

Color: **Black**
SKU: **3478**
Box Qty. **100Pcs**
Size: **1000mm**

EAN :
3800157607940



VT-7228-PN
Silicone Series

Color: **Pink**
SKU: **3479**
Box Qty. **100Pcs**
Size: **1000mm**

EAN :
3800157607957



VT-7228-R
Silicone Series

Color: **Red**
SKU: **3480**
Box Qty. **100Pcs**
Size: **1000mm**

EAN :
3800157607964



VT-7228-GY
Silicone Series

Color: **Grey**
SKU: **3481**
Box Qty. **100Pcs**
Size: **1000mm**

EAN :
3800157607971



VT-7228-LB
Silicone Series

Color: **Light Blue**
SKU: **3482**
Box Qty. **100Pcs**
Size: **1000mm**

EAN :
3800157609463



VT-7228-PE
Silicone Series

Color: **Purple**
SKU: **3483**
Box Qty. **100Pcs**
Size: **1000mm**

EAN :
3800157609470



VT-7228-O
Silicone Series

Color: **Orange**
SKU: **3484**
Box Qty. **100Pcs**
Size: **1000mm**

EAN :
3800157609487



VT-7228-Y
Silicone Series

Color: **Yellow**
SKU: **3485**
Box Qty. **100Pcs**
Size: **1000mm**

EAN :
3800157609494



VT-7228-GN
Silicone Series

Color: **Green**
SKU: **3486**
Box Qty. **100Pcs**
Size: **1000mm**

EAN :
3800157609500



Sleek Designer

LED Pendants




Built In LED

Designer Sleek Pendant-Chrome

18w VT-7018

Box Qty.
12Pcs

SKU: 3890 - 4000K Day White 3800157621083



Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 1350lm

LED Type: SMD

CRI: >80

PF: >0.8

Beam Angle: 120°

No. of LED: 90 pcs

Material : Stainless Steel+Metal+PMMA

Unit GW : 1.38 Kg

Life Span: 20,000 Hours

Size : 940x55x800mm



Built In LED

Designer Sleek Pendant-Chrome

24w VT-7024

 Box Qty.
12Pcs

SKU: 3891 - 4000K Day White 3800157621090


 Voltage/Frequency: **AC:220-240V,50Hz**

 Luminous Flux: **1800lm**

 LED Type: **SMD**

 CRI: **>80**

 PF: **>0.8**

 Beam Angle: **120°**

 No. of LED: **120 pcs**

 Material : **Stainless Steel+Metal+PMMA**

 Unit GW : **1.59 Kg**

 Life Span: **20,000 Hours**

 Size : **1220x55x800mm**




Built In LED

Designer Sleek Pendant-Chrome

36w VT-7036

Box Qty.
12Pcs

SKU: 3892 - 4000K Day White 3800157621106



Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 2700lm

LED Type: SMD

CRI: >80

PF: >0.8

Beam Angle: 120°


No. of LED: 180 pcs

Material : Stainless Steel+Metal+PMMA

Unit GW : 1.82 Kg

Life Span: 20,000 Hours

Size : 1820x55x800mm


Built In LED
Designer Sleek Pendant-Chrome
36w VT-7037
 **Box Qty.
6Pcs**
SKU: 3893 - 4000K Day White 3800157621113

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 2700lm

LED Type: SMD

CRI: >80

PF: >0.8

Beam Angle: 120°

No. of LED: 180 pcs

Material : Stainless Steel+Metal+PMMA

Unit GW : 2.24 Kg

Life Span: 20,000 Hours

Size : 940x120x60mm




Mirror Light-Picture Lamp-Chrome

8w VT-7008

Box Qty.
12Pcs

SKU: 3894 - 4000K Day White

3800157621120



Voltage/Frequency: **AC:220-240V,50Hz**

No. of LED: **40 pcs**

Luminous Flux: **600lm**

Material: **Metal+PMMA**

LED Type: **SMD**

Unit GW: **0.72 Kg**

CRI: **>80**

Life Span: **20,000 Hours**

PF: **>0.5**

Size: **500x55x185mm**

Beam Angle: **120°**

Built In LED




Mirror Light-Picture Lamp-Chrome

12w VT-7012

Box Qty.
12Pcs

SKU: 3895 - 4000K Day White

3800157621137



Voltage/Frequency: **AC:220-240V,50Hz**

No. of LED: **60 pcs**

Luminous Flux: **900lm**

Material: **Metal+PMMA**

LED Type: **SMD**

Unit GW: **0.82 Kg**

CRI: **>80**

Life Span: **20,000 Hours**

PF: **>0.5**

Size: **640x55x185mm**

Beam Angle: **120°**

Built In LED




Mirror Lamp-Movable

8W VT-7009CH

Box Qty.
11Pcs

SKU: 3900 - 4000K Day white

3800157621854



Voltage/Frequency: **AC:220-240V,50Hz**

No. of LED: **40 pcs**

Luminous Flux: **600lm**

Material : **Stainless Steel+Aluminium+PMMA**

LED Type: **SMD**

Unit GW : **0.8 Kg**

CRI: **>80**

Life Span: **20,000 Hours**

PF: **>0.8**

Size : **455x45x190mm**

Beam Angle: **120°**

Built In LED




Mirror Light-Picture Lamp-Golden

8W VT-7009

Box Qty.
11Pcs

SKU: 3901 - 4000K Day white

3800157621861



Voltage/Frequency: **AC:220-240V,50Hz**

No. of LED: **40 pcs**

Luminous Flux: **600lm**

Material : **Stainless Steel+Aluminium+PMMA**

LED Type: **SMD**

Unit GW : **0.8 Kg**

CRI: **>80**

Life Span: **20,000 Hours**

PF: **>0.8**

Size : **455x45x190mm**

Beam Angle: **120°**

Built In LED




Mirror Light - Chrome Cap

10w VT-7010-CH

 Box Qty.
10Pcs

SKU: 3916 - 4000K Day White
SKU: 3917 - 6400K White

3800157626118
3800157626125



Voltage/Frequency:	AC:220-240V,50/60Hz	No. of LED:	N/A
Luminous Flux:	950lm	Material :	Aluminium+PC
LED Type:	SMD	Unit GW :	0.63 Kg
CRI:	>80	Life Span:	30,000 Hours
PF:	>0.5	Size :	605x53.6x64.6mm
Beam Angle:	150°		

Built In 


Mirror Light - White Cap

10w VT-7010-WH

 Box Qty.
10Pcs

SKU: 3918 - 4000K Day White
SKU: 3919 - 6400K White

3800157626132
3800157626149



Voltage/Frequency:	AC:220-240V,50/60Hz	No. of LED:	N/A
Luminous Flux:	950lm	Material :	Aluminium+PC
LED Type:	SMD	Unit GW :	0.63 Kg
CRI:	>80	Life Span:	30,000 Hours
PF:	>0.5	Size :	605x53.6x64.6mm
Beam Angle:	150°		

Built In 




Mirror Light-Chrome

12w VT-7014

 Box Qty.
12Pcs

SKU: 3902 - 4000K Day white

3800157621878



Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 900lm

LED Type: SMD

CRI: >80

PF: >0.8

Beam Angle: 120°

No. of LED: 60 pcs

Material: Stainless Steel+Metal+PMMA

Unit GW: 1.08 Kg

Life Span: 20,000 Hours

Size: 640x65x65mm

Built In **LED**


Mirror Light-Chrome

18w VT-7021

 Box Qty.
12Pcs

SKU: 3903 - 4000K Day white

3800157621885



Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 1350lm

LED Type: SMD

CRI: >80

PF: >0.8

Beam Angle: 120°

No. of LED: 90 pcs

Material: Stainless Steel+Metal+PMMA

Unit GW: 1.28 Kg

Life Span: 20,000 Hours

Size: 940x65x65mm

Built In **LED**



Designer Bend Glass-Wall Pendant

12w VT-7013

Box Qty.
6Pcs

SKU: 3896 - 4000K Day White

3800157621144



Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **900lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.8**

Beam Angle: **120°**

No. of LED: **60 pcs**

Material: **Stainless Steel+Metal+Glass**

Unit GW: **1.01 Kg**

Life Span: **20,000 Hours**

Size: **685x55x65mm**

Built In LED



Designer Bend Glass-Wall Pendant

18w VT-7019

Box Qty.
6Pcs

SKU: 3897 - 4000K Day white

3800157621151



Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **1350lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.8**

Beam Angle: **120°**

No. of LED: **90 pcs**


Material: **Stainless Steel+Metal+Glass**

Unit GW: **1.50 Kg**

Life Span: **20,000 Hours**

Size: **985x55x65mm**

Built In LED


Built In LED
Designer Bend Glass-Hanging Pendant
18w VT-7020
 **Box Qty.**
6Pcs
SKU: 3898 - 4000K Day white 3800157621168

Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 1350lm
LED Type: SMD
CRI: >80
PF: >0.8
Beam Angle: 120°
No. of LED: 90 pcs
Material : Stainless Steel+Metal+Glass
Unit GW : 1.98 Kg
Life Span: 20,000 Hours
Size : 985x55x800mm



Built In LED


Designer Bend Series - Chrome

36w VT-7038

Box Qty.
6Pcs

SKU: 3899 - 4000K Day white

3800157621175



Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **2700lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.8**

Beam Angle: **120°**

No. of LED: **180 pcs**

Material : **Stainless Steel+Metal+Glass**

Unit GW : **3.53 Kg**

Life Span: **20,000 Hours**

Size : **985x120x75mm**

Built In LED
Pendant Light-Gold Lamp Shade
7W VT-7333-G

SKU: 3934 - 3000K Warm White 3800157628952
 SKU: 3928 - 4000K Day White 3800157626569



Box Qty.
12Pcs

Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **400lm**
 LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**
 Beam Angle: **120°**
 No. of LED: **14 pcs**
 Material : **Metal Finish**
 Unit GW : **1.4 Kg**
 Life Span: **30,000 Hours**
 Size : **Ø120xH190mm**


Built In LED
Pendant Light-White Lamp Shade
7W VT-7333-WH

SKU: 3935 - 3000K Warm White 3800157628969
 SKU: 3929 - 4000K Day White 3800157626576



Box Qty.
12Pcs

Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **400lm**
 LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**
 Beam Angle: **120°**
 No. of LED: **14 pcs**
 Material : **Metal Finish**
 Unit GW : **1.4 Kg**
 Life Span: **30,000 Hours**
 Size : **Ø120xH190mm**



Built In LED


Pendant Light-Gold Lamp Shade

7W VT-7444-G

SKU: 3936 - 3000K Warm White 3800157628976
SKU: 3930 - 4000K Day White 3800157626583

Box Qty.
8Pcs

Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **400lm**
LED Type: **SMD**
CRI: **>80**
PF: **>0.5**
Beam Angle: **120°**
No. of LED: **14 pcs**
Material : **Metal Finish**
Unit GW : **1.9 Kg**
Life Span: **30,000 Hours**
Size : **Ø250xH190mm**



Built In LED


Pendant Light-White Lamp Shade

7W VT-7444-WH

SKU: 3937 - 3000K Warm White 3800157628983
SKU: 3931 - 4000K Day White 3800157626590

Box Qty.
8Pcs

Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **400lm**
LED Type: **SMD**
CRI: **>80**
PF: **>0.5**
Beam Angle: **120°**
No. of LED: **14 pcs**
Material : **Metal Finish**
Unit GW : **1.9 Kg**
Life Span: **30,000 Hours**
Size : **Ø250xH190mm**




Built In LED
Pendant Light-Gold Lamp Shade
7W VT-7666-G

SKU: 3938 - 3000K Warm White 3800157628990
 SKU: 3932 - 4000K Day White 3800157626606


**Box Qty.
4Pcs**


Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **400lm**
 LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**
 Beam Angle: **120°**
 No. of LED: **14 pcs**
 Material : **Metal Finish**
 Unit GW : **2.4 Kg**
 Life Span: **30,000 Hours**
 Size : **Ø340xH190mm**


Built In LED
Pendant Light-White Lamp Shade
7W VT-7666-WH

SKU: 3939 - 3000K Warm White 3800157629003
 SKU: 3933 - 4000K Day White 3800157626613


**Box Qty.
4Pcs**

Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **400lm**
 LED Type: **SMD**
 CRI: **>80**
 PF: **>0.5**
 Beam Angle: **120°**
 No. of LED: **14 pcs**
 Material : **Metal Finish**
 Unit GW : **2.4 Kg**
 Life Span: **30,000 Hours**
 Size : **Ø340xH190mm**



new!

Built In **LED**

Pendant Light-Surface

25w VT-25-1-W

SKU: 3992-3000K Warm White 3800157638777

Box Qty.
1Pcs

Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **1725lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.9**

Beam Angle: **120°**


No. of LED: **140 pcs**

Material : **Iron+Acrylic**

Unit GW : **3.2 Kg**

Life Span: **30,000 Hours**

Size : **450mm**



new!

Built In **LED**

Pendant Light-Surface

25w VT-25-1-B

SKU: 3993-3000K Warm White 3800157638784

Box Qty.
1Pcs

Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **1725lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.9**

Beam Angle: **120°**


No. of LED: **140 pcs**

Material : **Iron+Acrylic**

Unit GW : **3.2 Kg**

Life Span: **30,000 Hours**

Size : **450mm**



new!

Pendant Light-Surface

25w VT-25-1-C

SKU: 3994 -3000K Warm White 3800157638791

 Box Qty.
1Pcs

Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **1725lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.9**

Beam Angle: **120°**

No. of LED: **140 pcs**

Material : **Iron+Acrylic**

Unit GW : **3.2 Kg**

Life Span: **30,000 Hours**

Size : **450mm**
Built In LED

new!

Pendant Light-Surface

30w VT-32-1-W

SKU: 3995 -3000K Warm White 3800157638807

 Box Qty.
1Pcs

Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **2250lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.9**


Beam Angle: **120°**

No. of LED: **180 pcs**

Material : **Iron+Acrylic**

Unit GW : **4.3 Kg**

Life Span: **30,000 Hours**

Size : **600mm**
Built In LED


new!

Built In **LED**

Pendant Light-Surface

30w VT-32-1-B

SKU: 3996-3000K Warm White 3800157638814

Box Qty.
1Pcs

Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **2250lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.9**

Beam Angle: **120°**


No. of LED: **180 pcs**

Material : **Iron+Acrylic**

Unit GW : **4.3 Kg**

Life Span: **30,000 Hours**

Size : **600mm**



new!

Built In **LED**

Pendant Light-Surface

30w VT-32-1-C

SKU: 3997-3000K Warm White 3800157638821

Box Qty.
1Pcs

Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **2250lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.9**

Beam Angle: **120°**


No. of LED: **180 pcs**

Material : **Iron+Acrylic**

Unit GW : **4.3 Kg**


Life Span: **30,000 Hours**

Size : **600mm**




new!

Designer Series-Color Changing
32w VT-7460
SKU: 3958 -3IN1
3800157636520

 **Box Qty.**
1Pcs
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 3100lm
LED Type: SMD
CRI: >80
PF: >0.9
Beam Angle: 120°
No. of LED: 320 pcs
Material : PC
Unit GW : 2.20 kgs
Life Span: 30,000 Hours
Size : 460x1200mm

new!

Designer Series-Color Changing
38w VT-7605
SKU: 3959 -3IN1
3800157636537

 **Box Qty.**
1Pcs
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 3300lm
LED Type: SMD
CRI: >80
PF: >0.9
Beam Angle: 120°
No. of LED: 384 pcs
Material : PC
Unit GW : 3.90 kgs
Life Span: 30,000 Hours
Size : 600x1200mm


new!



Designer Series-Color Changing

82w VT-7750

SKU: 3960 -3IN1

3800157636544



Box Qty.
1Pcs

Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **7300lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.9**

Beam Angle: **120°**


No. of LED: **768 pcs**

Material: **PC**


Unit GW: **6.85 kgs**

Life Span: **30,000 Hours**

Size: **750x1200mm**



new!



Designer Series-Color Changing

60w VT-7606

SKU: 3961 -3IN1

3800157636551



Box Qty.
1Pcs

Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **5400lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.9**

Beam Angle: **120°**


No. of LED: **604 pcs**

Material: **PC**

Unit GW: **7.5 kgs**


Life Span: **30,000 Hours**

Size: **600x300mm**




new!

Designer Series-Color Changing
40w VT-7461
SKU: 3962 -3IN1
3800157636568

**Box Qty.
1Pcs**
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 3600lm
LED Type: SMD
CRI: >80
PF: >0.9
Beam Angle: 120°
No. of LED: 384 pcs
Material : PC
Unit GW : 3.00 kgs
Life Span: 30,000 Hours
Size : 460x460x1200mm

new!

Designer Series-Color Changing
42w VT-7607
SKU: 3963 -3IN1
3800157636575

**Box Qty.
1Pcs**
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 3400lm
LED Type: SMD
CRI: >80
PF: >0.9
Beam Angle: 120°
No. of LED: 384 pcs
Material : PC
Unit GW : 4.80 kgs
Life Span: 30,000 Hours
Size : 600x600x1200mm


new!



Designer Series-Color Changing

80w VT-7751

SKU: 3964 -3IN1


3800157636582



Box Qty.
1Pcs

Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **6600lm**
LED Type: **SMD**
CRI: **>80**
PF: **>0.9**
Beam Angle: **120°**

No. of LED: **768 pcs**
Material: **PC**
Unit GW: **7.00 kgs**
Life Span: **30,000 Hours**
Size: **750x750x120mm**



new!



Designer Series-Color Changing

68w VT-7608

SKU: 3965 -3IN1


3800157636599



Box Qty.
1Pcs

Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **6000lm**
LED Type: **SMD**
CRI: **>80**
PF: **>0.9**
Beam Angle: **120°**

No. of LED: **624 pcs**
Material: **PC**
Unit GW: **6.50 kgs**
Life Span: **30,000 Hours**
Size: **600x300mm**




new!

Designer Series-Color Changing
22w VT-7308

SKU: 3966 -3IN1

3800157636605


 Box Qty.
1Pcs

 Voltage/Frequency: **AC:220-240V,50Hz**

 Luminous Flux: **2100lm**

 LED Type: **SMD**

 CRI: **>80**

 PF: **>0.9**

 Beam Angle: **120°**

 No. of LED: **240 pcs**

 Material : **PC**

 Unit GW : **16.50 kgs**


 Life Span: **30,000 Hours**

 Size : **300x80mm**
new!

Designer Series-Color Changing
32w VT-7462

SKU: 3967 -3IN1

3800157636612


 Box Qty.
1Pcs

 Voltage/Frequency: **AC:220-240V,50Hz**

 Luminous Flux: **3100lm**

 LED Type: **SMD**

 CRI: **>80**

 PF: **>0.9**

 Beam Angle: **120°**

 No. of LED: **384 pcs**

 Material : **PC**

 Unit GW : **2.90 kgs**

 Life Span: **30,000 Hours**

 Size : **460x120mm**

new!



Designer Series-Color Changing


38w VT-7609

SKU: 3968 -3IN1

3800157636629



Box Qty.
1Pcs



Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **3300lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.9**

Beam Angle: **120°**

No. of LED: **384 pcs**

Material: **PC**

Unit GW: **4.90 kgs**

Life Span: **30,000 Hours**

Size: **600x120mm**

new!



Designer Series-Color Changing


82w VT-7752

SKU: 3969 -3IN1

3800157636636



Box Qty.
1Pcs



Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **7300lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.9**

Beam Angle: **120°**


No. of LED: **768 pcs**



Material: **PC**


Unit GW: **9.65 kgs**

Life Span: **30,000 Hours**


Size: **750x120mm**

new!

Designer Series-Color Changing
26w VT-7309
SKU: 3970 -3IN1
3800157636643

 **Box Qty.**
1Pcs

Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 2600lm
LED Type: SMD
CRI: >80
PF: >0.9
Beam Angle: 120°
No. of LED: 240 pcs
Material : PC
Unit GW : 18.50 kgs
Life Span: 30,000 Hours
Size : 300x300x80mm
new!

Designer Series-Color Changing
40w VT-7463
SKU: 3971 -3IN1
3800157636650

 **Box Qty.**
1Pcs

Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 3600lm
LED Type: SMD
CRI: >80
PF: >0.9
Beam Angle: 120°
No. of LED: 384 pcs
Material : PC
Unit GW : 3.95 kgs
Life Span: 30,000 Hours
Size : 460x460x95mm

new!



Designer Series-Color Changing


42w VT-7610

SKU: 3972 -3IN1

3800157636667



Box Qty.
1Pcs



Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **3400lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.9**

Beam Angle: **120°**

No. of LED: **384 pcs**


Material: **PC**

Unit GW: **6.55 kgs**

Life Span: **30,000 Hours**

Size: **600x600x115mm**

new!



Designer Series-Double Pendant

80w VT-7753

SKU: 3973 -3IN1

3800157636674



Box Qty.
1Pcs



Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **6600lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.9**

Beam Angle: **120°**


No. of LED: **768 pcs**

Material: **PC**


Unit GW: **10.50 kgs**

Life Span: **30,000 Hours**


Size: **750x120mm**


Designer Series-TRIAC Dimmable
32w VT-7049

 Box Qty.
1Pcs
SKU: 3978 -3000K Warm White
3800157636728
new!
TRIAC
DIMMABLE

Voltage/Frequency: AC:220-240V,50Hz
No. of LED: 200 pcs
Luminous Flux: 2100lm
Material : PC
LED Type: SMD
Unit GW : 2.6 kgs
CRI: >80
Life Span: 30,000 Hours
PF: >0.9
Size : ø125x840mm
Beam Angle: 120°

Designer Series-TRIAC Dimmable
52w VT-7072

 Box Qty.
1Pcs
SKU: 3979 -3000K Warm White
3800157636735
new!
TRIAC
DIMMABLE

Voltage/Frequency: AC:220-240V,50Hz
No. of LED: 300 pcs
Luminous Flux: 3400lm
Material : PC
LED Type: SMD
Unit GW : 3.5 kgs
CRI: >80
Life Span: 30,000 Hours
PF: >0.9
Size : ø125x1260mm
Beam Angle: 120°


new!

Designer Series-TRAIC Dimmable

18W VT-7027

SKU: 3980-3000K Warm White 3800157636742

Box Qty.
1Pcs

Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **1200lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.9**

Beam Angle: **120°**

No. of LED: **100 pcs**


Material : **PC**

Unit GW : **2.05 kgs**

Life Span: **30,000 Hours**

Size : **ø125x420mm**

TRIAC
DIMMABLE



new!

Designer Series-TRAIC Dimmable

32W VT-7050

SKU: 3981-3000K Warm White 3800157636759

Box Qty.
1Pcs

Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **2100lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.9**

Beam Angle: **120°**

No. of LED: **200 pcs**


Material : **PC**

Unit GW : **2.60 kgs**

Life Span: **30,000 Hours**

Size : **ø125x840mm**

TRIAC
DIMMABLE



Wall Lamp-TRIAC Dimmable

18W VT-7025

SKU: 3974 - 3000K Warm White 3800157636681

 Box Qty.
1Pcs

Voltage/Frequency: AC:220-240V,50/60Hz

Luminous Flux: 1200lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 100 pcs

Material : PC+Iron

Unit GW : 2.05 kgs

Life Span: 30,000 Hours

Size : ø125x420mm




Table Lamps

18W VT-7026

SKU: 3975 3000K Warm White 3800157636698

 Box Qty.
1Pcs

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 1200lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°


No. of LED: 100 pcs

Material : PC

Unit GW : 2.80 kgs

Life Span: White

Size : ø125x420mm



new!

Floor Lamps
32W VT-7048


SKU: 3976 3000K Warm White

3800157636704



Box Qty.
1Pcs

Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **2100lm**
LED Type: **SMD**
CRI: **>80**
PF: **>0.9**
Beam Angle: **120°**
No. of LED: **200 pcs**
Material : **PC**
Unit GW : **5.60 kgs**
Life Span: **White**
Size : **ø125x840mm**



new!


Floor Lamps
65W VT-7096

SKU: 3977 3000K Warm White

3800157636711

Box Qty.
1Pcs

Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **4300lm**
LED Type: **SMD**
CRI: **>80**
PF: **>0.9**
Beam Angle: **120°**
No. of LED: **864 pcs**
Material : **PC**
Unit GW : **6.50 Kgs**
Life Span: **White**
Size : **ø125x1680mm**





Modern Circular

Chandeliers & Pendants

With Built in LED lights



new!

Built In LED


Chandelier-2 Step-Dimmable

100w VT-101-2-W

SKU: 3986 - 3000K Warm White

Box Qty.
1Pcs

3800157638715



Voltage/Frequency: **AC:220-240V,50Hz**

Luminous Flux: **7500lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.9**

Beam Angle: **120°**

No. of LED: **600 pcs**

Material : **Aluminium+Acrylic**

Unit GW : **4.7 Kg**

Life Span: **25,000 Hours**

Size : **600/400/200mm**


new!
Built In LED


Chandelier-2 Step-Dimmable

100w VT-101-2-B

SKU: 3987 - 3000K Warm White

 Box Qty.
1Pcs

3800157638722



Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **7500lm**
 LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**
 Beam Angle: **120°**

No. of LED: **600 pcs**
 Material : **Aluminium+Acrylic**
 Unit GW : **4.7 Kg**
 Life Span: **25,000 Hours**
 Size : **600/400/200mm**



new!

Built In LED


Chandelier-2 Step-Dimmable

100w VT-101-2-C

SKU: 3988 - 3000K Warm White

Box Qty.
1Pcs

3800157638739



Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **7500lm**
LED Type: **SMD**
CRI: **>80**
PF: **>0.9**
Beam Angle: **120°**

No. of LED: **600 pcs**
Material : **Aluminium+Acrylic**
Unit GW : **4.7 Kg**
Life Span: **25,000 Hours**
Size : **600/400/200mm**


new!
Built In LED


Chandelier-3 Step-Dimmable

80w VT-82-3-W

 Box Qty.
1Pcs

SKU: 3989 - 3000K Warm White

3800157638746


 Voltage/Frequency: **AC:220-240V,50Hz**

 Luminous Flux: **5925lm**

 LED Type: **SMD**

 CRI: **>80**

 PF: **>0.9**

 Beam Angle: **120°**

 No. of LED: **470 pcs**

 Material : **Aluminium+Acrylic**

 Unit GW : **4.7 Kg**

 Life Span: **25,000 Hours**

 Size : **600/500/400mm**



new!

Built In LED


Chandelier-3 Step-Dimmable

80w VT-82-3-B

SKU: 3990 - 3000K Warm White

Box Qty.
1Pcs

3800157638753



Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **5925lm**
LED Type: **SMD**
CRI: **>80**
PF: **>0.9**
Beam Angle: **120°**

No. of LED: **470 pcs**
Material : **Aluminium+Acrylic**
Unit GW : **4.7 Kg**
Life Span: **25,000 Hours**
Size : **600/500/400mm**


new!
Built In LED


Chandelier-3 Step-Dimmable

80w VT-82-3-C

SKU: 3991 - 3000K Warm White


 Box Qty.
1Pcs

3800157638760



Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **5925lm**
 LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**
 Beam Angle: **120°**

No. of LED: **470 pcs**
 Material : **Aluminium+Acrylic**
 Unit GW : **4.7 Kg**
 Life Span: **25,000 Hours**
 Size : **600/500/400mm**



Built In LED

Chandelier Series

40w VT-40-1

SKU: 3874 - 3000K Warm White

3800157620888

Box Qty.
1Pcs

Voltage/Frequency: **AC:100-240V,50Hz**

Luminous Flux: **2800lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.9**

Beam Angle: **120°**


No. of LED: **240 pcs**


Material : **Steel+PC**

Unit GW : **3.90 Kg**

Life Span: **20,000 Hours**

Size : **400X210X1000mm**





Built In LED

Chandelier-3 Step
70w VT-70-3D

SKU: 3904 - 3000K Warm White
 SKU: 3905 - 4000K Day White


Box Qty.
1Pcs

3800157624633
 3800157624640



Voltage/Frequency: **AC:100-240V,50Hz**
 Luminous Flux: **4900lm**
 LED Type: **SMD**
 CRI: **>80**
 PF: **>0.9**
 Beam Angle: **120°**

No. of LED: **360 pcs**
 Material : **Acrylic+Aluminium**
 Unit GW : **3.50 Kg**
 Life Span: **20,000 Hours**
 Size : **600x600x1200mm**




Built In LED

Chandelier-3 Step
80w VT-80-3D

SKU: 3906 - 3000K Warm White
SKU: 3907 - 4000K Day White


3800157624657
3800157624664

Box Qty.
1Pcs



Voltage/Frequency: **AC:100-240V,50Hz**
Luminous Flux: **5600lm**
LED Type: **SMD**
CRI: **>80**
PF: **>0.9**
Beam Angle: **120°**

No. of LED: **510 pcs**
Material : **Acrylic+Aluminium**
Unit GW : **4.7 Kg**
Life Span: **20,000 Hours**
Size : **600x600x1200mm**



Built In **LED**

Chandelier-3 Step

85w VT-85-3

 Box Qty.
1Pcs



SKU: 3910 - 3000K Warm White
SKU: 3911 - 4000K Day White

3800157624695
3800157624701

Voltage/Frequency: **AC:100-240V,50Hz**

Luminous Flux: **5900lm**

LED Type: **SMD**

CRI: **>80**

PF: **>0.9**

Beam Angle: **120°**

No. of LED: **510 pcs**

Material : **Acrylic+Aluminium**

Unit GW : **5.5 Kg**

Life Span: **20,000 Hours**

Size : **200x400x600mm**



Our Product Range



We have recently entered an Inbrand program with Samsung. Where they provided LED chips for our recently launched PRO series. This new range of products is a culmination of our new innovative approach to providing lighting solutions to professionals with professional products with five-year warranty coverage.

ESSENTIALS

With the continuous research of our team of Lighting Professionals, we have developed over 1800 Cutting-Edge LED products for Residential, Commercial, and Industrial applications. These products has a range of 2-5 years warranty.

Why V-TAC?



READY STOCK FOR ALL PRODUCTS

We have a 40,000 sqm warehouse stored with high quality LED Products ready to be delivered.



LOGISTICS & DELIVERY

Dispatch within 24 Hours & Free Delivery over a minimum value of order.

Fast, Effective and Hassle Free!



COMPETITIVE PRICES

Only the best prices for the best products!



WIDE RANGE OF LED PRODUCTS

We have a wide range of over 1800 products that are available in 3 color temperatures.

V-TAC[®]
INNOVATIVE LED LIGHTING

FOR PROFESSIONALS | BY PROFESSIONALS

www.vtacexports.com | www.v-tac.eu

Uniform Packing



With a focus on the ever-evolving market demands, we are engaged in supplying a wide range of LED Bulbs Blister Packs and 3 Pcs Economy Packs., suitable for all types of Markets from Wholesalers, DIY Stores, & Retails Stores.

Our products are uniformly packed with Consistent Branding and Design. All information are displayed as per the

Multipack



V-TAC[®]
INNOVATIVE LED LIGHTING

FOR PROFESSIONALS | BY PROFESSIONALS

www.vtacexports.com | www.v-tac.eu

Mission & Vision

#Live.

Light is crucial to your well-being and to your economy's development; and yet globally 1.2 billion people are without access to Modern Lighting.

V-TAC was developed and designed by Energy and Lighting specialist to not only bring Sustainable LED Lighting Solutions to your home but to Keep Adding Value and Live up to the expectations of our Customers and Distributors.

#Light.

Every Country, Every Home, Every Person has different needs. We make sure that we cover all your needs with our vast range of LED Lighting Products at market leading prices.

Our products are researched and tested thoroughly to ensure high quality and excellent energy-saving capability.

#Life.

We strongly believe in mutual growth. Lighting up your life is our adventure. We are on a mission to bring V-Tac LED closer to your home. We are strategically building a network of distributors and partners who share our vision of giving you immersive and innovative LED Lighting.

Our Vision

Providing affordable LED Lighting Solutions for all sectors and to keep evolving.



FOR PROFESSIONALS | BY PROFESSIONALS

www.vtacexports.com | www.v-tac.eu



DIALux Partner



TUV



RoHS




CE / LVD



Certified and Tested



CE/EMC



5 YEAR
WARRANTY



EUROPE OFFICE

1, Iliansko Shanssee Blvd,
Sofia 1220, Bulgaria
www.v-tac.eu

UK OFFICE

Unit No. 9, Armstrong Way,
Western Industrial Park,
Southall, London,
UB24SD, UK.
www.v-tac.co.uk

MIDDLE EAST OFFICE

Unit# 407/8/9 Jumeirah
Bay Towers,
Plot# X3, JLT,
P.O. Box 45244, Dubai.
www.vtacexports.com